

PRESENTED BY



Jaquar Group is a rapidly growing multi-diversified 'Complete Bathroom & Lighting Solutions' Group.

Jaquar's vision is to be the brand that inspires people worldwide to rediscover the joys of water and light.



REINVENTING BATHROOMS

A Journey to Extraordinary Everyday Living

CRAFTING BATHROOM EXPERIENCES

In a world where daily life can often feel routine, Jaquar is sparking a revolution that begins in one of the most intimate spaces of your home – the bathroom. We are not just reimagining this essential room; we are redefining how you perceive it.

Jaquar's vision extends far beyond individual fixtures or stand-alone products. We are committed to crafting bathroom experiences that seamlessly integrate into your daily life, making your daily rituals unforgettable moments of joy. It's about bringing the bathroom to life in ways you've never imagined.









When you daydream about your perfect bathroom, what's it like?

And more importantly,
how does it make you
feel? Check out Jaquar's
newest designs, and let
them help you figure it out
- your way.

Next level bathroom experience



JAQUAR'S HOLISTIC APPROACH TO BATHROOM DESIGN

Collaborating with international designers,
Jaquar is elevating the bathroom experience to
an entirely new level of excitement. Their
approach transforms bathrooms into holistic
environments, seamlessly adapting to your style,
dreams, and needs. Each bathroom becomes a
unique reflection of your personality, where
design and comfort unite with endless
personalization possibilities. It's about every
element coming together harmoniously to fit
your daily life and create incomparable water
experiences that make you feel truly alive.





REDISCOVER THE JOY OF WATER

For Jaquar, a bathroom isn't merely a collection of furniture, tiles, and faucets. It's a space that, when conceived holistically, enriches your life with emotions and extraordinary moments. It's where you feel special every day, where you can express yourself and experience the beauty of water with all your senses.

Imagine your dream bathroom as a place where families create unforgettable memories, where kids have fun with water, and couples fall in love. Picture happiness, style, comfort, well-being, and sensuality all coming together in a single place - your place. Jaquar is redefining bathrooms, transforming them from single installations into inspiring, complete environments. They're turning bath fixtures into experiences.

By breaking free from tradition and redefining convenience, Jaquar wants you to discover the joy and pleasure of humanity, the beauty of water, and the value of your individual space like never before. Your bathroom, once just a functional space, becomes a haven of inspiration, oation, and pure enjoyment. Welcome to the future of bathroom design, brought to you by Jaquar.






We inspire people globally

BATH + LIGHT


Established in New Delhi in 1960, Jaquar Group has evolved into a dynamic and rapidly growing 'Complete Bathroom & Lighting Solutions' conglomerate. With a vision to inspire people globally to rediscover the joys of water and light, Jaquar has become a leading force in the industry. The group boasts eight state-of-the-art manufacturing units, a testament to its commitment to quality and innovation.

Operating in 55 countries, Jaquar has a significant international presence and has employed over 12,000 individuals. Annually, the group produces an impressive 45.9 million bath fittings, 4.2 million sanitaryware pieces, and 24.6 million lighting products, solidifying its position as a major player in the global market. The Jaquar Group's unwavering dedication to excellence has firmly positioned it as a trusted name in the world of bathroom and lighting solutions.









Over 60 YEARS OF EXCELLENCE

THE MAKING OF A GLOBAL POWERHOUSE

We are on a mission

Essco commissioned its very first, composite, ultra-modern manufacturing plant

1972

The super success of its advanced flush valve made Jaquar the highest-selling bath fittings brand, and revolutionised the Indian market

1987

Launched the shower enclosure category, offering designing-to-installation services, with standardised quality specifications

2006

Commissions 2nd state-of-the-art manufacturing facility in Rajasthan to increase faucet production capacity to 3 million annually

2008

Opens 3rd integrated manufacturing plant. Adds sanitaryware products to offer complete bathroom solutions. Production capacity scales up to 135,000 sq.m.

2010

1960

Launch of Essco, the first pan-India bath fittings brand with an unheard of 7year warranty

1986

Launch of the premium bath fittings brand – Jaquar. Aimed at bringing global standards to the Indian market

2001

Launch of Jaquar Orientation Centre. Enjoys pan-India presence today

2007

Opens its 1st largescale manufacturing facility in Rajasthan with a production capacity of 2 million faucets annually, and in-house testing capabilities

2009

Launches India's first luxury bath brand – Artize. Forays into hot water solutions with a wide range of concepts and products Jaquar is recognised as India's most trusted bath fittings brand by customers in research conducted by Neilsen. Jaquar represents India as the first Indian bath brand to get showcased at ISH, Frankfurt, the global bath fair

2013

Acquires Euro Ceramic, one of Asia's most advanced sanitaryware plants, in Gujarat. Jaquar's 6th manufacturing unit with a production capacity of 2.5 million pieces annually. Opens the first Jaquar World in Dubai, a branded, global, destination showroom of complete bathroom and lighting solutions. It has presence across the globe today

2017

Launch of 8th manufacturing unit - water heater plant with a capacity to produce half a million pieces per year and water heaters of up to 100 litres. Overall group manufacturing facilities scaled to 330,000 sq.m.

2021

Launch of Atelier by Artize – the luxury bath gallery in Delhi, Mumbai, and Bangalore

2022

First ever participation at Salone Internazionale Del Mobile, Milan & Grows the design community exponentially with its IP Canvas.

2024

2016

Opens Jaquar Group global HQs in DelhiNCR, a USGBC-certified net-positive building spread over 48,000 sq. m. And its 4th manufacturing unit, for wellness products. Acquires JoeyForLife, a South Korean company which becomes its 5th manufacturing unit, offering showering systems and technology

2020

Adds 7th manufacturing unit, spread over almost 56,000 sq. m. Produces Jaquar's LED lighting products - from professional to consumer LED lighting, with advanced testing and certifying lab

2023

Jaquar Group, a global brand with presence in over 55 countries today. Offers complete bathroom and lighting solutions, produces over 39 million bath fittings, and 25 million lighting products

HISTORY

THE BRAND

Jaquar is one of the fastest growing bathroom brands in the world, having over 65 years of manufacturing prowess and presence in over 55 countries across Europe, Middle East, Asia- Pacific and Africa.

MARKET LEADERS

A global Superbrand, its Complete
Bathroom Solutions include a wide range of
products with beautifully designed
aesthetics to make the bathroom a relaxing,
refreshing, joyful space. In lighting too, the
brand offers Complete LED Lighting
Solutions - for residential, commercial and
outdoor use. Designed to be compatible
with, and complement every interior and
exterior design aesthetic or decor.






MANUFACTURERS SINCE 1960

In line with the mission to deliver unparalleled bathroom products, the Jaquar Group has 8 state-of-the-art manufacturing facilities spread over 330,000 sq. m, equipped with modern machines and processes. Currently, the Group delivers over 3.3 million bathrooms every year and produces over 45.9 million bath fittings annually. Over 24.6 million lighting products annually.

Headquartered in the National Capital Region of India, in one-of-a-kind eco-friendly "Net Positive Building" spread over a sprawling space of over 48,000 sq. m. that's been awarded the LEED Platinum Certified rating from the United States Green Building Council (USGBC), the highest level of green building certification awarded to a building.







COMPLETE


Bathroom Solutions

We provide a comprehensive range of high-quality products and services for a modern, convenient, and luxurious bathroom experience.

TOTAL BATHROOM

Jaquar stands as a paragon of excellence in the bathroomware industry, offering an unparalleled ability to deliver complete bathroom solutions that redefine luxury and convenience. With a comprehensive range of high-quality products and services, Jaquar transforms bathrooms into havens of modern sophistication. From meticulously crafted brassware to exquisite ceramic sanitaryware and cuttingedge wellness products, Jaquar covers every facet of bath interior fittings. What sets Jaquar apart is its commitment to manufacturing all these components in-house, ensuring a seamless integration of design, functionality, and durability. The result is a harmonious symphony of elegance and innovation that caters to the diverse needs and preferences of customers worldwide. Jaquar's dedication to providing a holistic and curated bathroom experience reinforces its position as a trailblazer in the industry, setting new standards for opulence and comfort.













WE MAKE EVERYTHING YOU NEED

FAUCETS

Our faucets allow you to design bathrooms that are the tailored expressions of your personal style. It's simply a matter of settling on a design and finish that's right for you and choosing the components you'll need.

SANITARYWARE

Simplicity, beauty, comfort, and efficiency define our ceramic sanitaryware. Earth-friendly materials and streamlined design are at the core of everything we create.

SHOWERS

Experience a shower revolution with Jaquar! Our showers, crafted for precision and consistent water distribution are designed to match your mood, ensuring an ultimate experience every time.



ACCESSORIES

When it comes to designing the perfect bathroom, there's more to consider than just the fixtures and fittings. Jaquar bathroom accessories play a crucial role in completing the overall look and feel of the space.

WELLNESS

Transform your bathing space into a haven of relaxation and rejuvenation. Whether you are remodeling a new master suite or designing a cool hotel room, we can assist in finding the perfect wellness products to make your space both luxurious and comforting.

FLUSHING SYSTEMS

Our flushing systems seamlessly blend technology and aesthetics, offering an unparalleled combination of efficiency and style.

HOT WATER SOLUTIONS

Our water heaters are designed with energyfeatures that can help reduce energy consumption and utility bills.

CERTIFICATIONS

TRUSTWORTHY QUALITY

Our in-house R&D and testing laboratories comprehensively analyse each functional aspect of every product to ensure absolute quality. The result? Products that conform to not only the highest global standards, but are also capable of withstanding the rigours of tough usage conditions.



ZNAK-B is a collective guarantee trademark. All the products with the ZNAK-B mark are safe, up-to-date, and environment-friendly.



The Saudi Arabian Standards Organization (SASO) certificate is necessary to clear customs when exporting to Saudi Arabia. SASO CoC (Saudi Arabia certificate of Conformity) certifies that the goods have been tested and inspected to meet the needs of the SASO standards



IKRAM QA's Product Certification Scheme is based on the International Standard ISO/IEC 17065 for the testing of products and assessment of the quality system involving surveillance of the quality system.



With a DVGW (German Technical and Scientific Association for Gas and Water) certificate, product manufacturers, specialist companies, utilities, and experts can demonstrate to their customers and market partners that they comply with the state-of-the-art in their field of activities.



TISI certificate is a quality certificate of goods issued by the Thai Industrial Standards Institute, which confirms that the products meet the regulated quality & safety standards.



PZH certificates from the National Institute of Hygiene in Poland confirm that the products are safe for human health and environmentally friendly.



Emirates Authority for Standardization & Metrology (ESMA) is a great organization which maintains overall production industry and manages their productivity under a standard which keeps its quality, price value and demand in the market always on top.



The Water Regulations Approval Scheme is an independent UK certification body for plumbing products and materials, helping businesses and consumers choose compliant products that keep water safe, clean, and efficient.



The Mandatory Water Efficiency Labeling Scheme (WELS) is a product certification scheme by the Public Utilities Board (PUB). Under this scheme, the certified products are classified as water-efficient.



ISO 9001 is the internationally recognized standard for Quality Management System (QMS). Organizations use the certification to demonstrate their effective processes and effective people to deliver an effective product or service time after time.



The SABS product certification scheme for South Africa aims to guarantee the products'quality, safety, and reliability to the consumer. The presence of the SASS certification mark known as the SABS Mark on a product is an assurance of conformity to the specifications.



KC certification, or Korea Certification, is a product certification that ensures the conformity of products to Korean safety standards.



KIWA certificates and reports offer reliable, impartial, objective and internationally recognized evidence that an organization comply with all quality norms as per the European laws and regulations.



CE marking is a certification mark that indicates conformity with health, safety, and environmental protection standards for products sold within the European Economic Area (EEA).



SONCAP Certificate (SC) is a mandatory document used by the Nigerian Customs Services for clearance of goods going to Nigeria.

PRODUCT DESIGN AWARDS

Jaquar group products are conceived by internationally acclaimed designers and made to lead the evolution of bathrooms from functional rooms to inspiring spaces.















GLOBAL APPEAL

Jaquar's approach to design, drawing from classical, modern, contemporary and fusion styles, has resulted in many recognitions, including the prestigious Red Dot and IF Design Awards, among others, which illustrate the global appeal of our portfolio.

Interestingly, Jaquar Group is the very first Indian company to ever win the prestigious RedDot Design Award for outstanding industrial design.



Jaquar's Innovation Excellence

DESIGNERS




Our international team of industrial designers boasts a wealth of expertise, consistently delivering superior quality products that surpass industry standards. With diverse backgrounds and experiences, our designers bring a blend of creativity, innovation, and technical proficiency to every project.









A RESPONSIBLE COMPANY

TOGETHER FOR THE FUTURE

SUSTAIN ABILITY

As a global brand in the bathroom and lighting categories, eco-consciousness is a major driver of Jaquar's operational ethos.

NATURE FIRST

From the choices we make during product design, to their production at a large scale, and even how our corporate offices function, being responsible towards the conservation of natural resources, and operating sustainably, is a key aim. And one that we are constantly working towards and progressing on.





ENERGY EFFICIENCY

- Green energy for manufacturing
- A complete range of energy-saving LED lighting solutions for Home, Commercial and Outdoor needs
- Generating over 2.59MW of solar power annually at our premises
- 'Net Positive' global headquarters (spread over 48,000 sq. m.), certified LEED Platinum by the USGBC

WATER EFFICIENCY

- A whole range of certified solutions that offer significantly lower water consumption without compromising performance - from
 Dual-flush systems and Air Showers, to Pressmatic and Sensor Faucets,
 Sensor Urinals, and Flow Restrictor products
- Rainwater collection and recycling 100,000 litres of water every day at our LEED Platinum manufacturing unit

ZERO WASTE

- Zero Liquid discharge plant
- Zero waste plant
- 100% metal recycling
- Operating with the aim of zero-waste manufacturing across our 8 units spread over 3,30,000 sq. m.
- Products that offer a long lifespan and are supported by an industry-leading 10-year warranty

JOIN JAQUAR GROUP!

GLOBAL PRESENCE

What makes Jaquar the preferred choice?
A robust partnership lays the groundwork for realizing your vision.

Bathroomware distributors seeking a reliable and comprehensive brand should unequivocally choose Jaquar as their reference and preferred supplier for complete bathroom solutions.

Jaquar has earned a distinguished reputation in the market for its unwavering commitment to quality, innovation, and sustainability. The brand's extensive range of bathroom products, including faucets, sanitaryware, showers, and accessories, is crafted with precision and designed to meet diverse customer preferences.

Jaquar's commitment to innovation is reflected in its cutting-edge designs, utilizing advanced technologies to enhance user experiences. The brand's products boast durability, functionality, and aesthetic appeal, ensuring customer satisfaction and loyalty. Jaquar's extensive portfolio not only caters to a wide range of styles but also encompasses solutions for both residential and commercial spaces.

One of Jaquar's standout features is its commitment to sustainability. The brand's ecofriendly initiatives, evident in their manufacturing units and corporate offices, align with the growing global emphasis on environmental responsibility. This commitment is a valuable asset for distributors looking to align their business with ethical and sustainable practices.

Moreover, Jaquar's emphasis on customer support and after-sales service further distinguishes it in the market. The brand's dedication to customer satisfaction extends beyond the product purchase, offering peace of mind to distributors and end-users alike.

And, we are truly global!

WELLCOME TO



Jaquar Group's own flagship showroom locations, featuring the best and newest Jaquar products.





YOUR DREAM SHOWROOM

Immerse yourself in a curated range, spanning Faucets, Sanitaryware, Showers, Wellness Products, and more, all backed by expert design consultants, sales professionals, and customer service to bring your personalized bathroom dreams to life.

NOW PRESENT IN

EUROPE: Milan | Lisbon | London | Leeds | Moscow

AFRICA: Accra | Addis Ababa | Lagos | Johannesburg |

Kampala | Kinshasa | Dar Es Salaam

MIDDLE EAST : Dubai | Amman | Kuwait City | Doha |

Muscat | Riyadh

ASIA PACIFIC : Ahmedabad | Bangalore | Bangkok | Brunei |

Dhaka | Jaipur | Kathmandu | Kolkata | Kuala Lumpur |

Nepal | Seoul | Sourat



















INTERNATIONAL PROJECTS

TRANSFORMING CONTRACT SPACES

Jaquar Group has secured prestigious contract projects across Europe, Africa, the Middle East, and the Asia Pacific regions, providing exquisite bathroom ware products for the most luxurious hotel and residential developments. With an unparalleled reputation for quality and

design excellence, our offerings have been chosen to adorn the most prestigious establishments worldwide. From opulent resorts overlooking the Mediterranean to exclusive residential towers in bustling Asian metropolises, our bathroom ware products add a touch of sophistication and





Marriott Victoria & Albert, Manchester



Hilton, Doha





Intercontinental, Mauritius






The Oberoi Udaivilas, Udaipur





Crowne Plaza, Oman





Sheraton, Uganda

elegance to every space they inhabit. Our success in securing these contracts underscores our commitment to delivering top-tier craftsmanship, innovative design, and impeccable functionality tailored to

the unique needs of each project. We take pride in partnering with developers and designers to create exceptional environments that elevate the luxury experience for discerning clientele across the globe.

BATHROOM COLLECTIONS

Jaquar brings to you a world of coordinated design. Explore a seamless harmony of products, discover your ideal blend of shapes, functions, colors, and materials, and craft your very own dream combination.

TABLE OF CONTENTS

FAUCETS, SHOWER VALVES & SANITARYWARE - 34			
34	Laguna	152	Florentine Prime
46	Arc	157	Continental Prime
53	Kubix Prime	163	Continental
61	Opal Prime	170	Astra
68	Ornamix Prime	173	Sensor
75	Vignette Prime	179	Pressmatic Taps
82	Alive	182	Medi Series
87	Queen's Prime	184	Spout Operating Taps
96	Queen's	186	Cloud
101	Rendezvous	190	Aquamax Thermostat
105	D'arc	196	Thermostatic Mixers
107	Aria	199	Bathtub Spouts
114	Lyric	204	Bidspa
121	Fusion	207	Disabled-Friendly Sanitaryware
127	Fonte	209	Jaquar Designer (JDR)
129	Solo	213	Urinals
139	Florentine	276	Floor Mounted
148	Eko		
i-FLUSH & FLUSHING SYSTEMS - 215			
215	i-Flush	224	Cisterns
219	Flush Valves	225	Flush Plates
222	Flushing Systems		
ACCESSORIES - 227			
227	Accessories	238	Allied
SHOWERS - 242			
245	Duoflo Showers	256	Body Showers
247	Maze Showers	257	Shower Panels
255	Hydrolite Showers	268	Shower Accessories
WELLNESS - 280			
-		000	0
283	Whirlpool	333	Saunas

337 Steam Solutions

350 Washroom Accessories

341 Water Heaters

317 Spas

300 Freestanding Bathtubs

314 Bathtub Accessories

305 Built-In Bathtubs

LAGUNA

An Iconic Form With Timeless Simplicity



Designed by MATTEO THUN & ANTONIO RODRIGUEZ

"The complexity of simplicity", as Matteo Thun defines it, is the search for a design solution. Enduring simplicity of form, in a cohesive collection of materials, colour and combinations that create wonderful opportunities for magnificently finished spaces.



THE MOODS OF LAGUNA



URBAN OASISUrban Oasis is all about high-end simplicity, elegance and sophistication.



LUXURY ALLURE

Luxury Allure brings together fine textures, and the tactile pleasures of quality materials.




COLOUR CHARISMAColour Charisma brings a fresh breeze of Mediterranean flair to the bathroom.



WOOD HAVENWood Haven creates harmony through subtle, natural material combinations.

LAGUNA | COLOUR FINISHES |



If you wish to place orders for the different colour finishes of this range shown above, just replace the colour code in the middle of the product code with the colour code of your choice. For instance, in the product code LAG-CHR-91005B, 'CHR' notes Chrome Finish. If you wish to order the same product in Black Chrome, replace 'CHR' with 'BCH'. Thus the product code will be LAG-BCH-91005B.

BGP

Note: The finishes depicted here are only indicative and may differ from that on the actual product.

GMP

GBP

Single Lever | Basin



LAG-91011B

Single Lever Basin Mixer without Popup Waste, with 375mm Long Braided Hoses Flow rate: 14.19 \(\ell)\)min*



LAG-91011BWF

Single Lever Basin Mixer without Popup Waste, with 375mm Long Braided Hoses and Base Flange Flow rate: 14.19 {/min*



LAG-91011BCLW

Single Lever Basin Mixer without Popup Waste, with 375mm Long Braided Hoses & click clack waste (ALD-729)Flow rate: 14.19 {/min*



LAG-91011BCLWWF

Single Lever Basin Mixer without Popup Waste, with 375mm Long Braided Hoses, click clack waste (ALD-729) and Base Flange Flow rate: 14.19 l/min*



LAG-91051B

Single Lever Basin Mixer with Popup Waste & 375mm Long Braided Hoses Flow rate: 14.19 ℓ/min*



LAG-91051BWF

Single Lever Basin Mixer with Popup Waste, 375mm Long Braided Hoses and Base Flange Flow rate: 14.19 {/min*



LAG-91023B

Single Lever Extended Basin Mixer (Height-128mm) without Popup Waste, with 375mm Long Braided Hoses

Flow rate: 14.80 \(\ext{!/min*}



LAG-91023BWF

Single Lever Extended Basin Mixer (Height-128mm) without Popup Waste, with 375mm Long Braided Hoses and Base Flange

Flow rate: 14.80 {/min*



LAG-91052B

Single Lever Extended Basin Mixer (Height-128mm) with Popup Waste & 375mm Long Braided Hoses Flow rate: 14.80 l/min*



LAG-91052BWF

Single Lever Extended Basin Mixer (Height-128mm) with Popup Waste, 375mm Long Braided Hoses and Base Flange

Flow rate: 14.80 {/min*

I LAGUNA | FAUCETS I

Single Lever | Basin



LAG-91005B

Single Lever High Neck Basin Mixer without Popup Waste, with 600mm Long Braided Hoses Flow rate: 13.26 \(\ell/\text{min*}\)



LAG-91005BWF

Single Lever High Neck Basin Mixer without Popup Waste, with 600mm Long Braided Hoses and Base Flange Flow rate: 13.26 \(\extrm{\text{min}} \)*



LAG-91027

Floor Mounted Single Lever Basin Mixer Flow rate: 14.19 {/min*



LAG-91231NK

Exposed Parts of Single Lever Built-in In-wall Manual Valve with basin spout, two separate wall flanges, cartridge Sleeve and operating lever (Compatible in wall parts ALD-233NPSO or ALD-235NPSO are sold separately) Flow rate: 15.91 \{/min*



LAG-91233NK

Exposed Parts of Single Lever Built-in In-wall Manual Valve with Basin Spout (Compatible in wall parts ALD-233N is sold separately) Flow rate: 15.91 \(\extrm{!/min*} \)



LAG-91235NK

Exposed Parts of Left Hand Side Operated Single Lever Built-in Inwall Manual Valve with Basin Spout (Compatible in wall parts ALD-235N is sold separately) Flow rate: 29.84 {/min*





LAG-91147

Single Lever Shower Mixer with Provision For Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted Flow rate: 25.88 \(\extrm{/min*} \)



LAG-91149

Single Lever Shower Mixer, Wall Mounted

Flow rate: 27.53 \{/min*



LAG-91065MK

Exposed Part Kit of Single Lever Inwall Diverter (Compatible In-wall part ALD-065M is sold separately)



LAG-91079NK

Exposed Part Kit of Single Lever Hi Flow In-wall Diverter (Compatible In-wall part ALD-079N is sold separately)

Single Lever | Bidet





LAG-91227K

Exposed Part Kit of Single Lever Inwall Manual Valve, 35mm Cartridge (Compatible In-wall parts ALD-227 or ALD-229 are sold separately)



LAG-91213B

Single Lever Bidet Mixer with Popup Waste & 375mm Long Braided Hoses Flow rate: 7.26 {/min*

Quarter Turn | Basin



LAG-91213BWF

Single Lever Bidet Mixer with Popup Waste, 375mm Long Braided Hoses and Base Flange Flow rate: 7.26 {/min*



LAG-91189CSR

3-Hole Basin Mixer with Casted Spout, Round Handle and without Popup Waste System Flow rate: 17.52 {/min*



LAG-91191CSR

3-Hole Basin Mixer with Casted Spout, Round Handle and Popup Waste System Flow rate: 17.52 {/min*



LAG-91189CSL

3-Hole Basin Mixer with Casted Spout, Lever Handle and without Popup Waste System Flow rate: 17.12 {/min*



LAG-91191CSL

3-Hole Basin Mixer with Casted Spout, Lever Handle and Popup Waste System Flow rate: 17.12 {/min*



LAG-91189PSL

3-Hole Basin Mixer with Pipe Spout, Lever Handle and without Popup Waste System

Flow rate: 16.83 \{/min*



LAG-91189PSR

3-Hole Basin Mixer with Pipe Spout, Round Handle and without Popup Waste System Flow rate: 16.83 \/min*



LAG-91423C

In-wall Body of 3-Hole Basin Mixer (Without Exposed Parts) Flow rate: 93.28 {/min*

Quarter Turn | Basin

Quarter Turn | Bath & Shower



LAG-91423K

Exposed Part Kit of In-wall 3-Hole Basin Mixer with Basin Spout (Compatible In-wall part LAG-91423C is sold separately) Flow rate: 17.90 \(\ell)/min*



LAG-91287

5-Hole Bath & Shower Mixer, Deck Mounted Flow rate: 29.84 \lambda/min*

Quarter Turn | Taps



LAG-91809

Deck Mounted Stop Valve Flow rate: 28.41 l/min*

jaquar.com *at 3 bar pressure

■ LAGUNA | SANITARYWARE |



LAS-WHT-91801 Wall Hung Basin with Fixing Accessories, Size: 500×450×175 mm

LAS-WHT-91301 Full Pedestal for LAS-WHT-91801, Size: 200×265×685 mm



LAS-WHT-91803 Wall Hung Basin with Fixing Accessories, Size: 800×500×175 mm

LAS-WHT-91303 Full Pedestal for LAS-WHT-91803, 91805, Size: 210×310×685 mm



LAS-WHT-91805

Wall Hung Basin with Fixing Accessories, Size:1000×500×185 mm

LAS-WHT-91303 Full Pedestal for LAS-WHT-91803, 91805, Size: 210×310×685 mm



LAS-WHT-91901 Table Top Basin, Size: 380×380×130 mm, Shape: Square



LAS-WHT-91903 Table Top Basin, Size: 450×450×130 mm, Shape: Square



LAS-WHT-91905 Table Top Basin, Size: 600×380×130 mm, Shape: Rectangular



LAS-WHT-91701 Under Counter Basin with Fixing Accessories, Size: 450×450×170 mm, Shape: Square



LAS-WHT-91703 Under Counter Basin with Fixing Accessories, Size: 600×450×170 mm, Shape: Rectangular

■ LAGUNA | SANITARYWARE I



LAS-WHT-91705 Under Counter Basin with Fixing Accessories, Size: 350×350×160 mm, Shape: Round



LAS-WHT-91707 Under Counter Basin with Fixing Accessories, Size: 450×450×170 mm, Shape: Round



LAS-WHT-91931 **Table Top Basin** Size: 600×450×175 mm



LAS-WHT-91807
Wall Hung Basin with Fixing
Accessories,
Size: 600×450×175 mm
LAS-WHT-91301

Full Pedestal for LAS-WHT-91801, Size: 200×265×685 mm



LAS-WHT-91931W3TH
Table Top Basin,
with Three Tap Hole,
Size: 600×450×175 mm



LAS-WHT-91933 Table Top Basin, Size: 800×500×175 mm



LAS-WHT-91933W3TH Table Top Basin with Three Tap Hole, Size: 800×500×175 mm,





BI

LAS-WHT-91953BIUFSM Rimless Blind Installation Wall Hung WC with UF Soft Close Slim Seat Cover, Hinges, Accessories Set, Size: 370×525×350 mm

LAGUNA | SANITARYWARE



LAS-WHT-91153 Blind Installation Wall Hung Bidet with Fixing Accessories, Size: 370×525×280 mm



LSA-BLM-91783FM
Stainless Steel Frame for
Wall Hung Basin with Towel
Rail and Rack with Wooden
Laminate (Fountain Mist)
(Compatible with
LAS-WHT-91803)



LSA-BLM-91785FM
Stainless Steel Frame for
Wall Hung Basin with Towel
Rail and Rack with Wooden
Laminate (Fountain Mist)
(Compatible with
LAS-WHT-91805)

ARC

Controlled Fluidity, Smooth Architecture and Balanced Proportions






THE DESIGN LANGUAGE OF ARC

Designed by **FEDERICO MERONI**


"In architecture you find this in the classic Roman Arc which, naturally, was a point of reference at the beginning of our creative process."

The simplicity of the arc combined with the complexity of a morphing section. One volume that play with the reassurance of a familliar geometry and the surprise of the water which, very naturally, in your hands.



INSPIRATION AND SKETCHES

The Arc collection of bathroom products draws inspiration from modern sculpture and the craftsmanship and precise detailing of fine silverware. It is a design that expresses an appreciation for form, function, subtlety of texture and quality of materials.









Chrome CHR



Black Chrome BCH



Black Matt BLM



Antique Copper ACR



Graphite GRF



Antique Bronze ABR



Stainless Steel Finish SSF

If you wish to place orders for the different colour finishes of this range shown above, just replace the colour code in the middle of the product code with the colour code of your choice. For instance, in the product code ARC-CHR-87011B, 'CHR' notes Chrome Finish. If you wish to order the same product in Black Matt, replace 'CHR' with 'BLM'. Thus the product code will be ARC-BLM-87011B.

The finishes depicted here are only indicative and may differ from that on the actual product.

Single Lever | Basin



ARC-87011B

Joystick Basin Mixer without Popup Waste, with 375 mm
Long Braided Hoses
Flow rate: 11.77 {/min*



ARC-87011BCLW

Joystick Basin Mixer without Popup
Waste, with 375 mm Long Braided
Hoses & Click-Clack-Waste (ALD-729)
Flow rate: 11.77 \(\extrm{/min*} \)



ARC-87233K
Exposed Parts of Joystick Built-in
In-Wall Manual Valve with Basin Spout
(Compatible In-Wall Part ARC-87233C is Sold Separately)
Flow rate: 13.53 \(\ell\)/min*



ARC-87233C In-Wall Body of Joystick Built-in Manual Valve for Wall Mounted Basin Mixer (without Exposed Parts) Flow rate: 34.44 ℓ/min*

Single Lever | Bath & Shower



ARC-87065K Exposed Part Kit of Joystick In-Wall Diverter (Compatible In-Wall Part ARC-87065C is Sold Separately)



ARC-87065C
In-Wall Body of Joystick Diverter with 40 mm Cartridge (without Exposed Parts)
Flow rate: 32.17 \(\extrm{/min*} \)

Single Lever | Bidet

Quarter Turn | Basin



ARC-87213B

Joystick Bidet Mixer with Popup Waste & 375 mm Long Braided Hoses
Flow rate: 7.15 {/min*



Waste
Also available
ARC-87191
3 Hole Basin Mixer with Popup Waste
Flow rate: 14.38 {/min*}

3 hole Basin Mixer without Popup

ARC-87189



ARC-87433 3 Hole Basin Mixer Wall Mounted Flow rate: 14.39 {/min*

ARC | SANITARYWARE I



ACS-WHT-87901 Table Top Basin, Size: 575×430×175 mm



ACS-WHT-87801 Wall Hung Basin with Fixing Accessories, Size: 635×485×305 mm

NEW



ACS-WHT-87701 Under Counter Basin with Fixing Accessories, Size: 640×490×155 mm





ACS-WHT-87953BIUFSM Rimless Blind Installation Wall Hung WC with UF Soft Close Slim Seat Cover, Hinges, Accessories Set, Size: 380×520×365 mm Also available

ACS-WHM-87953BIUFSM ACS-BLM-87953BIUFSM ACS-GRM-87953BIUFSM



ACS-WHT-87153 Wall Hung Bidet with Accessories Set, Size: 385×520×340 mm



KUBIX PRIME | COLOUR FINISHES |



Chrome CHR



Antique Bronze ABR



Antique Copper ACR



Black Chrome BCH



Black Matt BLM



Graphite GRF



Stainless Steel Finish SSF

If you wish to place orders for the different colour finishes of this range shown above, just replace the colour code in the middle of the product code with the colour code of your choice. For instance, in the product code KUP-CHR-35011BPM, 'CHR' notes Chrome Finish. If you wish to order the same product in Black Matt, replace 'CHR' with 'BLM'. Thus the product code will be KUP-BLM-35011BPM.

The finishes depicted here are only indicative and may differ from that on the actual product.

KUBIX PRIME | FAUCETS

Single Lever | Basin



KUP-35011BPM

Single Lever Basin Mixer without Popup Waste, with 375 mm Long **Braided Hoses** Flow rate: 13.1 {/min*



KUP-35011BPMCLW

Single Lever Basin Mixer without Popup Waste, with 375 mm Long Braided Hoses & Click-Clack-Waste (ALD-729)

Flow rate: 13.1 {/min*



KUP-35051BPM

Single Lever Basin Mixer with Popup Waste & 375 mm Long Braided Hoses Flow rate: 13.1 \(\ext{/min} \)*



KUP-35005BPM

Single Lever High Neck Basin Mixer withoutPopup Waste, with 600 mm Long Braided Hoses Flow rate: 13.1 {/min*

Single Lever | Bath & Shower



KUP-35233NKPM

Flow rate: 13.3 {/min*

Exposed Parts of Single Lever Built-in In-Wall Manual Valve with Basin Spout (Compatible in-Wall Parts ALD-233N or ALD-235N are Sold Separately)



KUP-35115PM

Single Lever Bath & Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted



KUP-35117PM

Single Lever Bath & Shower Mixer with Provision for Overhead Shower with 115 mm Long Bend Pipe on Upper Side, Wall Mounted Flow rate: 21.89 {/min*



KUP-35119PM

Single Lever Bath & Shower Mixer, Wall Mounted

Flow rate: 21.62 {/min*



KUP-35119PMSHK

Single Lever Bath & Shower Mixer with Shower Kit (1657, 571 & 555) Wall Mounted

Flow rate: 21.90 {/min*



KUP-35125PM

Single Lever Bath & Shower Mixer 3-in-1 System with Provision for both Hand Shower and Overhead Shower Complete with 115 mm Long Bend Pipe on Upper Side, Wall Mounted Flow rate: 20.14 {/min*

I KUBIX PRIME | FAUCETS |

Single Lever | Bath & Shower



KUP-35149PM Single Lever Shower Mixer, Wall Mounted Flow rate: 32 \(\extrm{/min*} \)



KUP-35783NKPM

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-783N or ALD-783NE are sold separately)



KUP-35065MKPM
Exposed Part Kit of Single Lever
In-Wall Diverter (Compatible In-Wall
Part ALD-065M is Sold Separately)



KUP-35079NKPM Exposed Part Kit of Single Lever Hi-Flow In-Wall Diverter (Compatible In-Wall Part ALD-079N is Sold Separately)

Single Lever | Bidet



KUP-35227KPM
Exposed Part Kit of Single Lever
In-Wall Manual Valve, 35 mm
Cartridge (Compatible In-Wall Parts
ALD-227 or ALD-229 are Sold
Separately)



KUP-35213BPM
Single Lever Bidet Mixer with Popup Waste & 375 mm Long Braided Hoses
Flow rate: 7.58 {/min*



Quarter Turn | Basin

KUP-35001PM Basin Tap 1/2 Inch Flow rate: 14.65 \(\)/min*



KUP-35021PM High Neck Basin Tap Flow rate: 14.29 {/min*



KUP-35189PM 3 Hole Basin Mixer without Popup Waste Flow rate: 15.74 \(/min* \)



KUP-35191PM 3 Hole Basin Mixer with Popup Waste Flow rate: 15.74 \(/min* \)

Quarter Turn | Basin



KUP-35433PM

3 Hole Basin Mixer Wall Mounted Flow rate: 13.22 ℓ/min*



KUP-35441KPM

Exposed Parts of In-Wall Single Built-in Stop Valve with Basin Spout (Compatible In-Wall Part ALD-441 is Sold Separately) Flow rate: 13.6 \(\ell)/min*\)

Quarter Turn | Bath & Shower



KUP-35223PM

H Type Bath Filler Flow rate: 34.01 \(\ext{!/min*} \)



KUP-35275PM

H Type Bath and Shower Mixer (without Shower & Shower Hose) Flow rate: 28.17 {/min*

Quarter Turn | Taps



KUP-35275PMSHK

H Type Bath and Shower Mixer with Shower Kit (1657, 571 & 555) Flow rate: 28.17 {/min*



KUP-35037PM

Bib Tap with Wall Flange Flow rate: 14.37 \(\ext{!/min*} \)



KUP-35041PM

2-Way Bib Tap with Wall Flange Flow rate: 14.41 {/min*



KUP-35053PM

Angle Valve with Wall Flange Flow rate: 32.7 ℓ/min*



KUP-35083PM

In-Wall Stop Valve with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall Parts) Flow rate: 68.39 {/min*



KUP-35089PM

In-Wall Stop Valve with Adjustable Wall Flange, Size 20 mm (with Exposed and In-Wall Parts) Flow rate:69.65 {/min*

KUBIX PRIME | FAUCETS

Quarter Turn | Taps



KUP-35809PM Deck Mounted Stop Valve Flow rate: 30.55 \(\)/min*

jaquar.com *at 3 bar pressure

KUBIX PRIME | SANITARYWARE



KUS-WHT-35935 Table Top Basin, Size: 565×425×140 mm



KUS-WHT-35901 Table Top Basin, Size: 595×435×185 mm



KUS-WHT-35601 Counter Top Basin, Size: 500×435×180 mm



KUS-WHT-35803
Wall Hung Integrated Basin with Fixing Accessories, Size: 490×430×390 mm



KUS-WHT-35401N Floor Standing Basin with Fixing Accessories, Size: 510×460×860 mm



KUS-WHT-35603 Counter Top Basin, Size: 610×470×170 mm



KUS-WHT-35851S300UF Single Piece WC with UF Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 370×695×795 mm, S Trap- 300 mm





KUS-WHT-35953BIUFSM Rimless, Blind Installation Wall Hung WC with UF Soft Close Slim Seat Cover, Hinges, Accessories Set, Also available KUS-WHM-35953BIUFSM KUS-BLM-35953BIUFSM

LAGUNA | SANITARYWARE



KUS-WHT-35153PM

Wall Hung Bidet with Accessories Set, Size: 380×525×375 mm



OPAL PRIME | COLOUR FINISHES |



Chrome CHR



Antique Bronze ABR



Antique Copper ACR



Black Chrome BCH



Black Matt BLM



Graphite GRF



Stainless Steel Finish SSF

If you wish to place orders for the different colour finishes of this range shown above, just replace the colour code in the middle of the product code with the colour code of your choice. For instance, in the product code OPP-CHR-15011BPM, 'CHR' connotes Chrome Finish. If you wish to order the same product in Black Matt, replace 'CHR' with 'BLM'. Thus the product code will be OPP-BLM-15011BPM.

The finishes depicted here are only indicative and may differ from that on the actual product.

■ OPAL PRIME | FAUCETS ■

Single Lever | Basin



OPP-15011BPM

Single Lever Basin Mixer without Popup Waste, with 375 mm Long Braided Hoses Flow rate: 14.7 l/min*

Registered design no.276010



OPP-15011BPMCLW

Single Lever Basin Mixer without Popup Waste, with 375 mm Long Braided Hoses & Click-Clack-Waste (ALD-729)

Flow rate: 14.7 {/min*



OPP-15051BPM

Single Lever Basin Mixer with Popup Waste & 375 mm Long Braided Hoses Flow rate: 14.7 ℓ/min*



OPP-15005BPM

Single Lever High Neck Basin Mixer without Popup Waste, with 600 mm Long Braided Hoses Flow rate: 14.23 {/min*

Single Lever | Bath & Shower



OPP-15233NKPM

Exposed Parts of Single Lever Built-in In-Wall Manual Valve with Basin Spout (Compatible in-Wall Parts ALD-233N or ALD-235N are Sold Separately)

Flow rate: 14.86 {/min*



OPP-15115PM

Single Lever Bath & Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted

Flow rate: 20.5 \(\extrm{/min*} \)



OPP-15119PM

Single Lever Bath & Shower Mixer, Wall Mounted Flow rate: 20.46 \(\lambda / \min^* \)



OPP-15119PMSHK

Single Lever Bath & Shower Mixer with Shower Kit (5537N, 571 & 555), Wall Mounted

Flow rate: 19.82 {/min*



OPP-15117PM

Single Lever Bath & Shower Mixer with Provision for Overhead Shower with 115 mm Long Bend Pipe on Upper Side, Wall Mounted Flow rate: 20.46 {/min*



OPP-15125PM

Single Lever Bath & Shower Mixer 3-in-1 System with Provision for both Hand Shower and Overhead Shower Complete with 115 mm Long Bend Pipe on Upper Side, Wall Mounted Flow rate: 19.82 {/min*

OPAL PRIME | FAUCETS |

Single Lever | Bath & Shower



OPP-15149PM Single Lever Shower Mixer, Wall Mounted Flow rate: 32 \(\ell/\text{min}\)*



OPP-15227KPM
Exposed Part Kit of Single Lever
In-Wall Manual Valve, 35 mm
Cartridge (Compatible In-Wall Parts
ALD-227 or ALD-229 are Sold
Separately)



OPP-15065MKPM
Exposed Part Kit of Single Lever In-Wall Diverter (Compatible In-Wall Part ALD-065M is Sold Separately)



OPP-15079NKPM

Exposed Part Kit of Single Lever
Hi-Flow In-Wall Diverter (Compatible
In-Wall Part ALD-079N is Sold
Separately)

Single Lever Mono Sink Mixer with



OPP-15783NKPM
Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-783N or ALD-783NE are sold separately)



Quarter Turn | Basin

Single Lever | Kitchen

Swivel Spout & 375 mm Long Braided Hoses Flow rate: 16.25 ℓ/min*

OPP-15173BPM



Single Lever | Bidet

OPP-15213BPM
Single Lever Bidet Mixer with Popup
Waste & 375 mm Long Braided Hoses
Flow rate: 7:15 {/min*



OPP-15001PM
Basin Tap 1/2 Inch
Flow rate: 16.79 \(\)/min*



OPP-15021PM
High Neck Basin Tap
Flow rate: 16.79 \(\)/min*



OPP-15433PM 3 Hole Basin Mixer Wall Mounted Flow rate: 16.34 ℓ/min*

Quarter Turn | Bath & Shower



OPP-15441KPM

Exposed Parts of In-Wall Single Built-in Stop Valve with Basin Spout (Compatible In-Wall Part ALD-441 is Sold Separately) Flow rate: 14.22 \/min*



OPP-15223PM

H Type Bath Filler Flow rate: 36.44 {/min*



OPP-15275PM

H Type Bath and Shower Mixer (without Shower & Shower Hose) Flow rate: 29.18 \(\extrm{!}/min \)*



OPP-15275PMSHK

H Type Bath and Shower Mixer with Shower Kit (1653, 571 & 555) Flow rate: 29.18 \langle /min*

Quarter Turn | Taps



OPP-15037PM

Bib Tap with Wall Flange Flow rate: 16.89 \(\)/min*



OPP-15041PM

2-Way Bib Tap with Wall Flange Flow rate: 16.89 \(\)/min*



OPP-15053PM

Angle Valve with Wall Flange Flow rate: 35.64 \(\)/min*



OPP-15083PM

In-Wall Stop Valve with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall Parts) Flow rate: 59.97 l/min*



OPP-15089PM

In-Wall Stop Valve with Adjustable Wall Flange, Size 20 mm (with Exposed and In-Wall Parts) Flow rate: 38.96 \(\ext{/min*} \)



OPS-WHT-15901N Thin Rim Table Top Basin, Size: 480×480×135 mm, Shape - Round



OPS-WHT-15905 Thin Rim Table Top Basin, Size: 415×415×135 mm, Shape - Round



OPS-WHT-15801
Wall Hung Basin with Fixing
Accessories,
Size: 585×485×195 mm
OPS-WHT-15305
Half Pedestal with Fixing

Accessories for

OPS-WHT-15801



OPS-WHT-15803
Wall Hung Integrated Basin with Fixing Accessories, Size: 530×460×400 mm



OPS-WHT-15851P180UFSMTL
Tankless Single Piece WC
With UF Soft Close Slim Seat
Cover, Hinges, Single flush with
Sensor & Manual operated, Fixing
Accessories and Accessories Set,
Size: 360×580×450 mm,
P Trap- 180 mm



OPS-WHT-15951UF
Wall Hung WC with UF Soft
Close Seat Cover, Hinges,
Accessories Set,
Size: 360×585×415 mm





OPS-WHT-15955P180UFSM Rimless Back To Wall WC with UF Soft Close Slim Seat Cover, Hinges, Fixing Accessories and Accessories Set, Size: 370×580×430 mm, P Trap- 180 mm



OPS-WHT-15851S300UF Single Piece WC with UF Soft Close Seat Cover, Hinges, Single Flush Cistern Fitting, Fixing Accessoriesand Accessories Set, Size: 380×660×785 mm, S Trap- 300 mm

OPAL | SANITARYWARE I





OPS-WHT-15753NS250UFSMZ

Rimless Bowl with Cistern for Coupled WC with UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting, Conversion Bend, Fixing Accessories Set, Size: 380×645×805 mm, S Trap- 250 mm (with Conversion Bend)





OPS-WHT-15753NP180UFSMZ

Rimless Bowl with Cistern for Coupled WC with UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting and Fixing Accessories Set, Size: 380×645×805 mm, P Trap- 180 mm



OPS-WHT-15751S220UFSMZ

Bowl with Cistern for Coupled WC with UF Soft Close Slim Seat Cover, Hinges, Single Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 400×660×820 mm, S Trap- 220 mm



OPS-WHT-15851S285PP

Single Piece WC with PP Soft Close Seat Cover, Hinges, Single Side Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 405×705×690 mm, S Trap- 285 mm



OPS-WHT-15851S300UFSMTL

Tankless Single Piece WC with UF Soft Close Slim Seat Cover, Hinges, Single flush with Sensor & Manual operated, Fixing Accessories and Accessories Set, Size: 360×580×450 mm, S Trap- 300 mm



OPS-WHT-15861S300UFSM

Single Piece WC with UF Soft Close Slim Seat Cover, Hinges, Single Side Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 400×720×605 mm, S Trap- 300 mm







OPS-WHT-15853S300UF

Rimless Single Piece WC with UF Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 360×675×750 mm, S Trap- 300 mm

ORNAMIX PRIME

The Ring of Perfection





ORNAMIX PRIME | COLOUR FINISHES



Chrome CHR



Antique Bronze ABR



Antique Copper ACR



Black Chrome BCH



Black Matt BLM



Graphite GRF



Stainless Steel Finish SSF

If you wish to place orders for the different colour finishes of this range shown above, just replace the colour code in the middle of the product code with the colour code of your choice. For instance, in the product code ORP-CHR-10011BPM, 'CHR' connotes Chrome Finish. If you wish to order the same product in Black Matt, replace 'CHR' with 'BLM'. Thus the product code will be ORP-BLM-10011BPM.

The finishes depicted here are only indicative and may differ from that on the actual product.

ORNAMIX PRIME | FAUCETS

Single Lever | Basin



ORP-10011BPM

Single Lever Basin Mixer without Popup Waste, with 375 mm Long **Braided Hoses** Flow rate: 15.98 {/min*

Registered design no.276012



ORP-10011BPMCLW

Single Lever Basin Mixer without Popup- Waste, with 375 mm Long Braided Hoses & Click-Clack-Waste (ALD-729)

Flow rate: 15.98 \(\ell/\text{min*}\)



ORP-10051BPM

Single Lever Basin Mixer with Popup Waste & 375 mm Long Braided Hoses Flow rate: 15.98 \(\)/min*

Registered design no.276012



ORP-10005BPM

Single Lever High Neck Basin Mixer without Popup Waste, with 600 mm Long Braided Hoses

Flow rate: 16.64 \(\extrm{\text{min}} \)* Registered design no.276012

Single Lever | Bath & Shower



ORP-10233NKPM

Exposed Parts of Single Lever Built-in In-Wall Manual Valve with Basin Spout (Compatible in wall Parts ALD-233N or ALD-235N are Sold Separately)

Flow rate: 14.83 {/min*



ORP-10115PM

Single Lever Bath & Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted

Flow rate: 15.79 {/min*



ORP-10119PM

Single Lever Bath & Shower Mixer, Wall Mounted

Flow rate: 15.1 {/min*



ORP-10119PMSHK

Single Lever Bath & Shower Mixer with Shower Kit (5537N, 571 & 555), Wall Mounted

Flow rate: 20.54 {/min*



ORP-10117PM

Single Lever Bath & Shower Mixer with Provision for Overhead Shower with 115 mm Long Bend Pipe on Upper Side, Wall Mounted Flow rate: 15.79 {/min*

Registered design no.276011



ORP-10125PM

Single Lever Bath & Shower Mixer 3-in-1 System with Provision for both Hand Shower and Overhead Shower Complete with 115 mm Long Bend Pipe on Upper Side, Wall Mounted Flow rate: 19.82 \lefts/min*

Registered design no.276013

ORNAMIX PRIME | FAUCETS |

Single Lever | Bath & Shower



ORP-10149PM

Single Lever Shower Mixer, Wall Mounted Flow rate: 32 \(\ell/\text{min*}\)



ORP-10783NKPM

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-Wall PartsALD-783 or ALD-783E are Sold Separately)



ORP-10065MKPM

Exposed Part Kit of Single Lever In-Wall Diverter (Compatible In-Wall Part ALD-065N is Sold Separately)



ORP-10079NKPM

Exposed Part Kit of Single Lever Hi-Flow In-Wall Diverter (Compatible In-Wall Part ALD-079N is Sold Separately)

Single Lever | Kitchen



ORP-10227KPM

Exposed Part Kit of Single Lever In-Wall Manual Valve, 35 mm Cartridge (Compatible In-Wall Parts ALD-227 or ALD-229 are Sold Separately)



ORP-10173BPM

Single Lever Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses

Flow rate: 14.25 \(\extrm{/min*} \)

Single Lever | Bidet Quarter Turn | Basin



ORP-10213BPM

Single Lever Bidet Mixer with Popup-Waste & 375 mm Long Braided Hoses Flow rate: 5.12 ℓ/min*



ORP-10001PM

Basin Tap 1/2 Inch Flow rate: 19.19 \(\extrm{!/min*} \)



ORP-10021PM

High Neck Basin Tap Flow rate: 18.65 ℓ/min*



ORP-10433PM

3 Hole Basin Mixer Wall Mounted Flow rate: 20.38 \mathcal{!}/min*

Quarter Turn | Bath & Shower



ORP-10441KPM

Exposed Parts of In-Wall Single Built-in Stop Valve with Basin Spout (Compatible In-Wall Part ALD-441 is Sold Separately)



ORP-10223PM

H Type Bath Filler



ORP-10275PM

H Type Bath and Shower Mixer (without Shower & Shower Hose)



ORP-10275PMSHK

H Type Bath and Shower Mixer with Shower Kit (1653, 571 & 555)

Quarter Turn | Taps



ORP-10037PM

Bib Tap with Wall Flange



ORP-10041PM

2-Way Bib Tap with Wall Flange



ORP-10053PM

Angle Valve with Wall Flange



ORP-10083PM

In-Wall Stop Valve with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall Parts)



ORP-10089PM

In-Wall Stop Valve with Adjustable Wall Flange, Size 20 mm (with Exposed and In-Wall Parts)

■ ORNAMIX PRIME | SANITARYWARE |



ONS-WHT-10801
Wall Hung Integrated Basin with Fixing Accessories, Size: 495×440×365 mm



ONS-WHT-10901 Table Top Basin, Size: 425×425×145 mm

NEW





ONS-WHT-10953BIUFSM Rimless, Blind Installation Wall Hung WC with UF Soft Close Slim Seat Cover, Hinges, Accessories Set, Size: 370×490×365 mm





Accessories Set, Size: 380×625×385 mm





ONS-WHT-10955P180UFSM

Rimless Back To Wall WC with UF Soft Close Slim Seat Cover, Hinges, Fixing Accessories and Accessories Set, Size: 360×575×410 mm, P Trap-180 mm





BI



ONS-WHT-10853S300UFSM

Rimless Single Piece WC with UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 385×720×710 mm, S Trap-300 mm



ONS-WHT-10153 Blind Installation Wall Hung Bidet with Accessories Set, Size: 360×490×350 mm



ONS-WHT-10851S300UFSMTL

Tankless Single Piece WC with UF Soft Close Slim Seat Cover, Hinges, Single flush with Sensor & Manual operated, Fixing Accessories and Accessories Set, Size: 380×620×450 mm, S Trap- 300 mm



ONS-WHT-10753NS250UFSMZ

Rimless Bowl With Cistern For Coupled WC With UF Soft Close Slim Seat Cover, Hinges, Conversion Bend, Dual Flush Cistern Fitting, Fixing Accessories And Accessories Set, Size: 390×645×845 mm, S Trap- 250 mm (With Conversion



ONS-WHT-10753P180UFSMZ

Rimless Bowl With Cistern For Coupled WC With UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories, Size: 390×645×845 mm, P Trap- 180 mm



VIGNETTE PRIME | COLOUR FINISHES |



Chrome CHR



Antique Bronze ABR



Antique Copper ACR



Black Chrome BCH



Black Matt BLM



Graphite GRF



Stainless Steel Finish SSF

If you wish to place orders for the different colour finishes of this range shown above, just replace the colour code in the middle of the product code with the colour code of your choice. For instance, in the product code VGP-CHR-81011B, 'CHR' connotes Chrome Finish. If you wish to order the same product in Black Matt, replace 'CHR' with 'BLM'. Thus the product code will be VGP-BLM-81011B.

The finishes depicted here are only indicative and may differ from that on the actual product.

VIGNETTE PRIME | FAUCETS

Single Lever | Basin



VGP-81011B

Single Lever Basin Mixer without Popup- Waste, with 375 mm Long Braided Hoses Flow rate: 13.62 l/min*



VGP-81011BCLW

Single Lever Basin Mixer without Popup Waste, with 375 mm Long Braided Hoses & Click-Clack-Waste (ALD-729)

Flow rate: 13.52 {/min*



VGP-81051B

Single Lever Basin Mixer with Popup Waste & 375 mm Long Braided Hoses Flow rate: 13.52 ℓ/min*



VGP-81005NB

Single Lever High Neck Basin Mixer without Popup Waste, with 600 mm Long Braided Hoses Flow rate: 13.8 {/min*

Single Lever | Bath & Shower



VGP-81233NK

Exposed Parts of Single Lever Built-in In-Wall Manual Valve with Basin Spout (Compatible in-Wall Parts ALD-233N or ALD-235N are Sold Separately)

Flow rate: 15.52 {/min*



VGP-81119

Single Lever Bath & Shower Mixer, Wall Mounted Flow rate: 18.6 \(\)/min*



VGP-81119SHK

Single Lever Bath & Shower Mixer with Shower Kit (5537N, 571 & 555), Wall Mounted Flow rate: 18.60 \(\extrm{!/min*} \)



VGP-81145

Single Lever Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211NH or SHA-1213) & Hand Shower, Wall Mounted Flow rate: 22.23 {/min*



VGP-81147

Single Lever Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted Flow rate: 33.26 l/min*



VGP-81149

Single Lever Shower Mixer, Wall Mounted Flow rate: 31.78 \(\lambda / \min^* \)

■ VIGNETTE PRIME | FAUCETS I

Single Lever | Bath & Shower



VGP-81783NK

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-783N or ALD-783NE are sold separately)



VGP-81065MK

Exposed Part Kit of Single Lever In-wall Diverter (Compatible In-wall part ALD-065M is sold separately)



VGP-81079NK

Exposed Part Kit of Single Lever Hi-Flow In-Wall Diverter (Compatible In-Wall Part ALD-079N is Sold Separately)



VGP-81227K

Exposed Part Kit of Single Lever In-Wall Manual Valve, 35 mm Cartridge (Compatible In-Wall Parts ALD-227 or ALD-229 are Sold Separately)

Single Lever | Kitchen



VGP-81165

Single Lever Sink Mixer with Swinging Spout on Upper Side, Wall Mounted Flow rate: 14.29 \?/min*




VGP-81173B

Single Lever Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses

Flow rate: 14.45 \(\extrm{\text{min}} \)*

Single Lever | Bidet





VGP-81213B

Single Lever Bidet Mixer with Popup-Waste & 375 mm Long Braided Hoses Flow rate: 7.15 \(\ell\)/min*



VGP-81001

Basin Tap 1/2 Inch Flow rate: 14.6 ℓ/min*



VGP-81021N

High Neck Basin Tap Flow rate: 14.78 \(\frac{1}{2} \)/min*



VGP-81433

3 Hole Basin Mixer Wall Mounted Flow rate: 14.71 {/min*

■ VIGNETTE PRIME | FAUCETS ■

Quarter Turn | Basin

Quarter Turn | Bath & Shower



VGP-81441K

Exposed Parts of In-Wall Single Built-in Stop Valve with Basin Spout (Compatible In-Wall Part ALD-441 is Sold Separately) Flow rate: 14.22 {/min*



VGP-81421

2-way In-Wall diverter with Built-in Non-Return Valve (with In-Wall & Exposed Parts) Flow rate: 52.64 l/min*



VGP-81223

H Type Bath Filler Flow rate: 35.78 \(\ell/\text{min}\)*



VGP-81275

H Type Bath and Shower Mixer (without Shower & Shower Hose) Flow rate: 22.00 l/min*

Quarter Turn | Taps



VGP-81275SHK

H Type Bath and Shower Mixer with Shower Kit (5537N, 571 & 555) Flow rate: 22.00 ℓ/min*



VGP-81037

Bib Tap with Wall Flange Flow rate: 14.65 \(\ext{!/min*} \)



VGP-81041

2-Way Bib Tap with Wall Flange Flow rate: 14.3 \(\)/min*



VGP-81053

Angle Valve with Wall Flange Flow rate: 50.44 \{/min*



VGP-81083

In-Wall Stop Valve with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall Parts) Flow rate: 68.39 {/min*



VGP-81089

In-Wall Stop Valve with Adjustable Wall Flange, Size 20 mm (with Exposed and In-Wall Parts) Flow rate: 69.65 l/min*

VIGNETTE PRIME | SANITARYWARE |



VGS-WHT-81931N Table Top Basin, Size: 600×385×195 mm





VGS-WHT-81953UF Rimless Wall Hung WC with UF Soft Close Seat Cover, Hinges, Accessories Set, Size: 390×570×365 mm







VGS-WHT-81853S300UF Rimless Single Piece WC with UF Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 395×710×730 mm, S Trap- 300 mm





VGS-WHT-81853P180UF Rimless Single Piece WC with UF Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 395×710×730 mm, P Trap- 180 mm



VGS-WHT-81851S300UF Single Piece WC with UF Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size:

380×710×740 mm, S Trap- 300 mm





VGS-WHT-81753P180UFSMZ

Rimless Bowl with Cistern for Coupled WC with UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 380×610×805 mm, P Trap- 180 mm





VGS-WHT-81753S250UFSMZ

Rimless Bowl with Cistern for Coupled WC with UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting, Conversion Bend, Fixing Accessories and Accessories Set, Size: 380×610×805 mm, S Trap- 250 mm (with Conversion Bend)



VGS-WHT-81861S300UFSM

Single Piece WC with UF Soft Close Slim Seat Cover, Hinges, Single Side Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 370×690×615 mm, S Trap- 300 mm

VIGNETTE PRIME | SANITARYWARE



VGS-WHT-81153 Wall Hung Bidet with Accessories Set, Size: 400×580×335 mm



VGS-WHT-81151 Floor Mounted Bidet with Fixing Accessories, Size: 380×605×385 mm



ALIVE | COLOUR FINISHES



Chrome CHR



Antique Bronze ABR



Antique Copper ACR



Black Chrome BCH



Black Matt BLM



Graphite GRF



Stainless Steel Finish SSF

If you wish to place orders for the different colour finishes of this range shown above, just replace the colour code in the middle of the product code with the colour code of your choice. For instance, in the product code ALI-CHR-85011B, 'CHR' connotes Chrome Finish. If you wish to order the same product in Black Matt, replace 'CHR' with 'BLM'. Thus the product code will be ALI-BLM-85011B.

The finishes depicted here are only indicative and may differ from that on the actual product.

| ALIVE | FAUCETS |

Single Lever | Basin



ALI-85011B

Single Lever Basin Mixer without Popup- Waste, with 375 mm Long Braided Hoses

Flow rate: 13.48 \(\ell/\text{min*}\)



ALI-85011BCLW

Single Lever Basin Mixer without Popup Waste, with 375 mm Long Braided Hoses & Click-Clack-Waste (ALD-729)

Flow rate: 13.48 \(\ell/\text{min*}\)



ALI-85051B

Single Lever Basin Mixer with Popup-Waste & 375 mm Long Braided Hoses Flow rate: 13.48 \mathcal{?}/min*



ALI-85005B

Single Lever High Neck Basin Mixer without Popup Waste, with 600 mm Long Braided Hoses Flow rate: 12.34 \(\extrm{/min*} \)

Single Lever | Bath & Shower



ALI-85233NK

Exposed Parts of Single Lever Built-in In-Wall Manual Valve with Basin Spout (Compatible In-Wall Parts ALD-233N or ALD-235N are Sold Separately)
Flow rate: 14.76 {/min*



ALI-85119

Single Lever Bath & Shower Mixer, Wall Mounted Flow rate: 15.96 ℓ/min*



ALI-85119SHK

Single Lever Bath & Shower Mixer with Shower Kit (85537, 571 & 555), Wall Mounted

Flow rate: 15.96 \(\extrm{!/min*} \)



ALI-85783NK

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-783N or ALD-783NE are sold separately)



ALI-85065MK

Exposed Part Kit of Single Lever In-wall Diverter (Compatible In-wall part ALD-065M is sold separately)



ALI-85079NK

Exposed Part Kit of Single Lever Hi-Flow In-Wall Diverter (Compatible In-Wall Part ALD-079N is Sold Separately)

Single Lever | Bath & Shower





ALI-85227K

Exposed Part Kit of Single Lever In-Wall Manual Valve, 35 mm Cartridge (Compatible In-Wall Parts ALD-227 or ALD-229 are Sold Separately)



ALI-85213B

Single Lever Bidet Mixer with Popup Waste, & 375 mm Long Braided Hoses Flow rate: 5.16 ℓ/min*

Quarter Turn | Basin



ALI-85001

Basin Tap 1/2 Inch Flow rate: 15 \(\extrm{/min} \)*



ALI-85021

High Neck Basin Tap Flow rate: 15 \(\extrm{!/min*} \)

Quarter Turn | Bath & Shower



ALI-85223

H Type Bath Filler Flow rate: 24.16 \(\lambda \)/min*



ALI-85275

H Type Bath and Shower Mixer (without Shower & Shower Hose) Flow rate: 19.57 ℓ /min*

Quarter Turn | Taps



ALI-85275SHK

H Type Bath and Shower Mixer with Shower Kit (85537, 571 & 555) Flow rate: 19.57 \(\ext{!/min*} \)



ALI-85037

Bib Tap with Wall Flange Flow rate: 15.23 \(\ext{!/min*} \)



ALI-85041

2-Way Bib Tap with Wall Flange Flow rate: 14.78 {/min*



ALI-85053

Angle Valve with Wall Flange Flow rate: 42.44 {/min*

ALIVE | FAUCETS I

Quarter Turn | Taps



ALI-85083

In-Wall Stop Valve with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall Parts) Flow rate: 47.00 l/min*



ALI-85089

In-Wall Stop Valve with Adjustable Wall Flange, Size 20 mm (with Exposed and In-Wall Parts) Flow rate: 47.00 l/min*


ALIVE | SANITARYWARE



jaquar.com *at 3 bar pressure


QUEEN'S PRIME

Regal Elegance of the Victorian Era



A MAJESTIC LEGACY

Designed to evoke the regal elegance of the Victorian era, the original form of the Queen's range has now been updated for the modern era with graceful lines and a sleek, slender, updated silhouette.






HAMPTON

"Bridge the past and the present with a lighter palette of "Fusing softer colours and harder surfaces, this bathroom wood and pastels, along with crafted embellishments."



BALMORAL

achieves a fine balance of materials and textures."



BUCKINGHAM

"Infuse timelessness with stately greys, classic browns and the inclusion of nature's green touch."



WINDSOR

"Classy, contemporary, clean lines combine with the muted natural tones of tender leaves and young stems."



OSBORNE

"The purity of white and geometric patterns come together to complement the femininity of Queen's Prime."

QUEEN'S PRIME | COLOUR FINISHES



Chrome CHR



Antique Bronze ABR



Antique Copper ACR



Black Chrome BCH



Black Matt BLM



Graphite GRF



Stainless Steel Finish SSF

If you wish to place orders for the different colour finishes of this range shown above, just replace the colour code in the middle of the product code with the colour code of your choice. For instance, in the product code QQP-CHR-7051BPM, 'CHR' connotes Chrome Finish. If you wish to order the same product in Black Matt, replace 'CHR' with 'BLM'. Thus the product code will be QQP-BLM-7051BPM. The finishes depicted here are only indicative and may differ from that on the actual product.

QUEEN'S PRIME | FAUCETS

Single Lever | Basin



QQP-7001BPM

Single Lever Basin Mixer without Popup Waste, with 375 mm Long Braided Hoses



QQP-7001BPMCLW

Single Lever Basin Mixer without Popup Waste, with 375 mm Long Braided Hoses & Click-Clack-Waste (ALD-729)

Flow rate: 14.70 \(\ext{/min*} \)

Single Lever | Bath & Shower



QQP-7051BPM

Single Lever Basin Mixer with Popup Waste & 375 mm Long Braided Hoses Flow rate: 14.70 ℓ/min*



QQP-7065MKPM

Exposed Part Kit of Single Lever Inwall Diverter (Compatible In-wall part ALD-065M is sold separately)

Single Lever | Bidet



QQP-7079NKPM

Exposed Part Kit of Single Lever Hi-Flow In-Wall Diverter (Compatible In-Wall Part ALD-079N is Sold Separately)



QQP-7213BPM

Single Lever Bidet Mixer with Popup Waste & 375 mm Long Braided Hoses



QQP-7011PM

Basin Tap 1/2 Inch Flow rate: 16.30 \(\ext{!/min*} \)



QQP-7167BPM

Monoblock Basin Mixer without Popup Waste, with 375 mm Long Braided Hoses



QQP-7169BPM

Monoblock Basin Mixer with Popup Waste & 375 mm Long Braided Hoses Flow rate: 18.20 ℓ/min*



QQP-7189PM

3 hole Basin Mixer without Popup Waste

Flow rate: 16.50 \(\extrm{\text{fmin}} \)

QUEEN'S PRIME | FAUCETS |

Quarter Turn | Basin



QQP-7191PM

3 Hole Basin Mixer with Popup Waste Flow rate: 16.50 \(\extrm{!}/min \)*



QQP-7433PM

3 Hole Basin Mixer Wall Mounted Flow rate: 15.90 \(\)/min*

Quarter Turn | Bath & Shower



QQP-7217PM

Bath & Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted Flow rate: 31.00 ℓ/min*



QQP-7215PM

Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211NH or SHA-1213) & Hand Shower, Wall Mounted Flow rate: 36.32 {/min*



QQP-7267PM

Bath & Shower Mixer with Connector for Hand Shower & Wall Bracket, Wall Mounted Flow rate: 31.00 l/min*



QQP-7281PM

Bath & Shower Mixer 3-in-1 System with Provision for Hand Shower & Overhead Shower Complete with 115 mm Long Bend Pipe, Wall Mounted Flow rate: 25.30 {/min*



QQP-7209PM

Shower Mixer Flow rate: 72.20 {/min*



QQP-7271PM

Bath & Shower Mixer with Telephone Shower Crutch (without Shower & Shower Hose), Deck Mounted Flow rate: 31.00 {/min*

Quarter Turn | Kitchen



QQP-7271PMHL

Bath & Shower Mixer with Telephone Shower Crutch & 950 mm High Rise Legs (without Shower & Shower Hose), Deck Mounted Flow rate: 31.00 l/min*



QQP-7307PM

Sink Mixer with Short Swivel Spout, Wall Mounted Flow rate: 19.00 l/min*

QUEEN'S PRIME | FAUCETS

Quarter Turn | Kitchen



Wall Mounted

Sink Mixer with Regular Swivel Spout, Wall Mounted Flow rate: 17.00 ℓ/min*



QQP-7347PM

Sink Tap with Regular Swivel Spout Flow rate: 18.20 \(\extstyle / \text{min} \)*





QQP-7037PM

QQP-7309PM

Bib Tap with Wall Flange Flow rate: 16.40 {/min*



QQP-7041PM

2-Way Bib Tap with Wall Flange Flow rate: 16.40 {/min**



QQP-7053PM

Angle Valve with Wall Flange Flow rate: 45.10 P/min*



QQP-7083PM

In-Wall Stop Valve with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall Parts) Flow rate: 47.00 l/min*



QQP-7089PM

In-Wall Stop Valve with Adjustable Wall Flange, Size 20 mm (with Exposed and In-Wall Parts) Flow rate: 47.00 l/min*

*at 3 bar pressure

QUEEN'S PRIME | SANITARYWARE



QPS-WHT-7803PM Wall Hung Basin with Fixing Accessories, Size: 610×465×275 mm

QPS-WHT-7303PM Full Pedestal for QPS-WHT-7803PM



QPS-WHT-7701PM Under Counter Basin with Fixing Accessories, Size: 590×430×215 mm



QPS-WHT-7901PM Table Top Basin, Size: 600×460×195 mm





QPS-WHT-7953UFPM Rimless Wall Hung WC with UF Soft Close Seat Cover, Hinges, Accessories Set, Size: 420×560×370 mm





QPS-WHT-7753P180UFSPMZ Rimless Bowl with Side Flush Cistern for Coupled WC, UF Soft Close Seat Cover, Hinges, Single Flush Cistern Fitting and Fixing Accessories, Size: 420×710×810 mm, P Trap- 180 mm





QPS-WHT-7753P180UFPMZ Rimless Bowl with Cistern for Coupled WC, UF Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting and Fixing Accessories, Size: 420×710×810 mm, P Trap- 180 mm





QPS-WHT-7753S250UFSPMZ

Rimless Bowl with Side Flush Cistern for Coupled WC, UF Soft Close Seat Cover, Hinges, Conversion Bend, Single Flush Cistern Fitting and Fixing Accessories, Size: 420×710×810 mm, S Trap- 250 mm (with Conversion Bend)





QPS-WHT-7753S250UFPMZ

Rimless Bowl with Cistern for Coupled WC, UF Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Conversion Bend and Fixing Accessories, Size: 420×710×810 mm, S Trap- 250 mm (with Conversion Bend)

QUEEN'S PRIME | SANITARYWARE





QPS-WHT-7955P180UFPM Rimless Back to Wall WC with UF Soft Close Seat Cover, Hinges, Fixing Accessories and Accessories Set, Size: 410×570×420 mm, P Trap- 180 mm




QPS-WHT-7151PM Floor Mounted Bidet with Fixing Accessories, Size: 410×570×420 mm



QPS-WHT-7153PM Wall Hung Bidet, Size: 420×560×370 mm



QUEEN'S | COLOUR FINISHES



Chrome CHR



Antique Bronze ABR



Antique Copper ACR



Black Chrome BCH



Black Matt BLM



Graphite GRF



Stainless Steel Finish SSF

If you wish to place orders for the different colour finishes of this range shown above, just replace the colour code in the middle of the product code with the colour code of your choice. For instance, in the product code QQT-CHR-7011, 'CHR' connotes Chrome finish. If you wish to order the same product in Black Matt, replace 'CHR' with 'BLM'. Thus the product code will be QQT-BLM-7011.

The finishes depicted here are only indicative and may differ from that on the actual product.

QUEEN'S | FAUCETS |

Quarter Turn | Basin



QQT-7011
Basin Tap 1/2 Inch
Flow rate: 22.1 \(\extrm{/min*} \)



QQT-7167B Monoblock Basin Mixer without Popup Waste, with 375 mm Long Braided Hoses Flow rate: 21.32 l/min*



QQT-7169B

Monoblock Basin Mixer with Popup Waste & 375 mm Long Braided Hoses Flow rate: 21.32 ℓ/min*



QQT-7189

3 Hole Basin Mixer without Popup Waste

Flow rate: 31.39 {/min*

Quarter Turn | Bath & Shower



QQT-7191

3 Hole Basin Mixer with Popup Waste Flow rate: 31.39 ℓ/\min^*



QQT-7217

Bath & Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted Flow rate: 39.39 {/min*



QQT-7267

Bath & Shower Mixer with Connector for Hand Shower & Wall Bracket, Wall Mounted Flow rate: 39.27 \(\extrm{!/min} \)*



QQT-7267SHK

Bath & Shower Mixer with Telephone Shower Crutch & Shower Kit (9537N & 571), Wall Mounted Flow rate: 39.27 l/min*



QQT-7281

Bath & Shower Mixer 3-in-1 System with Provision for Hand Shower & Overhead Shower Complete with 115 mm Long Bend Pipe, Wall Mounted Flow rate: 29.65 {/min*



QQT-7215

Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211NH or SHA-1213) & Hand Shower, Wall Mounted Flow rate: 52.72 {/min*



QQT-7209 Shower Mixer Flow rate: 73.3 \(\lambda \)/min*



QQT-7219
Bath Filler, Wall Mounted
Flow rate: 35.53 \(\)/min*



QQT-7421 2-way In-Wall Diverter with Built-in Non-Return Valve (with In-Wall & Exposed Parts) Flow rate: 45.55 {/min*



QQT-7095
Bath Tub Filler Consisting of 2 Control Valves and Spout
Flow rate: 58.91 {/min*



QQT-7221 Bath Filler Flow rate: 35.13 \(\frac{1}{2} \) min*



QQT-7271

Bath & Shower Mixer with Telephone Shower Crutch (without Shower & Shower Hose), Deck Mounted Flow rate: 39.31 \(/ \text{min*} \)



QQT-7271SHK
Bath & Shower Mixer with Telephone
Shower Crutch & Shower Kit
(9537N & 571), Deck Mounted
Flow rate: 39.31 l/min*



QQT-7271HL

Bath & Shower Mixer with Telephone Shower Crutch & 950 mm High Rise Legs (without Shower & Shower Hose), Deck Mounted Flow rate: 39.31 l/min*



QQT-7271HLSHK

Bath & Shower Mixer with Telephone
Shower Crutch, 950 mm High Rise
Legs & Shower Kit (9537N & 571),
Deck Mounted
Flow rate: 39.31 l/min*



QQT-7277
4-Hole Bath & Shower Mixer with 1.5 M
Shower Hose and Old Fashioned
Shower Handle
Flow rate: 31.5 \(\ell\)/min*

QUEEN'S FAUCETS

Quarter Turn | Kitchen



QQT-7309

Sink Mixer with Regular Swivel Spout, Wall Mounted Flow rate: 23.25 ℓ/min*



QQT-7319B

Mono Sink Mixer with Swivel High Neck Spout & 375 mm Long Braided Hoses

Flow rate: 23.30 ℓ/min*

Quarter Turn | Bidet



QQT-7347

Sink Tap with Regular Swivel Spout Flow rate: 22.13 \(\ext{!/min*} \)



QQT-7613B

Monoblock Bidet Mixer with Popup Waste & 375 mm Long Braided Hoses Flow rate: 5.39 ℓ/min*

Quarter Turn | Taps



QQT-7037

Bib Tap with Wall Flange Flow rate: 22.17 \(\ext{!/min*} \)



QQT-7041

2-Way Bib Tap with Wall Flange Flow rate: 19.45 \(\frac{1}{2} \)/min*



QQT-7053

Angle Valve with Wall Flange Flow rate: 46.36 \(\frac{1}{2} \) min*



QQT-7083

In-Wall Stop Valve with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall Parts) Flow rate: 68.39 l/min*



QQT-7089

In-Wall Stop Valve with Adjustable Wall Flange, Size 20 mm (with Exposed and In-Wall Parts) Flow rate: 69.65 \(\extrm{!/min*} \)



RENDEZVOUS | COLOUR FINISHES |



Chrome CHR



Auric Gold GLD

If you wish to place orders for the different colour finishes of this range shown above, just replace the colour code in the middle of the product code with the colour code of your choice. For instance, in the product code CTL-CHR-8011, 'CHR' connotes Chrome finish. If you wish to order the same product in Auric Gold, replace 'CHR' with 'GLD'. Thus the product code will be CTL-GLD-8011.

The finishes depicted here are only indicative and may differ from that on the actual product.

Quarter Turn | Basin



CTL-8011 Basin Tap 1/2 Inch Flow rate: 22.14 {/min*



CTL-8169B Monoblock Basin Mixer with Popup Waste & 375 mm Long Braided Hoses Flow rate: 21.95 ℓ/min*

Quarter Turn | Bath & Shower



CTL-8217
Bath & Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted Flow rate: 39.39 \(\frac{1}{2} / \text{min} \)*



CTL-8267

Bath & Shower Mixer with Connector for Hand Shower & Wall Bracket, Wall Mounted
Flow rate: 39.27 \(\extrm{/min*} \)



CTL-CHR-8267SHK

Bath & Shower Mixer with Telephone
Shower Crutch & Shower Kit
(9537N & 571), Wall Mounted
Flow rate:18.15 {/min*



CTL-8281

Bath & Shower Mixer 3-in-1 System with Provision for Hand Shower & Overhead Shower Complete with 115 mm Long Bend Pipe, Wall Mounted Flow rate:18.15 \(\ell\)/min*

Quarter Turn | Bidet



CTL-8209 Shower Mixer Flow rate: 94.00 \(\extstyle \text{min*} \)



CTL-8613B

Monoblock Bidet Mixer with Popup

Waste & 375 mm Long Braided Hoses
Flow rate: 7.35 l/min*

Quarter Turn | Taps



CTL-8037
Bib Tap with Wall Flange
Flow rate: 22.68 {/min*



CTL-8041 2-Way Bib Tap with Wall Flange Flow rate: 19.45 {/min*

RENDEZVOUS | FAUCETS I

Quarter Turn | Taps



CTL-8053 Angle Valve with Wall Flange Flow rate: 47.00 {/min*



CTL-8083
In-Wall Stop Valve with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall Parts)
Flow rate: 68.39 {/min*

jaquar.com *at 3 bar pressure



D'ARC | SANITARYWARE |











DRS-WHT-37953BIUFSM Rimless, Blind Installation Wall Hung WC with UF Soft Close Slim Seat Cover, Hinges and Accessories Set, Size: 355×525×380 mm



| ARIA | FAUCETS |

Single Lever | Basin



ARI-39001B

Single Lever Basin Mixer without Popup Waste, with 375 mm Long Braided Hoses Flow rate: 15 ℓ/min*



ARI-39001BCLW

Single Lever Basin Mixer without Popup Waste, with 375 mm Long Braided Hoses & click clack waste (ALD-729)



ARI-39051B

Single Lever Basin Mixer with Popup Waste, & 375 mm Long Braided Hoses Flow rate: 15.02 ℓ/min*



ARI-39005B

Single Lever High Neck Basin Mixer without Popup Waste, with 600 mm Long Braided Hoses Flow rate: 15 l/min*

Single Lever | Bath & Shower



ARI-39233NK

Exposed Parts of Single Lever Built-in In-Wall Manual Valve with Basin Spout (Compatible In-Wall Parts ALD-233N or ALD-235N are Sold Separately)
Flow rate: 15.18 \(\)/min*



ARI-39119

Single Lever Bath & Shower Mixer, Wall Mounted Flow rate: 15.15 {/min*



ARI-39119SHK

Single Lever Bath & Shower Mixer with Shower Kit (35537, 571 & 555), Wall Mounted Flow rate: 15.40 \(\extrm{!/min*} \)



ARI-39145

Single Lever Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211NH or SHA-1213) & Hand Shower, Wall Mounted Flow rate: 22.25 {/min*



ARI-39147

Single Lever Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted Flow rate: 33.18 l/min*



ARI-39149

Single Lever Shower Mixer, Wall Mounted Flow rate: 32 \(\lambda / \text{min*} \)

Single Lever | Bath & Shower



ARI-39783NK

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-783N or ALD-783NE are sold separately)



ARI-39065MK

Exposed Part Kit of Single Lever In-wall Diverter (Compatible In-wall part ALD-065M is sold separately)



ARI-39079NK

Exposed Part Kit of Single Lever Hi-Flow In-Wall Diverter (Compatible In-Wall Part ALD-079N is Sold Separately)



ARI-39227K

Exposed Part Kit of Single Lever In-Wall Manual Valve, 35 mm Cartridge (Compatible In-Wall Parts ALD-227 or ALD-229 are Sold Separately)

Single Lever | Kitchen



ARI-39165

Single Lever Sink Mixer with Swinging Spout on Upper Side, Wall Mounted Flow rate: 13.95 ℓ/min*



ARI-39173B

Single Lever Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses

Flow rate: 14.45 \(\extrm{/min} \)*

Single Lever | Bidet





ARI-39213B

Single Lever Bidet Mixer with Popup Waste & 375 mm Long Braided Hoses Flow rate: 16.71 {/min*



ARI-39011

Basin Tap 1/2 Inch Flow rate: 15.14 \(\extrm{/}\)min*



ARI-39021

High Neck Basin Tap Flow rate: 14.88 \(\frac{1}{2} \)/min*



ARI-39433

3 Hole Basin Mixer Wall Mounted Flow rate: 14.78 {/min*



ARI-39441K

Exposed Parts of In-Wall Single Built-in Stop Valve with Basin Spout (Compatible In-Wall Part ALD-441 is Sold Separately) Flow rate: 16.71 {/min*



ARI-39421

2-way In-Wall Diverter with Built-in Non-Return Valve (with In-Wall & Exposed Parts) Flow rate: 52.82 \(\rangle / \rmin* \)



ARI-39223

H Type Bath Filler Flow rate: 36.24 \(\frac{1}{2} \) flow rate: 36.24 \(\frac{1}{2}



ARI-39275

H Type Bath and Shower Mixer (without Shower & Shower Hose) Flow rate: 31.66 {/min*

Quarter Turn | Kitchen



ARI-39275SHK

H Type Bath and Shower Mixer with Shower Kit (1717, 571 & 555) Flow rate: 31.66 {/min*



ARI-39309

Sink Mixer with Regular Swivel Spout, Wall Mounted

Flow rate: 15.53 {/min*

Quarter Turn | Taps



ARI-39347S

Sink Tap with Regular Swivel Spout Flow rate: 14.47 l/min*



ARI-39037

Bib Tap with Wall Flange Flow rate: 14.46 {/min*



ARI-39041

2-Way Bib Tap with Wall Flange Flow rate: 14.68 {/min*



ARI-39053

Angle Valve with Wall Flange Flow rate: 47.38 \(\frac{1}{2} \)/min*

Quarter Turn | Taps



ARI-39083 In-Wall Stop Valve with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall Parts) Flow rate: 68.39 \(\extrm{!/min*} \)



ARI-39089
In-Wall Stop Valve with Adjustable Wall Flange, Size 20 mm (with Exposed and In-Wall Parts) Flow rate: 69.65 \(\extrm{!}/min \)*

*at 3 bar pressure



ARS-WHT-39901 Table Top Basin, Size: 420×420×135 mm



ARS-WHT-39803 Wall Hung Integrated Basin with Fixing Accessories, Size: 500×440×385 mm



ARS-WHT-39801 Wall Hung Basin with Fixing Accessories, Size: 570×470×190 mm ARS-WHT-39301 Full Pedestal for ARS-WHT-39801



Wall Hung Basin with Fixing Accessories, Size: 570×470×190 mm ARS-WHT-39305 Half Pedestal with Fixing Accessories for ARS-WHT-39801

ARS-WHT-39801



ARS-WHT-39903 Table Top Basin, Size: 700×435×135 mm



ARS-WHT-39951UFSM Wall Hung WC with UF Soft Close Slim Seat Cover, Hinges, Accessories Set, Size: 360×580×360 mm





UFSM Rimless, Blind Installation Wall Hung WC with UF Soft Close Slim Seat Cover, Hinges, Accessories Set, Size: 345×495×365 mm





ARS-WHT-39961NBIUFSMTL Tankless Wall Hung WC with Sensor and Lazer Light Flush, With Battery and Electric Operated, UF Soft Close Slim Seat Cover, Hinges, Accessories Set, Size: 360×590×385 mm

ARIA | SANITARYWARE





ARS-WHT-39955P180UFSM

Rimless Back to Wall WC with UF Soft Close Slim Seat Cover, Hinges, Fixing Accessories and Accessories Set, Size: 360×605×410 mm, P Trap-180 mm



ARS-WHT-39153
Wall Hung Bidet
with Accessories Set,

Size: 360×570×340 mm





ARS-WHT-39155 Blind Installation Wall Hung Bidet with Accessories Set, Size: 350×490×340 mm



ARS-WHT-39751S250UFSMZ

Bowl with Cistern for Coupled WC with UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 375×650×800 mm, S Trap- 250 mm



ARS-WHT-39151N Floor Mounted Bidet With Fixing Accessories, Size: 360×600×400 mm



ARS-WHT-39751P180UFSMZ

Bowl with Cistern for Coupled WC with UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set,

Size: 375×650×800 mm, P Trap- 180 mm



ARS-WHT-39751S240UFSMZ

Bowl with Cistern for Coupled

WC with UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 375×650×800 mm, S Trap- 240 mm



ARS-WHT-39851S300UFSMTL

Tankless Single Piece WC with UF Soft Close Slim Seat Cover, Hinges, Single Flush with Sensor & Manual operated, Fixing Accessories and Accessories Set, Size: 360×590×450 mm, S Trap- 300 mm




ARS-WHT-39851P180UFSMTL

Tankless Single Piece WC with UF Soft Close Slim Seat Cover, Hinges, Single flush with Sensor Opreated, Fixing Accessories and Accessories Set, Size: 360×590×450 mm, P Trap- 180 mm

LYRIC

A Minimalistic Classic. Typically Smooth.





LYRIC | FAUCETS I

Single Lever | Basin



LYR-38001B

Single Lever Basin Mixer without Popup Waste, with 375 mm Long Braided Hoses Flow rate: 14.80 {/min*



LYR-38001BCLW

Single Lever Basin Mixer without Popup Waste, with 375 mm Long Braided Hoses & Click-Clack-Waste (ALD-729)

Flow rate: 14.80 \(\ell/\text{min*}\)



LYR-38051B

Single Lever Basin Mixer with Popup Waste, & 375 mm Long Braided Hoses Flow rate: 14.8 {/min*



LYR-38005B

Single Lever High Neck Basin Mixer without Popup Waste, with 600 mm Long Braided Hoses Flow rate: 14.8 \(\extrm{/min*} \)

Single Lever | Bath & Shower



LYR-38233NK

Exposed Parts of Single Lever Built-in In-Wall Manual Valve with Basin Spout (Compatible In-Wall Parts ALD-233N or ALD-235N are Sold Separately)
Flow rate: 13.84 \(\extrm{\psi} / \textrm{min} \)*



LYR-38119

Single Lever Bath & Shower Mixer, Wall Mounted Flow rate: 15.36 ℓ/min*



LYR-38119SHK

Single Lever Bath & Shower Mixer with Shower Kit (35537, 571 & 555), Wall Mounted Flow rate: 15.36 \(\extrm{\extrm{/min*}} \)



LYR-38145

Single Lever Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211NH or SHA-1213) & Hand Shower, Wall Mounted Flow rate: 22.23 {/min*



LYR-38147

Single Lever Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted Flow rate: 33.26 \(\)/min*



LYR-38149

Single Lever Shower Mixer, Wall Mounted Flow rate: 32 \(\ell\)/min*

Single Lever | Bath & Shower



LYR-38783NK

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-783N or ALD-783NE are sold separately)



LYR-38065MK

Exposed Part Kit of Single Lever Inwall Diverter (Compatible In-wall part ALD-065M is sold separately)



LYR-38079NK

Exposed Part Kit of Single Lever Hi-Flow In-Wall Diverter (Compatible In-Wall Part ALD-079N is Sold Separately)



LYR-38227K

Exposed Part Kit of Single Lever In-Wall Manual Valve, 35 mm Cartridge (Compatible In-Wall Parts ALD-227 or ALD-229 are Sold Separately)

Single Lever | Kitchen



LYR-38165

Single Lever Sink Mixer with Swinging Spout on Upper Side, Wall Mounted Flow rate: 13.95 {/min*



LYR-38173B

Single Lever Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses Flow rate: 15.12 \lambda/min*



Quarter Turn | Basin



LYR-38213B

Single Lever Bidet Mixer with Popup Waste, & 375 mm Long Braided Hoses Flow rate: 6.94 \(\ell)\)/min*



LYR-38011

Basin Tap 1/2 Inch Flow rate: 14.7 \(\extrm{\text{/min}} \)*



LYR-38021

High Neck Basin Tap Flow rate: 15.41 \{/min*



LYR-38433

3 Hole Basin Mixer Wall Mounted Flow rate: 14.78 {/min*



LYR-38441K

Exposed Parts of In-Wall Single Built-in Stop Valve with Basin Spout (Compatible In-Wall Part ALD-441 is Sold Separately) Flow rate: 16.71 {/min*



LYR-38421

2-way In-Wall Diverter with Built-in Non-Return valve (with In-Wall & Exposed Parts) Flow rate: 52.82 {/min*

Quarter Turn | Kitchen



LYR-38309

Sink Mixer with Regular Swivel Spout, Wall Mounted Flow rate: 15.53 \(\)/min*



LYR-38347S

Sink Tap with Regular Swivel Spout Flow rate: 14.47 \(\ext{!/min} \)*

Quarter Turn | Taps



LYR-38037

Bib Tap with Wall Flange Flow rate: 15.14 \(\)/min*



LYR-38041

2-Way Bib Tap with Wall Flange Flow rate: 14.87 {/min*



LYR-38053

Angle Valve with Wall Flange Flow rate: 47.38 \(\frac{1}{2} \)/min*



LYR-38083

In-wall Stop Valve with Adjustable Wall Flange, Size 15 mm (with Exposed and In-wall parts) Flow rate: 68.39 \(\ext{!/min*} \)



LYR-38089

In-Wall Stop Valve with Adjustable Wall Flange, Size 20 mm (with Exposed and In-Wall Parts) Flow rate: 69.65 \(\extrm{!/min*} \)



LYS-WHT-38901N Thin Rim Table Top Basin, Size: 600×410×100 mm, Shape - Triangular



LYS-WHT-38931 Table Top Basin, Size: 635×410×120 mm



LYS-WHT-38801
Wall Hung Basin with Fixing
Accessories,
Size: 590×490×185 mm
LYS-WHT-38301
Full Pedestal for
LYS-WHT-38801



LYS-WHT-38801
Wall Hung Basin with
Fixing Accessories,
Size: 590×490×185 mm
LYS-WHT-38305
Half Pedestal with
Fixing Accessories for
LYS-WHT-38801





LYS-WHT-38953BIUFSM
Rimless, Blind Installation Wall Hung
WC with UF Soft Close Slim Seat
Cover, Hinges, Accessories Set,
Size: 360×500×360 mm



LYS-WHT-38851S300UFSMN Single Piece WC with UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 370×670×720 mm, S Trap- 300 mm



LYS-WHT-38851S220UFSMN Single Piece WC with UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 370×670×720 mm, S Trap- 220 mm



LYS-WHT-38751S250UFSMZ Bowl with Cistern for Coupled WC with UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 380×655×765 mm, S Trap- 250 mm

LYRIC | SANITARYWARE |



LYS-WHT-38851P180UFSM

Single Piece WC with UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories, Size: 360×655×765 mm, P Trap- 180 mm



LYS-WHT-38851S220UFSMSNR

Single Piece WC with UF Soft Close Slim Seat Cover, Hinges, Sensor & Manual Operated Single Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 370×670×720 mm, S Trap- 220 mm



LYS-WHT-38851S300UFSMSNR

Single Piece WC with UF Soft Close Slim Seat Cover, Hinges, Sensor & Manual Operated Single Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 370×670×720 mm, S Trap- 300 mm



| FUSION | FAUCETS |

Single Lever | Basin



FUS-29023B

Single Lever Extended Basin Mixer (Height-85 mm) without Popup Waste, with 375 mm Long Braided Hoses Flow rate: 15.89 \/ min*



FUS-29023BCLW

Single Lever Extended Basin Mixer (Height-85 mm) without Popup Waste, with 375 mm Long Braided Hoses & Click-Clack-Waste (ALD-729) Flow rate: 15.89 \(\)/min*



FUS-29052B

Single Lever Extended Basin Mixer (Height-85 mm) with Popup Waste & 375 mm Long Braided Hoses Flow rate: 15.89 l/min*



FUS-29005NB

Single Lever High Neck Basin Mixer without Popup Waste, with 600 mm Long Braided Hoses Flow rate: 15.93 {/min*



FUS-29009B

Single Lever High Neck Basin Mixer with Swivel Spout & 600 mm Long Braided Hoses Flow rate: 15.13 \(\ext{!/min*} \)



FUS-29231NK

Exposed Parts of Single Lever Built-in In-Wall Manual Valve with Basin Spout, Two Separate Wall Flanges, Cartridge Sleeve and Operating Lever (Compatible In-Wall Parts ALD-233NPSO or ALD-235NPSO are Sold Separately)
Flow rate: 13.87 {/min*

Single Lever | Bath & Shower



FUS-29233NK

Exposed Parts of Single Lever Built-in In-Wall Manual Valve with Basin Spout (Compatible In-Wall Parts ALD-233N or ALD-235N are Sold Separately)
Flow rate: 15 {/min*



FUS-29119

Single Lever Bath & Shower Mixer, Wall Mounted Flow rate: 21.03 ℓ/min*



FUS-29119SHK

Single Lever Bath & Shower Mixer with Shower Kit (5537N, 571 & 555), Wall Mounted Flow rate: 21.03 \(\ext{!/min*} \)



FUS-29145

Single Lever Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211NH or SHA-1213) & Hand Shower, Wall Mounted Flow rate: 22.28 {/min*



FUS-29147

Single Lever Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted Flow rate: 33.24 \(/min* \)



FUS-29149

Single Lever Shower Mixer, Wall Mounted Flow rate: 34.4 {/min*



FUS-29135

Single Lever High Flow Built-in In-Wall Manual Valve with Bath Spout (with Exposed and In-Wall Parts) Flow rate: 29.16 {/min*



FUS-29137

Single Lever High Flow Built-in In-Wall Manual Valve with Diverter Bath Spout (with Exposed and In-Wall Parts) Flow rate: 25.1 l/min*



FUS-29783NK

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-783N or ALD-783NE are sold separately)



FUS-29065MK

Exposed Part Kit of Single Lever Inwall Diverter (Compatible In-wall part ALD-065M is sold separately)



FUS-29079NK

Exposed Part Kit of Single Lever Hi-Flow In-Wall Diverter (Compatible In-Wall Part ALD-079N is Sold Separately)



FUS-29227K

Exposed Part Kit of Single Lever In-Wall Manual Valve, 35 mm Cartridge (Compatible In-Wall Parts ALD-227 or ALD-229 are Sold Separately)

Single Lever | Kitchen



FUS-29139

Single Lever In-Wall Manual Shower Valve, 40 mm Cartridge (with In-Wall & Exposed Parts) Flow rate: 33.85 l/min*



FUS-29163

Single Lever Sink Mixer with Swivel Spout, Wall Mounted Flow rate: 16.44 \(\frac{1}{2} \)/min*

| FUSION | FAUCETS |

Single Lever | Kitchen



FUS-29165

Single Lever Sink Mixer with Swinging Spout on Upper Side, Wall Mounted Flow rate: 13.95 ℓ/min*



Quarter Turn | Basin

FUS-29173B

Single Lever Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses

Flow rate: 14.45 {/min*

Single Lever | Bidet



FUS-29213B

Single Lever Bidet Mixer with Popup Waste & 375 mm Long Braided Hoses Flow rate: 7:15 ℓ/min*



FUS-29001

Basin Tap 1/2 Inch Flow rate: 17.78 \(\)/min*



FUS-29021N

High Neck Basin Tap Flow rate: 17.8 \(\ell/\text{min*}\)



FUS-29433

3 Hole Basin Mixer Wall Mounted Flow rate: 15.1 ℓ/min*

Quarter Turn | Bath & Shower

1



FUS-29441K

Exposed Parts of In-Wall Single Built-in Stop Valve with Basin Spout (Compatible In-Wall Part ALD-441 is Sold Separately) Flow rate: 14.22 {/min*



FUS-29267

Bath & Shower Mixer with Connector for Hand Shower & Wall Bracket, Wall Mounted

Flow rate: 39.42 \text{\text{/min*}}



FUS-29267SHK

Bath & Shower Mixer (Wall Mounted) with Connector for Hand Shower, Plastic Coated Shower Hose, Hand Shower & Wall Bracket, (571, 5537N & 555) Flow rate: 39.42 {/min*



FUS-29427

2-Way Diverter with Hot & Cold In-Wall Stop Valves and Built-in Non-Return Valves (with Exposed and In-Wall Parts)

Flow rate: 42.24 {/min*



FUS-29421
2-Way In-Wall Diverter with Built-in Non-Return Valve (with In-Wall & Exposed Parts)
Flow rate: 45.55 l/min*



FUS-29223 H Type Bath Filler Flow rate: 56.98 \(\)/min*



FUS-29275
H Type Bath and Shower Mixer (without Shower & Shower Hose)
Flow rate: 42.23 {/min*



FUS-29275SHK1 H Type Bath and Shower Mixer with Shower Kit (5537N, 571 & 555) Flow rate: 32.23 {/min*

Quarter Turn | Taps



FUS-29037 Bib Tap with Wall Flange Flow rate: 18.92 \(\frac{1}{2} \) min*



FUS-29041 2-Way Bib Tap with Wall Flange Flow rate: 17.81 \(\)/min*



FUS-29053

Angle Valve with Wall Flange
Flow rate: 66.66 \(\)/min*



FUS-29083 In-Wall Stop Valve with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall Parts) Flow rate: 68.39 \/ min*



FUS-29089 In-Wall Stop Valve with Adjustable Wall Flange, Size 20 mm (with Exposed and In-Wall Parts) Flow rate: 69.65 ℓ/min*



FUS-29809 Deck Mounted Stop Valve Flow rate: 30.55 {/min*

FUSION | SANITARYWARE I



FSS-WHT-29901 Table Top Basin, Size: 470×470×110 mm



FSS-WHT-29601 Counter Top Basin, Size: 545×545×180 mm



FSS-WHT-29951PP Wall Hung WC with PP Soft Close Seat Cover, Hinges, Accessories Set, Size: 415×585×400 mm





FSS-WHT-29853S300UFSM Rimless Single Piece WC with UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 380×670×765 mm, S Trap- 300 mm



■ FONTE | SANITARYWARE I



FNS-WHT-40931 Table Top Basin, Size: 500×415×200 mm



FNS-WHT-40701 Under Counter Basin with Fixing Accessories, Size: 605×410×200 mm, Shape: Rectangular

Full pedestal basin





FNS-WHT-40801
Wall Hung Basin with Fixing Accessories,
Size: 620×480×185 mm
FNS-WHT-40301
Full Pedestal For
FNS-WHT-40801



FNS-WHT-40801
Wall Hung Basin with Fixing
Accessories,
Size: 620×480×185 mm
FNS-WHT-40305
Half Pedestal With Fixing
Accessories For FNS-WHT-40801





FNS-WHT-40953UF Rimless Wall Hung WC with UF Soft Close Seat Cover, Hinges, Accessories Set, Size: 350×580×390 mm



FNS-WHT-40751P180UFSMZ Bowl with Cistern for Coupled WC with UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting and Fixing Accessories, Size: 365×630×750 mm, P Trap-180 mm



FNS-WHT-40751S220UFSMZ Bowl with Cistern for Coupled WC with UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting and Fixing Accessories and Accessories Set, Size: 365×630×750 mm, S Trap-220 mm



SOLO | FAUCETS

Single Lever | Basin



SOL-6001B

Single Lever Basin Mixer without Popup Waste, 375 mm Long Braided Hoses Flow rate: 15.53 ℓ/min*



SOL-6001BCLW

Single Lever Basin Mixer without Popup Waste, 375 mm Long Braided Hoses & Click-Clack-Waste (ALD-729)

Flow rate: 15.53 {/min*



SOL-6051B

Single Lever Basin Mixer with Popup Waste & 375 mm Long Braided Hoses Flow rate: 15.2 ℓ/min*



SOL-6231NK

Exposed Parts of Single Lever Built-in In-Wall Manual Valve with Basin Spout, Two Separate Wall Flanges, Cartridge Sleeve and Operating Lever (Compatible In-Wall Parts ALD-233NPSO or ALD-235NPSO are Sold Separately)

Single Lever | Bath & Shower



SOL-6233NK

Exposed Parts of Single Lever Built-in In-Wall Manual Valve with Basin Spout (Compatible In-Wall Parts ALD-233N or ALD-235N are Sold Separately)
Flow rate: 13.6 \(\)/min*



SOL-6119

Single Lever Bath & Shower Mixer, Wall Mounted Flow rate: 22.9 \lambda/min*



SOL-6119SHK

Single Lever Bath & Shower Mixer with Shower Kit (5537N, 571 & 555), Wall Mounted Flow rate: 21.03 \(\ext{!/min*} \)



SOL-6145

Single Lever Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211NH or SHA-1213) & Hand Shower, Wall Mounted

Flow rate: 22.23 {/min*



SOL-6147

Single Lever Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted Flow rate: 33.26 l/min*



SOL-6149

Single Lever Shower Mixer, Wall Mounted Flow rate: 34.3 {/min*

Single Lever | Bath & Shower



SOL-6135

Single Lever High Flow Built-in In-Wall Manual Valve with Bath Spout (with Exposed and In-Wall Parts) Flow rate: 30.47 l/min*



SOL-6137

Single Lever High Flow Built-in In-Wall Manual Valve with Diverter Bath Spout (with Exposed and In-Wall Parts) Flow rate: 25.3 \(\ell\)/min*



SOL-6065MK

Exposed Part Kit of Single Lever Inwall Diverter (Compatible In-wall part ALD-065M is sold separately)



SOL-6079NK

Exposed Part Kit of Single Lever Hi-Flow In-Wall Diverter (Compatible In-Wall Part ALD-079N is Sold Separately)



SOL-6139

Single Lever In-Wall Manual Shower Valve, 40 mm Cartridge (with In-Wall & Exposed Parts)
Flow rate: 33.79 {/min*



SOL-6227K

Exposed Part Kit of Single Lever In-Wall Manual Valve, 35 mm Cartridge (Compatible In-Wall Parts ALD-227 or ALD-229 are Sold Separately)



Single Lever | Kitchen

SOL-6163

Single Lever Sink Mixer with Swivel Spout, Wall Mounted Flow rate: 16.44 \(\ext{\pmin} \)*



SOL-6165

Single Lever Sink Mixer with Swinging Spout on Upper Side, Wall Mounted Flow rate: 13.95 ℓ/min*

Single Lever | Bidet



SOL-6173B

Single Lever Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses

Flow rate: 14.45 \(\extrm{/min*} \)



SOL-6213B

Single Lever Bidet Mixer with Popup Waste & 375 mm Long Braided Hoses Flow rate: 7.01 ℓ/min*

SOLO | FAUCETS I

Quarter Turn | Basin



SOL-6011 Basin Tap 1/2 Inch Flow rate: 17:11 ℓ/min*



SOL-6021 High Neck Basin Tap Flow rate: 17.1 {/min*



SOL-6167B

Monoblock Basin Mixer without
Popup Waste, with 375 mm Long
Braided Hoses
Flow rate: 15.6 \(\ell / \text{min*} \)



SOL-6169B

Monoblock Basin Mixer with
Popup Waste & 375 mm Long
Braided Hoses
Flow rate: 14.15 \(\)/min*



SOL-6189 3 hole Basin Mixer without Popup Waste Flow rate: 14.99 \(\lambda \)min*



SOL-6191 3 Hole Basin Mixer with Popup Waste Flow rate: 14.99 {/min*



SOL-6433 3 Hole Basin Mixer Wall Mounted Flow rate: 15.1 \(\)/min*



ST.

SOL-6441K
Exposed Parts of In-Wall Single
Built-in Stop Valve with Basin Spout
(Compatible In-Wall Part ALD-441 is
Sold Separately)
Flow rate: 14.31 {/min*





SOL-6217

Bath & Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted Flow rate: 39.42 \mathcal{t}/min*



SOL-6267

Bath & Shower Mixer with Connector for Hand Shower & Wall Bracket, Wall Mounted Flow rate: 39.42 \min*

Quarter Turn | Bath & Shower



SOL-6267SHK

Bath & Shower Mixer (Wall Mounted) with Connector for Hand Shower, Plastic Coated Shower Hose, Hand Shower & Wall Bracket, (571, 5537N & 555)

Flow rate: 31.55 {/min*



SOL-6215

Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211NH or SHA-1213) & Hand Shower, Wall Mounted Flow rate: 52.61 \(\)/min*



SOL-6209 Shower Mixer Flow rate: 94.00 {/min*



SOL-6435

Built-in Two In-Wall Stop Valves with Bath Spout (with Exposed and In-Wall Parts) Flow rate: 29.94 {/min*



SOL-6437

Built-in Two In-Wall Stop Valves with Diverter Spout (with Exposed and In-Wall Parts) Flow rate: 26.86 \(\frac{1}{26} \)



SOL-6421

2-Way In-Wall Diverter with Built-in Non-Return valve (with In-Wall & Exposed Parts)

Flow rate: 45.55 {/min*



SOL-6095

Bath Tub Filler Consisting of 2 Control Valves and Spout Flow rate: 58.91 {/min*



SOL-6221

Bath Filler

Flow rate: 36.79 \left\/min*



SOL-6223

H Type Bath Filler Flow rate: 36.13 {/min*



SOL-6275

H Type Bath and Shower Mixer (without Shower & Shower Hose) Flow rate: 29.82 \(\extrm{/min*} \)

SOLO | FAUCETS I

Quarter Turn | Bath & Shower



SOL-6275SHK1

H Type Bath and Shower Mixer with Shower Kit (5537N, 571 & 555) Flow rate: 29.82 \(\extrm{/min*} \)



SOL-6271

Bath & Shower Mixer with Telephone Shower Crutch, Deck Mounted Flow rate: 39.42 {/min*

Quarter Turn | Kitchen



SOL-6271SHK1

Bath & Shower Mixer with Telephone Shower Crutch & Shower Kit (5537N & 571), Deck Mounted Flow rate: 39.42 \/min*



SOL-6309

Sink Mixer with Swivel Spout, Wall Mounted Flow rate: 18.15 \(\)/min*



SOL-6319B

Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses Flow rate: 14.9 ℓ/min*



SOL-6347

Sink Tap with Swivel Spout Flow rate: 18.8 \(\frac{1}{2} \)/min*



SOL-6357

Sink Pillar Tap with Swivel Spout Flow rate: 17.5 {/min*



SOL-6359

Sink Pillar Tap with Angular Knob & Swivel Spout

Flow rate: 17.88 \{/min*

Quarter Turn | Bidet





SOL-6613B

Monoblock Bidet Mixer with Popup Waste & 375 mm Long Braided Hoses Flow rate: 6.97 ℓ/min*



SOL-6037

Bib Tap (Angular Shape) with Wall Flange

Flow rate: 18.18 \(\lambda \)/min*

Quarter Turn | Taps



SOL-6047 Bib Tap (Straight Line Model) with Wall Flange Flow rate: 18.21 \(\ell\)/min*



SOL-6041 2-Way Bib Tap with Wall Flange Flow rate: 21.33 {/min*



SOL-6053 Angle Valve with Wall Flange Flow rate: 70.91 \(\)/min*



SOL-6083 In-Wall Stop Valve with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall Parts) Flow rate: 68.39 {/min*



SOL-6089 In-Wall Stop Valve with Adjustable Wall Flange, Size 20 mm (with Exposed and In-Wall Parts) Flow rate: 69.65 \(\ell\)/min*



SOL-6809

Deck Mounted Stop Valve Flow rate: 30.55 \(\extstyle / \text{min} \)*



SLS-WHT-6901 Table Top Basin, Size: 485×370×150 mm



SLS-WHT-6601 Counter Top Basin, Size: 600×400×185 mm



SLS-WHT-6905 Thin Rim Table Top Basin, Size: 360×360×120 mm, Shape - Round



SLS-WHT-6801
Wall Hung Basin with Fixing Accessories,
Size: 575×465×200 mm
SLS-WHT-6301
Full Pedestal for SLS-WHT-6801



SLS-WHT-6801
Wall Hung Basin with Fixing Accessories,
Size: 575×465×200 mm
SLS-WHT-6305
Half Pedestal with
Fixing Accessories for
SLS-WHT-6801





SLS-WHT-6953BIPPSM Rimless, Blind Installation Wall Hung WC with PP Soft Close Slim Seat Cover, Hinges and Accessories Set, Size: 375×520×400 mm



SLS-WHT-6851S110PP Single Piece WC with PP Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 360×640×685 mm, S Trap- 110 mm



SLS-WHT-6851P180PP Single Piece WC with PP Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting and Fixing Accessories, Size: 360×640×685 mm, P Trap- 180 mm

SOLO | SANITARYWARE



SLS-WHT-6851S220PP

Single Piece WC with PP Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 360×640×685 mm, S Trap- 220 mm



SLS-WHT-6851S300PP

Single Piece WC with PP Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 360×730×740 mm, S Trap- 300 mm



SLS-WHT-6851S300UF

Single Piece WC with UF Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 360×730×740 mm, S Trap- 300 mm



SLS-WHT-6751S220PPZ

Bowl with Cistern for Coupled WC with PP Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 375×650×790 mm, S Trap- 220 mm



SLS-WHT-6751S240PPZ

Bowl with Cistern for Coupled WC with PP Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 375×650×790 mm, S Trap- 240 mm



SLS-WHT-6751P180PPZ

Bowl with Cistern for Coupled WC with PP Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 375×650×790 mm, P Trap- 180 mm



SLS-WHT-6151N

Floor Mounted Bidet with Fixing Accessories, Size: 380×530×400 mm



SLS-WHT-6153N Wall Hung Bidet with Accessories Set,

Accessories Set, Size: 385×525×360 mm

SOLO | SANITARYWARE I



SLS-WHT-6951JUFSM Wall Hung WC with In Built Jet, UF Soft Close Slim Seat, Hinges, Accessories Set, Size: 365×525×400 mm





SLS-WHT-6953BIUFSM Rimless, Blind Installation Wall Hung WC With UF Soft Close Slim Seat Cover, Hinges And Accessories Set, Size: 375×520×400 mm







SLS-WHM-6953BIUFSM Rimless, Blind Installation Wall Hung WC In White Matt With UF Soft Close Slim Seat Cover, Hinges And Accessories Set, Size: 375×520×400 mm







SLS-BLM-6953BIUFSM Rimless, Blind Installation Wall Hung WC In Black Matt With UF Soft Close Slim Seat Cover, Hinges And Accessories Set, Size: 375×520×400 mm



■ FLORENTINE | FAUCETS ■■■

Single Lever | Basin



FLR-5001B

Single Lever Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses

Flow rate: 16 \(\extstyle \text{/min*} \)



FLR-5001BCLW

Single Lever Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses & Click-Clack-Waste (ALD-729)

Flow rate: 16 {/min*



FLR-5063B

Single Lever Basin Mixer (Small Spout) with Pop-Up-Waste & 375 mm Long Braided Hoses Also available

FLR-5003B

Single Lever Basin Mixer (Small Spout) without Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 15.96 \(\extrm{\text{min}} \)*



FLR-5025B

Single Lever Mini Basin Mixer without Pop-Up-Waste, with 375 mm Long **Braided Hoses**

Flow rate: 10.75 {/min*



FLR-5051B

Single Lever Basin Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 16 {/min*



FLR-5026B

Single Lever Mini Basin Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses

Flow rate: 10.75 \(\extrm{/min*} \)



FLR-5005NB

Single Lever High Neck Basin Mixer without Pop-Up-Waste, with 600 mm Long Braided Hoses

Flow rate: 16 \(\extrm{\text{min}} \)*



FLR-5009B

Single Lever High Neck Basin Mixer with Swivel Spout & 600 mm Long Braided Hoses

Flow rate: 13.46 {/min*



FLR-5231NK

Exposed Parts of Single Lever Built-In In-Wall Manual Valve with Basin Spout, Two Separate Wall Flanges, Cartridge Sleeve and Operating Lever (Compatible In-Wall parts ALD-233NPSO or ALD-235NPSO are Sold Separately) Flow rate: 13.60 {/min*



FLR-5233NK

Exposed Parts of Single Lever Built-In In-Wall Manual Valve with Basin Spout (Compatible In-Wall parts ALD-233N or ALD-235N are Sold Separately)

Flow rate: 14.22 {/min*

Single Lever | Bath & Shower



FLR-5119 Single Lever Bath & Shower Mixer, Wall Mounted Flow rate: 22.78 {/min*



FLR-5119SHK Single Lever Bath & Shower Mixer with Shower Kit (5537N, 571 & 555),

Wall Mounted Flow rate: 24.51 {/min*



FLR-5123

Single Lever High-Flow Bath & Shower Mixer, Wall Mounted Flow rate: 26.75 \(\)/min*



FLR-5145

Single Lever Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211NH or SHA-1213) & Hand Shower, Wall Mounted Flow rate: 24.57 {/min*



FI R-5147

Single Lever Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted Flow rate: 33.09 {/min*



FLR-5149

Single Lever Shower Mixer, Wall Mounted Flow rate: 34.90 {/min*



FLR-5135

Single Lever High-Flow Built-In In-Wall Manual Valve with Bath Spout (with Exposed and In-Wall parts) Flow rate: 30.53 l/min*



FLR-5137

Single Lever High-Flow Built-In In-Wall Manual Valve with Diverter Bath Spout (with Exposed and In-Wall parts) Flow rate: 24.51 {/min*



FLR-5783NK

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-783N or ALD-783NE are sold separately)



FLR-5065MK

Exposed Part Kit of Single Lever In-wall Diverter (Compatible In-wall part ALD-065M is sold separately)

| FLORENTINE | FAUCETS |

Single Lever | Bath & Shower



FLR-5079NK

Exposed Part Kit of Single Lever Hi-Flow In-Wall Diverter (Compatible In-Wall part ALD-079N is Sold Separately)



FLR-5139

Single Lever In-Wall Manual Shower Valve, 40 mm Cartridge (with In-Wall & Exposed Parts) Flow rate: 33.85 {/min*



FLR-5227K

Exposed Part Kit of Single Lever In-Wall Manual Valve, 35 mm Cartridge (Compatible In-Wall parts ALD-227 or ALD-229 are Sold Separately)



FLR-5129

Single Lever Bath & Shower Mixer, Deck Mounted Flow rate: 36.79 \{/min*

Single Lever | Kitchen



FLR-5133

Single Lever Hi-Flow Bath & Shower Mixer, Deck Mounted Flow rate: 26.75 {/min*



FLR-5163

Single Lever Sink Mixer with Swivel Spout, Wall Mounted Flow rate: 16.44 {/min*



FLR-5165

Single Lever Sink Mixer with Swinging Spout on Upper Side, Wall Mounted Flow rate: 13.95 \(\extrm{/min*} \)



FLR-5173B

Single Lever Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses

Flow rate: 15.12 {/min*



FLR-5177B

Mono Sink Mixer with Pull-out Handspray & 375 mm Long Braided Hoses

Flow rate: Spout 13.52 \(\extstyle{Imin} \)* Shower: 10.49 {/min*



FLR-5179B

Side Single Lever Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses

Flow rate: 13.9 {/min*

Quarter Turn | Basin



FLR-5213B Single Lever Bidet Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 7 {/min*



FLR-5011N Basin Tap 1/2 Inch Flow rate: 21.33 {/min*



FLR-5015 Lift Type Operating Knob Basin Tap 1/2 Inch Flow rate: 12.4 {/min*



FLR-5021M High Neck Basin Tap Flow rate: 18.11 {/min*



FLR-5167NB

Monoblock Basin Mixer without Pop-Up-Waste & 375 mm Long Braided Hoses

Also available

FLR-5169NB

Monoblock Basin Mixer with Pop-Up-Waste & 375 mm Long **Braided Hoses** Flow rate: 16.83 {/min*



FLR-5189N 3 Hole Basin Mixer without Pop-Up-Waste Flow rate: 15.37 {/min*



FLR-5191N 3 Hole Basin Mixer with Pop-Up-Waste Flow rate: 15.37 {/min*



FLR-5433N 3 Hole Basin Mixer Wall Mounted Flow rate: 15.52 {/min*

Quarter Turn | Bath & Shower



FLR-5441NK

Exposed Parts of In-Wall Single Built-In Stop Valve with Basin Spout (Compatible In-Wall part ALD-441 is Sold Separately)

Flow rate: 14.22 {/min*



FLR-5217N

Bath & Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted Flow rate: 39.42 {/min*

FLORENTINE | FAUCETS |

Quarter Turn | Bath & Shower





FLR-5267N

Bath & Shower Mixer with Connector for Hand Shower & Wall Bracket, Wall Mounted Flow rate: 39.42 {/min*



FLR-5215N

Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211NH or SHA-1213) & Hand Shower, Wall Mounted Flow rate: 55.32 \(\ell/\text{min*}\)



FLR-5435N

Built-In Two In-Wall Stop Valves with Bath Spout (with Exposed and In-Wall parts) Flow rate: 33.27 l/min*



FLR-5437N

Built-In Two In-Wall Stop Valves with Diverter Spout (with Exposed and In-Wall parts) Flow rate: 17.64 \(\extrm{!/min*} \)



FLR-5427N

2-Way Diverter with Hot & Cold In-Wall Stop Valves and Built-In Non-Return Valves (with Exposed and In-Wall parts) Flow rate: 42.24 {/min*



FLR-5421N

2-Way In-Wall Diverter with Built-In Non-Return Valve (with In-Wall & Exposed Parts)

Flow rate: 45.55 {/min*



FLR-5095N

Bath Tub Filler Consisting of 2 Control Valves and Spout Flow rate: 58.91 {/min*



FLR-5221

Bath Filler

Flow rate: 36.79 \(\)/min*



FLR-5223

H Type Bath Filler Flow rate: 36.13 {/min*



FLR-5275

H Type Bath and Shower Mixer (without Shower & Shower Hose) Flow rate: 29.82 \left\(\text{min} \right\)

*at 3 bar pressure

Quarter Turn | Bath & Shower



FLR-5275SHK1

H Type Bath and Shower Mixer with Shower Kit (5537N, 571 & 555) Flow rate: 29.82 \(\extrm{/min*} \)



FLR-5271N

Bath & Shower Mixer with Telephone Shower Crutch, Deck Mounted Flow rate: 38.28 {/min*



FLR-5277N

4-Hole Bath & Shower Mixer, Deck Mounted Flow rate: 20.02 ℓ/min*



FLR-5277A

5-Hole Bath & Shower Mixer, Deck Mounted

Quarter Turn | Kitchen



FLR-5309N

Sink Mixer with Regular Swivel Spout, Wall Mounted Flow rate: 19.34 \(! / min* \)



FLR-5319NB

Mono Sink Mixer with Swivel Extended Spout & 375 mm Long Braided Hoses Flow rate: 18 ℓ/min*



FLR-5347N

Sink Tap with Regular Swivel Spout Flow rate: 17.64 {/min*



Quarter Turn | Bidet

FLR-5357N

Sink Pillar Tap with Swivel Spout Flow rate: 16.75 ℓ/min*



FLR-5355N

Sink Pillar Tap with Provision for Connection to RO from Rear Side & Swinging Spout Flow rate: 14.43 {/min*



FLR-5613NB

Monoblock Bidet Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 7 ℓ/min*

FLORENTINE | FAUCETS

Quarter Turn | Taps



FLR-5037N

Bib Tap (Angular Shape) with Wall Flange Flow rate: 20.96 \(\)/min*



FLR-5047N

Bib Tap (Straight Line Model) with Wall Flange Flow rate: 17.8 {/min*



FLR-5041N

2-Way Bib Tap with Wall Flange Flow rate: 17.96 \(!/min* \)



FLR-5053N

Angle Valve with Wall Flange Flow rate: 70.91 {/min*



FLR-5083N

In-Wall Stop Valve with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall parts) Flow rate: 68.39 \mathcal{!}/min*



FLR-5089N

In-Wall Stop Valve with Adjustable Wall Flange, Size 20 mm (with Exposed and In-Wall parts) Flow rate: 69.65 \(\ell\)/min*



FLR-5809

Deck Mounted Stop Valve Flow rate: 18.57 \(\extstyle \)/min*

jaquar.com *at 3 bar pressure

FLORENTINE | SANITARYWARE



FLS-WHT-5931 Table Top Basin, Size: 520×360×125 mm



FLS-WHT-5601 Counter Top Basin, Size: 570×420×195 mm



FLS-WHT-5701 Under Counter Basin with Fixing Accessories, Size: 560×430×195 mm, Shape: Oval



FLS-WHT-5801
Wall Hung Basin with Fixing Accessories,
Size: 585×450×220 mm
FLS-WHT-5301
Full Pedestal for

FLS-WHT-5801





FLS-WHT-5953UFSM Rimless Wall Hung WC with UF Soft Close Slim Seat Cover, Hinges, Accessories Set, Size: 355×555×370 mm





FLS-WHT-5953JUFSM Rimless Wall Hung WC with Inbuilt Jet, UF Soft Close Slim Seat Cover, Hinges, Accessories Set, Size: 355×555×370 mm





FLS-WHT-5353PPZ Rimless Bowl with Cistern for Extended Wall Hung WC with PP Soft Close Seat cover, Hinges, Dual Flush Cistern Fitting, Accessories Set, Size: 380×650×730 mm



Single Lever | Basin



EKO-33001B

Single Lever Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses Flow rate: 16.2 \(\)/min*



EKO-33023B

Single Lever Extended Basin Mixer (Height-83 mm) without Pop-Up-Waste, with 375 mm Long Braided Hoses

Flow rate: 17.31 \{/min*



EKO-33023BCLW

Single Lever Extended Basin Mixer (Height-83 mm) without Pop-Up-Waste, with 375 mm Long Braided Hoses & Click-Clack-Waste (ALD-729) Flow rate: 16 \(\ell / \text{min} \)*



EKO-33051B

Single Lever Basin Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses

Flow rate: 16 {/min*



EKO-33052B

Single Lever Extended Basin Mixer (Height-83 mm) with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 17.4 \(\frac{1}{2} \)/min*



EKO-33233NK

Exposed Parts of Single Lever Built-in In-wall Manual Valve with Basin Spout (Compatible in wall parts ALD-233N or ALD-235N are sold separately)



Single Lever | Bath & Shower

EKO-33119

Single Lever Bath & Shower Mixer, Wall Mounted Flow rate: 15.9 \(\ell/\text{min}\)*



EKO-33119SHK

Single Lever Bath & Shower Mixer with Shower Kit (1937, 571 & 555), Wall Mounted Flow rate:15.90 \(\ext{!/min*} \)



EKO-33141

Single Lever Bath & Shower Mixer with Provision for Overhead Shower from rear side with 50 mm Long Collar Pipe, Elbow, nuts & Washers on Upper Side, Wall Mounted Flow rate: 15.9 \(\ell\)/min*



EKO-33149

Single Lever Shower Mixer, Wall Mounted Flow rate: 32.78 \(\frac{1}{2} \) /min*

EKO FAUCETS

Single Lever | Bath & Shower



EKO-33055NK

Exposed Part Kit of Single Lever In-Wall Diverter (Compatible In-Wall Part ALD-055N is Sold Separately)



EKO-33227K

Exposed Part Kit of Single Lever In-Wall Manual Valve, 35 mm Cartridge (Compatible In-Wall parts ALD-227 or ALD-229 are Sold Separately)

Single Lever | Kitchen



EKO-33163

Single Lever Sink Mixer with Swivel Spout, Wall Mounted Flow rate: 16.44 \(\ext{\pmin} \)*



EKO-33173B

Single Lever Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses

Flow rate: 15.35 \{/min*

Single Lever | Bidet

Quarter Turn | Basin



EKO-33213B

Single Lever Bidet Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 7.15 ℓ/min*



EKO-33011

Basin Tap 1/2 Inch Flow rate: 22 \(\extstyle \text{min*} \)

Quarter Turn | Taps



EKO-33021

Basin Tap 1/2 Inch with Long Neck Flow rate: 18.28 \(\frac{1}{2} \) /min*



EKO-33037

Bib Tap with Wall Flange Flow rate: 17 P/min*



EKO-33041

2-Way Bib Tap with Wall Flange Flow rate: 16.5 \(\)/min*



EKO-33053

Angle Valve with Wall Flange Flow rate: 30 {/min*

Quarter Turn | Taps



EKO-33069

In-Wall Stop Valve, Reduced Body with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall parts) Flow rate: 28.75 {/min*

COMBO PACK



EKO-CHR-33051B



EKO-CHR-33119



SHA-CHR-1110E

EKO-B051W119SRP

Combo of Basin Mixer, Wall Mixer & Sliding Rail Pack (33051B, 33119 & 1110E)

FLORENTINE PRIME

The Classic, Reborn



FLORENTINE PRIME | FAUCETS

Single Lever | Basin



FLP-5001BPM

Single Lever Basin Mixer without Popup Waste, with 375 mm Long Braided Hoses



FLP-5001BPMCLW

Single Lever Basin Mixer without Popup Waste, with 375 mm Long Braided Hoses & click clack waste (ALD-729)



FLP-5051BPM

Single Lever Basin Mixer with Popup Waste, with 375 mm Long Braided Hoses



FLP-5005BPM

Single Lever High Neck Basin Mixer without Popup Waste, with 600 mm Long Braided Hoses



Single Lever | Bath & Shower

FLP-5009BPM

Single Lever High Neck Basin Mixer with Swivel Spout & 600 mm Long Braided Hoses



FLP-5233NKPM

Exposed Parts of Single Lever Built-in In-wall Manual Valve with Basin Spout (Compatible in wall parts ALD-233N or ALD-235N are sold separately)



FLP-5119PM

Single Lever Bath & Shower Mixer, Wall Mounted



FLP-5117PM

Single Lever Bath & Shower Mixer with Provision for Overhead Shower with 115 mm Long Bend Pipe on Upper Side, Wall Mounted



FLP-5115PM

Single Lever Bath & Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted



FLP-5125PM

Single Lever Bath & Shower Mixer 3-in-1 System with Provision for both Hand Shower and Overhead Shower Complete with 115 mm Long Bend Pipe on Upper Side, Wall Mounted

■ FLORENTINE PRIME | FAUCETS

Single Lever | Bath & Shower



FLP-5149PM Single Lever Shower Mixer, Wall Mounted



FLP-5065MKPM
Exposed Part Kit of Single Leve

Exposed Part Kit of Single Lever Inwall Diverter (Compatible In-wall part ALD-065M is sold separately)



FLP-5079NKPM

FLP-5139KPM

sold separately)

Exposed Part Kit of Single Lever

In-wall Manual Shower Valve (Compatible In-wall part ALD-139 is

Exposed Part Kit of Single Lever Hi Flow In-wall Diverter (Compatible In-wall part ALD-079N is sold separately)



FLP-5227KPM

Exposed Part Kit of Single Lever Inwall Manual Valve, 35 mm Cartridge (Compatible In-wall parts ALD-227 or ALD-229 are sold separately)



Single Lever | Kitchen



FLP-5165PM

Single Lever Sink Mixer with Swinging Spout on Upper Side, Wall Mounted



FLP-5173BPM

Single Lever Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses



FLP-5177BPM

Mono Sink Mixer with Pull-out Handspray & 375 mm Long Braided Hoses





FLP-5179BPM

Side Single Lever Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses



FLP-5213BPM

Single Lever Bidet Mixer with Popup Waste & 375 mm Long Braided Hoses

jaquar.com *at 3 bar pressure

FLORENTINE PRIME | FAUCETS

Quarter Turn | Basin



FLP-5011PM Basin Tap 1/2 Inch



FLP-5021PM High Neck Basin Tap



FLP-5189PM 3-Hole Basin Mixer without Popup



FLP-5189PMRS
3-Hole Basin Mixer Round Spout without Popup Waste



FLP-5191PM
3-Hole Basin Mixer with Popup Waste



Quarter Turn | Kitchen

Exposed Parts of In-wall Single Built-in Stop Valve with Basin Spout (Compatible In-Wall part ALD-441 is sold separately)

FLP-5441KPM

Quarter Turn | Bath & Shower



FLP-5281PM
Bath & Shower Mixer 3-in-1
System with Provision for Hand
Shower & Overhead Shower
Complete with 115 mm Long Bend
Pipe, Wall Mounted



FLP-5309PM Sink Mixer with Regular Swivel Spout, Wall Mounted



FLP-5347PM Sink Tap with Regular Swivel Spout



FLP-5357PM Sink Pillar Tap with Swivel Spout

FLORENTINE PRIME | FAUCETS

Quarter Turn | Taps



FLP-5037PMBib Tap with Wall Flange



FLP-5041PM 2-Way Bib Tap with Wall Flange



FLP-5053PM
Angle Valve with Wall Flange



FLP-5083PM In-wall Stop Valve with Adjustable Wall Flange, Size 15 mm (With Exposed and In-wall parts)



FLP-5089PM In-wall Stop Valve with Adjustable Wall Flange, Size 20 mm (With Exposed and In-wall parts)

jaquar.com *at 3 bar pressure

CONTINENTAL PRIME

Vintage Charm, Redefined



NOW PRIMED TO BE THE PILLAR OF MODERN BATH DESIGN

Designed by

MICHAEL FOLEY

Pillars are unique in being both decorative and structural.

The 21st-century update of Jaquar's bestselling Continental collection takes inspiration from the timeless appeal and eternal solidity of India's ancient pillars.



CONTINENTAL PRIME | FAUCETS |

Single Lever | Basin



COP-001BPM

Single Lever Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses Flow rate: 12.24 l/min*



COP-001BPMCLW

Single Lever Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses & Click-Clack-Waste (ALD-729)

Flow rate: 12.24 \(\extrm{/min*} \)



COP-051BPM

Single Lever Basin Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 12.24 \text{!/min*}



COP-005BPM

Single Lever High Neck Basin Mixer without Pop-Up-Waste, with 600 mm Long Braided Hoses Flow rate: 12.00 ℓ/min*

Single Lever | Bath & Shower



COP-233NKPM

Exposed Parts of Single Lever Built-in In-wall Manual Valve with Basin Spout (Compatible in wall parts ALD-233N or ALD-235N are sold separately)



COP-119PM

Single Lever Bath & Shower Mixer, Wall Mounted Flow rate: 25.51 {/min*



COP-145PM

Single Lever Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211NH or SHA-1213) & Hand Shower, Wall Mounted Flow rate: 24.57 \(\extrm{/min*} \)



COP-149PM

Single Lever Shower Mixer, Wall Mounted Flow rate: 31.18 {/min*



COP-055KPM

Exposed Part Kit of Single Lever In-Wall Diverter (Compatible In-Wall Part ALD-055N is Sold Separately)



COP-065MKPM

Exposed Part Kit of Single Lever Inwall Diverter (Compatible In-wall part ALD-065M is sold separately)

CONTINENTAL PRIME | FAUCETS

Single Lever | Bath & Shower



COP-079NKPM

Exposed Part Kit of Single Lever Hi Flow In-wall Diverter (Compatible In-wall part ALD-079N is sold separately)



Single Lever | Bidet

COP-227KPM

Exposed Part Kit of Single Lever In-Wall Manual Valve, 35 mm Cartridge (Compatible In-Wall parts ALD-227 or ALD-229 are Sold Separately)

Single Lever | Kitchen



COP-179BPM

Side Single Lever Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses Flow rate: 11.77 ℓ/min*



COP-213BPM

Single Lever Bidet Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 7.44 \lambda/min*

Quarter Turn | Basin



COP-167BPM

Monoblock Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses Flow rate: 15.83 {/min*



COP-169BPM

Monoblock Basin Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 15.83 {/min*



COP-011PM

Basin Tap 1/2 Inch Flow rate: 14.94 \{/min*



COP-021PM

High Neck Basin Tap Flow rate:13.89 \(\)/min*





COP-209PM

Shower Mixer Flow rate: 63.9 {/min*



COP-281PM

Bath & Shower Mixer 3-in-1 System with Provision for Hand Shower & Overhead Shower Complete with 115 mm Long Bend Pipe, Wall Mounted Flow rate: 24.48 {/min*

CONTINENTAL PRIME | FAUCETS |

Quarter Turn | Kitchen



COP-309PM Sink Mixer with Swivel Spout, Wall Mounted Flow rate: 16.7 \(\ext{/min*} \)



COP-347PM
Sink Tap with Swivel Spout
Flow rate: 15.17 \(\ext{!/min*} \)

Quarter Turn | Taps



COP-037PM
Bib Tap with Wall Flange
Flow rate: 14.87 {/min*



COP-107PM Long Body Bib Tap with Wall Flange Flow rate: 14.9 \(\extrm{/min*} \)



COP-041PM 2-Way Bib Tap with Wall Flange Flow rate: 14.66 \(\)/min*



COP-057PM

Angle Valve with Wall Flange Flow rate: 20.75 ℓ/min*



COP-083PM In-Wall Stop Valve with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall parts)



COP-089PM In-Wall Stop Valve with Adjustable Wall Flange, Size 20 mm (with Exposed and In-Wall parts)

jaquar.com *at 3 bar pressure



| CONTINENTAL | FAUCETS |

Multi Turn | Basin



CON-011KN
Basin Tap 1/2 Inch
Flow rate: 45.08 \(\)/min*



CON-021KN
Basin Tap 1/2 Inch with Long Neck
Flow rate: 46.70 {/min*



CON-167KNB

Monoblock Basin Mixer without Pop-Up-Waste & 375 mm Long Braided Hoses
Flow rate: 21.58 \(\)/min*



CON-169KNB

Monoblock Basin Mixer with Pop-UpWaste & 375 mm Long Braided Hoses
Flow rate: 21.58 \(\)/min*

Multi Turn | Bath & Shower



CON-123BKN

Basin Tap with Left Hand Operating Knob & 375 mm Long Braided Hoses Also available



Basin Tap with Right Hand Operating Knob & 375 mm Long Braided Hoses Flow rate: 17.88 \(\rm \)/min*



CON-217KN

Bath & Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted Flow rate: 28.12 ₹/min*





CON-267KN

Bath & Shower Mixer with Connector for Hand Shower & Wall Bracket, Wall Mounted Flow rate: 28.12 {/min*



CON-271KN

Bath & Shower Mixer with Telephone Shower Crutch, Deck Mounted Flow rate: 28.12 {/min*

Multi Turn | Kitchen



CON-309KNM

Sink Mixer with Swivel Spout, Wall Mounted Flow rate: 23.52 ℓ/min*



CON-309KNBM

Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses Flow rate: 21.09 ℓ/min*

Multi Turn | Kitchen



CON-319KN

Sink Mixer with Swivel Raised J Shaped Spout, Wall Mounted Flow rate: 21.09 {/min*



CON-319KNB

Mono Sink Mixer with Swivel Raised J Shaped Spout & 375 mm Long Braided Hoses





CON-321KNB

Mono Sink Mixer with Swivel Special Extended Spout & 375 mm Long Braided Hoses Flow rate: 21.52 {/min*



CON-347KNM

Sink Tap with Swivel Spout Flow rate: 22.47 {/min*



CON-349KNM

Sink Pillar Tap with Swivel Spout Flow rate: 22.47 {/min*



CON-357KN

Sink Tap with Swivel Raised J Shaped Spout Flow rate: 21.12 \(\extstyle min \)*





CON-359KN

Sink Pillar Tap with Swivel Raised J Shaped Spout Flow rate: 21.12 {/min*



CON-047KN

Bib Tap with Wall Flange Flow rate: 46.70 {/min*



CON-107KN

Long Body Bib Tap with Wall Flange Flow rate: 42.07 {/min*



CON-041KNF

2-Way Bib Tap with Wall Flange Flow rate: 44.15 {/min*

CONTINENTAL | FAUCETS |

Multi Turn | Taps



CON-059KN Angle Valve with Wall Flange Flow rate: 47.00 ℓ/min*



CON-069KN
In-Wall Stop Valve, Reduced Body
with Adjustable Wall Flange, Size 15
mm (with Exposed and In-Wall parts)

Flow rate: 47.00 \(\ell\)/min*



CON-083KN

In-Wall Stop Valve with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall parts) Flow rate: 47.00 l/min*



CON-087KN

In-Wall Stop Valve, Extra Heavy Body with Adjustable Wall Flange, Size 20 mm (with Exposed and In-Wall parts) Flow rate: 47.00 l/min*



CON-089KN

In-Wall Stop Valve with Adjustable Wall Flange, Size 20 mm (with Exposed and In-Wall parts) Flow rate: 47.00 l/min*

jaquar.com *at 3 bar pressure

CONTINENTAL | SANITARYWARE



CNS-WHT-903 Table Top Basin, Size: 425×340×175 mm



CNS-WHT-905 Table Top Basin, Size: 420×420×155 mm



CNS-WHT-701 Under Counter Basin with Fixing Accessories, Size: 485×370×205 mm, Shape: Rectangular



CNS-WHT-705 Under Counter Basin with Fixing Accessories, Size: 605×430×200 mm, Shape: Oval

Full pedestal wash basin



CNS-WHT-801
Wall Hung Basin
with Fixing Accessories,
Size: 560×415×200 mm
CNS-WHT-301
Full Pedestal for
CNS-WHT-801



CNS-WHT-811
Wall Hung Basin with
Fixing Accessories,
Size: 565×450×195 mm

CNS-WHT-303 Full Pedestal for CNS-WHT-811

Half pedestal wash basin



CNS-WHT-801 Wall Hung Basin with Fixing Accessories, Size: 560×415×200 mm

CNS-WHT-305 Half Pedestal with Fixing Accessories for CNS-WHT-801



CNS-WHT-813 Wall Hung Basin with Fixing Accessories, Size: 420×420×155 mm

CONTINENTAL | SANITARYWARE I



CNS-WHT-959JUF Wall Hung WC with In-Built Jet, UF Soft Close Seat Cover, Hinges, Accessories Set, Size: 370×540×410 mm





CNS-WHT-963UFSM Rimless Wall Hung WC with UF Soft Close Slim Seat Cover, Hinges, Accessories Set, Size: 380×515×360 mm



CNS-WHT-959JSPP
Wall Hung WC with In-Built
Jet, PP Soft Close Seat Cover,
Hinges, Accessories Set,
Size: 370×540×410 mm



CNS-WHT-751S300SPPZ Bowl with Cistern for Coupled WC with PP Soft Close Seat Cover, Hinges, Fixing Accessories and Accessories Set, Size: 410×660×810 mm, S Trap- 300 mm



CNS-WHT-751P180SPPZ
Bowl with Cistern for
Coupled WC with PP Soft
Close Seat Cover, Hinges,
Dual Flush Cistern Fitting,
Fixing Accessories
and Accessories Set,
Size: 410×660×810 mm,
P Trap- 180 mm



CNS-WHT-755S220SP-PZ

Bowl with Cistern for Coupled WC with PP Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 365×680×770 mm, S Trap- 220 mm



CNS-WHT-757NS-300SPPSZ

Bowl With Side Flush Cistern For Coupled WC with PP Soft Close Seat Cover, Hinges, Single Side Flush Cistern Fitting, Fixing Accessories And Accessories Set, Size: 410×695×785 mm, S Trap- 300 mm



CNS-WHT-757NS300SPPZ Bowl With Cistern For Coupled WC with PP Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories And Accessories Set, Size: 410×695×785 mm,

S Trap- 300 mm

■ CONTINENTAL | SANITARYWARE I



CNS-WHT-153
Blind Installation Wall Hung
Bidet with Accessories Set,
Size: 370×500×330 mm



CNS-WHT-853P180SPPSM Rimless Single Piece WC with

Rimless Single Piece WC with PP Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fittings, Fixing Accessories and Accessories Set, Size: 370×660×730 mm, P Trap- 180 mm





CNS-WHT-853S220SPPSM

Rimless Single Piece WC with PP Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fittings, Fixing Accessories and Accessories Set, Size: 370×660×730 mm, S Trap- 220 mm



CNS-WHT-853S300SPPSM

Rimless Single Piece WC with PP Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fittings, Fixing Accessories and Accessories Set, Size: 370×660×730 mm, S Trap- 300 mm



CNS-WHT-959NSPP

Wall Hung WC with PP Soft Close Seat Cover, Hinges, Accessories Set, Size: 370×540×410 mm



CNS-WHT-959NUF

Wall Hung WC with UF Soft Close Seat Cover, Hinges, Accessories Set, Size: 370×540×410 mm



CNS-WHT-961NSPP

Wall Hung WC with PP Soft Close Seat Cover, Hinges, Accessories Set, Size: 365×545×360 mm



CNS-WHT-959NUF

Wall Hung WC with UF Soft Close Seat Cover, Hinges, Accessories Set, Size: 365×545×360 mm



Quarter Turn | Basin



AQT-3011 Basin Tap 1/2 Inch Flow rate: 23.94 \(\ext{!/min*} \)



AQT-3169B Monoblock Basin Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses Flow rate: 20.42 \/min*



AQT-3171B

Monoblock Basin Mixer with
Swivel Pipe Spout & 375 mm
Long Braided Hoses
Flow rate: 19.79 {/min*



AQT-3181B Monoblock Basin Mixer with Swivel Casted Round Shape Spout & 375 mm Long Braided Hoses Flow rate: 20.01 ℓ/min*

Quarter Turn | Bath & Shower



AQT-3517A

Bath & Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted Flow rate: 20.01 \(\ext{\rm /min} \)*



AQT-3209 Shower Mixer Flow rate: 56.69 \(\frac{1}{2} \) min*

Quarter Turn | Kitchen



AQT-3309 Sink Mixer with Swivel Spout, Wall Mounted Flow rate: 21.69 {/min*



Quarter Turn | Taps

AQT-3319
Sink Mixer with Swivel Pipe Spout,
Wall Mounted
Flow rate: 33.19 {/min*



AQT-3357
Sink Tap with Swivel Pipe Spout Flow rate: 18.95 {/min*



AQT-3047
Bib Tap with Wall Flange
Flow rate: 37.70 {/min*

ASTRA | FAUCETS

Quarter Turn | Taps



AQT-3049 Bib Tap with Nozzle Flow rate: 24.94 {/min*



AQT-3107
Bib Tap Long Body with Wall Flange
Flow rate: 37.70 {/min*



AQT-3053 Angle Valve with Wall Flange



AQT-3057P Angle Valve with Triangular Handle & Wall Flange Flow rate: 21.20 {/min*

jaquar.com *at 3 bar pressure



SENSOR | FAUCETS

Sensor | Basin Battery Operated



SNR-51011N

Sensor Faucet for Wash Basin Deck Mounted Complete with Control Box (Battery Operated) Flow rate: 12.30 {/min*



SNR-51021

Sensor Faucet for Wash Basin Deck Mounted Complete with Control Box (Battery Operated) Flow rate: 12.78 {/min*



SNR-51021A

Sensor Faucet for Wash Basin Deck Mounted Complete with 175 mm Extended Body & Control Box (Battery Operated) Flow rate: 12.78 {/min*



SNR-51001SQ

Sensor Faucet for Wash Basin in Square Shape Deck Mounted Complete with Control Box (Battery Operated) Flow rate: 13.16 \(\extrm{\text{min}} \)*



SNR-51027

Sensor Faucet for Wash Basin Deck Mounted Complete with Control Box (Battery Operated) Flow rate: 13.43 {/min*



SNR-51033

Sensor Faucet for Wash Basin in Rectangular Shape Deck Mounted Complete with Control Box (Battery Operated) Flow rate: 7.20 {/min*



SNR-35019PM

Kubix Prime Sensor Faucet for Wash Basin Deck mounted Complete with Control Box (Battery Operated) Flow rate: 11.80 \(\frac{1}{min}\)*



SNR-35019PMPK

Kubix Prime Sensor Faucet for Wash Basin Deck mounted Complete with Control Box & Pre-mixed Water Supply Kit (Battery Operated) Flow rate: 11.80 \(\extrm{/min*} \)



SNR-35017PM

Kubix Prime High Neck Sensor Faucet for Wash Basin Deck mounted Complete with Control Box (Battery Operated) Flow rate: 11.90 {/min*



SNR-35017PMPK

Kubix Prime High Neck Sensor Faucet for Wash Basin Deck mounted Complete with Control Box & Pre-mixed Water Supply Kit (Battery Operated) Flow rate: 11.90 {/min*

Sensor | Basin Battery Operated



SNR-15019PM

Opal Prime Sensor Faucet for Wash Basin Deck mounted Complete with Control Box (Battery Operated) Flow rate: 12.15 \(\frac{1}{2} / \text{min} \)*



SNR-15019PMPK

Opal Prime Sensor Faucet for Wash Basin Deck mounted Complete with Control Box & Pre-mixed Water Supply Kit (Battery Operated) Flow rate: 12.15 {/min*



SNR-15017PM

Opal Prime High Neck Sensor Faucet for Wash Basin Deck mounted Complete with Control Box (Battery Operated) Flow rate: 12.20 \(\frac{1}{2} / \text{min*} \)



SNR-15017PMPK

Opal Prime High Neck Sensor Faucet for Wash Basin Deck mounted Complete with Control Box & Pre-mixed Water Supply Kit (Battery Operated) Flow rate: 12.20 {/min*



SNR-91019

Laguna Sensor Faucet for Wash Basin Deck mounted Complete with Control Box (Battery Operated)



SNR-91019PK

Laguna Sensor Faucet for Wash Basin Deck mounted Complete with Control Box & Pre-mixed Water Supply Kit (Battery Operated)



SNR-91017

Laguna High Neck Sensor Faucet for Wash Basin Deck mounted Complete with Control Box (Battery Operated)



SNR-91017PK

Laguna High Neck Sensor Faucet for Wash Basin Deck mounted Complete with Control Box & Pre-mixed Water Supply Kit (Battery Operated)





SNR-51097

Sensor Flush Valve for Urinal Complete with Installation Kit (Battery Operated) Suitable for Urinal (URS-WHT-13255) Flow rate: 2.0 *l*/f**



SNR-STL-51087

Sensor Flush Valve for Urinal Complete with Installation Box (Battery Operated) Flow rate: 2.0 \(\extstyle f \) f**

SENSOR | FAUCETS

Sensor | Urinal Battery Operated



SNR-51085C

in-wall Installation Box for Urinal Sensor Consisting of Solenoid Valve with Control Valve (But without Exposed Part Kit)



SNR-51085K

Exposed Part Kit of Urinal Sensor Consisting of Wall Flange with Sensor Eye & (4 X 1.5V AA) Batteries (Compatible In-wall part SNR-51085C is sold separately)

Sensor | Water Closet Battery Operated

Blush Sensor | Basin Battery Operated



SNR-STL-51093N

Sensor Flush Valve for Western Commode with Provision for Manual Operation Also, Complete with Installation Box (Battery Operated) Flow rate: 11.90 {/min*



SNR-51443

Blush Wall Mounted Sensor Faucet with Control Box (Battery Operated) Flow rate: 8.50 ℓ/min*



SNR-51445

Blush Deck Mounted Sensor Faucet with Control Box (Battery Operated) Flow rate: 9.50 l/min*



SNR-51449

Blush High Neck Deck Mounted Sensor Faucet with Control Box (Battery Operated) Flow rate: 8.20 \(\ell/\)min*



SNR-51443PK

Blush Wall Mounted Sensor Faucet with Control Box & Pre-mixed Water Supply Kit (Battery Operated) Flow rate: 8.50 {/min*



SNR-51445PK

Blush Deck Mounted Sensor Faucet with Control Box & Pre-mixed Water Supply Kit (Battery Operated) Flow rate: 9.50 ℓ/min*

Sensor Faucets With 9v Transformer | Basin Electronic Operated



SNR-51449PK

Blush High Neck Deck Mounted Sensor Faucet with Control Box & Pre-mixed Water Supply Kit (Battery Operated) Flow rate: 8.20 \(\ell\)/min*



SNR-51011NEBPK

Sensor Faucet for Wash Basin with Pre-mixed Water Supply Kit (9V transformer)

SENSOR | FAUCETS

Sensor Faucets With 9v Transformer | Basin Electronic Operated



SNR-51033EB

Sensor Faucet for Wash Basin in Rectangular Shape (9V transformer) Flow rate: 7.20 {/min*



SNR-51021EB

Sensor Faucet for Wash Basin (9V transformer) Flow rate: 12.78 ℓ/min*



SNR-51021AEB

Sensor Faucet for Wash Basin with 175mm Extension Body (9V transformer) Flow rate: 14.19 l/min*



SNR-51001SQEB

Sensor Faucet for Wash Basin in Square Shape with Base Flange (9V transformer) Flow rate: 14.19 l/min*



SNR-51027EB

Sensor Faucet for Wash Basin (9V transformer)
Flow rate: 14.19 \(\extstyle / \text{min*} \)



SNR-91019EB

Laguna Sensor Faucet for Wash Basin (9V transformer)



SNR-91019EBPK

Laguna Sensor Faucet for Wash Basin with Pre-mixed Water Supply Kit (9V transformer)



SNR-91017EB

Laguna High Neck Sensor Faucet for Wash Basin (9V transformer)



SNR-91017EBPK

Laguna High Neck Sensor Faucet for Wash Basin with Pre-mixed Water Supply Kit (9V transformer)



SNR-35019PMEB

Kubix Prime Sensor Faucet for Wash Basin (9V transformer) Flow rate: 11.80 ℓ/min*

SENSOR | FAUCETS |

Sensor Faucets With 9v Transformer | Basin Electronic Operated



SNR-35019PMEBPK

Kubix Prime Sensor Faucet for Wash Basin with Pre-mixed Water Supply Kit (9V transformer) Flow rate: 11.80 {/min*



SNR-15019PMEB

Opal Prime Sensor Faucet for Wash Basin (9V transformer) Flow rate: 12.15 {/min*



SNR-15019PMEBPK

Opal Prime Sensor Faucet for Wash Basin with Pre-mixed Water Supply Kit (9V transformer) Flow rate: 12.15 {/min*



SNR-35017PMEB

Kubix Prime High Neck Sensor Faucet for Wash Basin (9V Transformer & Provision for Battery Operated) Flow rate: 11.90 {/min*



SNR-35017PMEBPK

Kubix Prime High Neck Sensor Faucet for Wash Basin with Pre-mixed Water Supply Kit (9V Transformer & Provision for Battery Operated) Flow rate: 11.90 {/min*



SNR-15017PMEB

Opal Prime High Neck Sensor Faucet for Wash Basin (9V Transformer & Provision for Battery Operated) Flow rate: 12.20 {/min*



SNR-15017PMEBPK

Opal Prime High Neck Sensor Faucet for Wash Basin with Pre-mixed Water Supply Kit (9V Transformer & Provision for Battery Operated) Flow rate: 12.20 {/min*



SNR-STL-51077E

Sensor In-Wall Type Flush Valve for Urinal Complete set with Installation Box & Control Valve (9V Transformer) Flow rate: 19.30 \(\ext{!/min*} \)

*at 3 bar pressure jaquar.com



PRESSMATIC | FAUCETS I

Basin



PRS-031

Non-Concussive Basin Tap Flow rate: 16.72 \(\extstyle \)/min*



PRS-031L65

Non-Concussive Basin Tap with 65 mm Extension Body Flow rate: 15.74 \(\extrm{!/min*} \)

Taps



PRS-061

Non-Concussive Basin Tap, Wall Mounted Flow rate: 14.32 ℓ/min*



PRS-043

Non-Concussive Bib Tap Flow rate: 17 {/min*

Urinals



PRS-073

Non-Concussive In-Wall Urinal Valve Flow rate: 2.0 \(\frac{1}{2} f^** \)



PRS-077

Non-Concussive Urinal Valve Flow rate: 3.85 lpf**





PRS-001MED

Non-Concussive (Straight Line Model) Basin Tap with Elbow Operated Extended Lever Flow rate: 16.72 l/min*



PRS-031MED

Non-Concussive Basin Tap with Elbow Operated Extended Lever Flow rate: 16.72 l/min*



PRS-031L65MED

Non-Concussive Basin Tap with 65 mm Extension Body & Elbow Operated Extended Lever Flow rate: 15.75 ℓ/min*



PRS-043MED

Non-Concussive Bib Tap with Elbow Operated Extended Lever Flow rate: 17.00 ℓ/min*



PRS-STL-033EF

Exposed Foot Operated Non-Concussive Valve for Basin Taps & Spouts (Table Mounted Model) with Two 900 & 1200 mm Long Braided Hoses with 15 mm Nuts



PRS-STL-033EFP

Exposed Foot Operated Non-Concussive Valve for Pressmatic Basin Taps Only with Plug (Table Mounted Model) with Two 900 & 1200 mm Long Braided Hoses with 15 mm Nuts



PRS-STL-033EFPWC

Exposed Foot Operated Non-Concussive Valve for Pressmatic Basin Taps without Cartridge, But with Plug (Table Mounted Model) with Two 900 & 1200 mm long Braided Hoses with 15 mm nuts



PRS-277

Elbow Operated Non-concussive Extended Lever Assembly for Operating Exposed Pressmatic Basin Taps & Bib Tap



Basin



FLR-5031N

Florentine Basin Tap with Extended Lever Handle Flow rate: 17.70 {/min*



FLR-5033B

Florentine Single Lever Basin Mixer with Extended Lever Handle without Pop-Up-Waste with 375mm Long Braided Hoses

Flow rate: 16.78 \(\lambda \)/min*

Sink



FLR-5043N

Bib Tap with Extended Lever Handle Flow rate: 17.96 l/min*



FLR-5166

Florentine Single Lever Sink Mixer with Extended Lever Handle, Wall Mounted

Flow rate: 16.44 \(\extrm{\text{min}} \)*



Basin Tap







SOT-83037 Spout Operated Bib Tap Flow rate: 18.53 \(\)/min*

*at 3 bar pressure

-ELOUD



A FIRST OF ITS KIND INTUITIVE AND CUTTING EDGE SHOWER TECHNOLOGY.

WHAT COLOUR WOULD YOU LIKE YOUR CLOUD TO BE?

In the 21st century, bathrooms have graduated from providing mere functionality to becoming a zone for physical and mental rejuvenation. And colour plays a key role in enabling that. That's why, like many of Jaquar's bath fixtures, Cloud too is available with trim plates in a wide range of 6 colour finishes.



COLOUR FINISHES:

Blush Gold Bright PVD



Chrome

BGP









Gold Bright PVD



QLD-309661C

CLOUD Thermostatic Shower Mixer Body and Touch Control Panel Plastic box for In-wall installation



QLD-309661CE

CLOUD Thermostatic Shower Mixer Body with Fixing Lugs and Touch Control Panel Plastic box for In-wall installation



QLD-309681KRH

Exposed Part Kit of CLOUD Touch Shower System with 2 outlets for connection to Rain & Hand Shower (Compatible In-wall Part QLD-309661C or QLD-309661CE are sold separately)

- Exposed wall flange for thermostatic shower mixer
- Exposed wall flange with inbuilt touch control panel for 2 outlets for In-wall plastic box
- CPU system with 1 inlet & 2 outlets connections
- 3 meter extension cable for touch control panel to CPU-1pc
- 3 meter extension cable for power adapter to touch control panel-1Pc
- Battery box with connecting cabel to touch control panel-1Pc
- 800mm Long Braided Hose, 15mm Size-02 Nos
- 800mm Long Braided Hose, 20mm Size-01 Nos
- Filter 01 Nos
- Metallic clamp & screw-1Set



QLD-309683KRHB

Exposed Part Kit of CLOUD Touch Shower System with 3 outlets for connection to Rain, Hand Shower & Body Shower (Compatible In-wall Part QLD-309661C or QLD-309661CE are sold separately)

- Exposed wall flange for thermostatic shower mixer
- Exposed wall flange with inbuilt touch control panel for 3 outlets for In-wall plastic box
- CPU system with 1 inlet & 3 outlets connections
- 3 meter extension cable for touch control panel to CPU-1pc
- 3 meter extension cable for power adapter to touch control panel-1Pc
- Battery box with connecting cabel to touch control panel-1Pc
- 800mm Long Braided Hose, 15mm Size-03 Nos
- 800mm Long Braided Hose, 20mm Size-01 Nos
- Filter 01 Nos
- Metallic clamp & screw-1Set



QLD-309683KRMH

Exposed Part Kit of CLOUD Touch Shower System with 3 outlets for connection to Rain, Mist/Waterfall Shower mode & Hand Shower (Compatible In-wall Part QLD-309661C or QLD-309661CE are sold separately)

- Exposed wall flange for thermostatic shower mixer
- Exposed wall flange with inbuilt touch control panel for 3 outlets for In-wall plastic box
- CPU system with 1 inlet & 3 outlets connections
- 3 meter extension cable for touch control panel to CPU-1pc
- 3 meter extension cable for power adapter to touch control panel-1Pc
- Battery box with connecting cabel to touch control panel-1Pc
- 800mm Long Braided Hose, 15mm Size-03 Nos
- 800mm Long Braided Hose, 20mm Size-01 Nos
- Filter 01 Nos
- Metallic clamp & screw-1Set



QLD-309685KRMHB

Exposed Part Kit of CLOUD Touch Shower System with 4 outlets for connection to Rain, Mist/Waterfall, Hand Shower & Body Shower (Compatible In-wall Part QLD-309661C or QLD-309661CE are sold separately)

- Exposed wall flange for thermostatic shower mixer
- Exposed wall flange with inbuilt touch control panel for 4 outlets for In-wall plastic box
- CPU system with 1 inlet & 4 outlets connections
- 3 meter extension cable for touch control panel to CPU-1pc
- 3 meter extension cable for power adapter to touch control panel-1Pc
- Battery box with connecting cabel to touch control panel-1Pc
- 800mm Long Braided Hose, 15mm Size-04 Nos
- 800mm Long Braided Hose, 20mm Size-01 Nos
- Filter 01 Nos
- Metallic clamp & screw-1Set

AQUAMAX THERMOSTAT

Allied



ALD-661N
Aquamax In-wall Body of
Thermostatic Shower Mixer Single
Function (Without Exposed Parts)
Flow rate: 56.00 l/min*



ALD-681N

Aquamax In-wall Body of Thermostatic Shower Mixer with 2-way diverter (Without Exposed Parts)

Flow rate: 42.00 l/min*



ALD-683N

Aquamax In-wall Body of Thermostatic Shower Mixer with 3-way diverter (Without Exposed Parts)
Flow rate: 52.00 {/min*



ALD-661NE

Aquamax In-wall Body of Thermostatic Shower Mixer Single Function with Fixing Lugs (Without Exposed Parts) Flow rate: 56.00 \(\lambda / \text{min*} \)



ALD-681NE
Aquamax In-wall Body of
Thermostatic Shower Mixer with
Fixing Lugs & 2-way diverter
(Without Exposed Parts)
Flow rate: 42.00 {/min*



ALD-683NE

Aquamax In-wall Body of Thermostatic
Shower Mixer with Fixing Lugs & 3-way
diverter (Without Exposed Parts)
Flow rate: 52.00 \(\lambda / \text{min} \)*

Laguna



LAG-91661NK

Aquamax Exposed Part Kit of
Thermostatic Shower Mixer
(Compatible In-wall parts ALD-661N
or ALD-661NE are sold separately)



LAG-91681NK
Aquamax Exposed Part Kit of
Thermostatic Shower Mixer with
2-way diverter (Compatible In-wall
Part ALD-681N or ALD-681NE are
sold separately)



LAG-91683NK

Aquamax Exposed Part Kit of
Thermostatic Shower Mixer with
3-way diverter (Compatible In-wall
Parts ALD-683N or ALD-683NE are
sold separately)



FLP-5661NKPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer (Compatible In-wall parts ALD-661N or ALD-661NE are sold separately)

AQUAMAX THERMOSTAT

Florentine Prime



FLP-5681NKPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 2-way diverter (Compatible In-wall Part ALD-681N or ALD-681NE are sold separately)



FLP-5683NKPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-683N or ALD-683NE are sold separately)

Queen's Prime



QQP-7661NKPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer (Compatible In-wall parts ALD-661N or ALD-661NE are sold separately)



QQP-7681NKPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 2-way diverter (Compatible In-wall Part ALD-681N or ALD-681NE are sold separately)

Arc



QQP-7683NKPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-683N or ALD-683NE are sold separately)



ARC-87661NK

Aquamax Exposed Part Kit of Thermostatic Shower Mixer (Compatible In-wall parts ALD-661N or ALD-661NE are sold separately)



ARC-87681NK

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 2-way diverter (Compatible In-wall Part ALD-681N or ALD-681NE are sold separately)



ARC-87683NK

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-683N or ALD-683NE are sold separately)

Kubix Prime



KUP-35661NKPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer (Compatible In-wall parts ALD-661N or ALD-661NE are sold separately)



KUP-35681NKPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 2-way diverter (Compatible In-wall Part ALD-681N or ALD-681NE are sold separately)

AQUAMAX THERMOSTAT I

Kubix Prime





KUP-35683NKPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-683N or ALD-683NE are sold separately)



OPP-15661NKPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer (Compatible In-wall parts ALD-661N or ALD-661NE are sold separately)



OPP-15681NKPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 2-way diverter (Compatible In-wall Part ALD-681N or ALD-681NE are sold separately)



OPP-15683NKPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-683N or ALD-683NE are sold separately)





ORP-10661NKPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer (Compatible In-wall parts ALD-661N or ALD-661NE are sold separately)



ORP-10681NKPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 2-way diverter (Compatible In-wall Part ALD-681N or ALD-681NE are sold separately)





ORP-10683NKPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-683N or ALD-683NE are sold separately)



VGP-81661NK

Aquamax Exposed Part Kit of Thermostatic Shower Mixer (Compatible In-wall parts ALD-661N or ALD-661NE are sold separately)



VGP-81681NK

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 2-way diverter (Compatible In-wall Part ALD-681N or ALD-681NE are sold separately)



VGP-81683NK

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-683N or ALD-683NE are sold separately)

AQUAMAX THERMOSTAT

Alive



ALI-85661NK

Aquamax Exposed Part Kit of Thermostatic Shower Mixer (Compatible In-wall parts ALD-661N or ALD-661NE are sold separately)



ALI-85681NK

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 2-way diverter (Compatible In-wall Part ALD-681N or ALD-681NE are sold separately)

Aria



ALI-85683NK

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-683N or ALD-683NE are sold separately)



ARI-39661NK

Aquamax Exposed Part Kit of Thermostatic Shower Mixer (Compatible In-wall parts ALD-661N or ALD-661NE are sold separately)



ARI-39681NK

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 2-way diverter (Compatible In-wall Part ALD-681N or ALD-681NE are sold separately)



ARI-39683NK

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-683N or ALD-683NE are sold separately)





FLR-5661NK

Aquamax Exposed Part Kit of Thermostatic Shower Mixer (Compatible In-wall parts ALD-661N or ALD-661NE are sold separately)



FLR-5681NK

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 2-way diverter (Compatible In-wall Part ALD-681N or ALD-681NE are sold separately)





FLR-5683NK

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-683N or ALD-683NE are sold separately)



Laguna

LAG-91783NK

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-783N or ALD-783NE are sold separately)

AQUAMAX SINGLE LEVER SHOWER MIXER WITH 3-Way Diverter

Opal Prime

Kubix Prime



KUP-35783NKPM

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-783N or ALD-783NE are sold separately)



OPP-15783NKPM

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-783N or ALD-783NE are sold separately)

Ornamix Prime



ORP-10783NKPM

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-783N or ALD-783NE are sold separately)



VGP-81783NK

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-783N or ALD-783NE are sold separately)

Alive



ALI-85783NK

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-783N or ALD-783NE are sold separately)



Aria

Lyric

Florentine

ARI-39783NK

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-783N or ALD-783NE are sold separately)

Florentine Prime



FLP-5783NKPM

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-783N or ALD-783NE are sold separately)



LYR-38783NK

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-783N or ALD-783NE are sold separately)

Fusion



FUS-29783K

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-783 or ALD-783E are sold separately)



FLR-5783NK

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-783N or ALD-783NE are sold separately)







Multifunction Thermostatic Shower Valve with Integrated Diverter and Provision for Rigid Riser, Shower Head & Shower Handset Flow rate: 35.64 \mathcal{e}/min*



OPP-15655PM

Opal Prime Thermostatic Bar Valve Flow rate: 36.43 {/min*



OPP-15657PM

Opal Prime Thermostatic Bath & Shower Mixer, Wall Mounted Flow rate: 29.96 \(\)/min*



OPP-15615PM

Exposed Thermostatic Bath & Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted



OPP-15663PM

Exposed Thermostatic Bath & Shower Mixer 3-in-1 System with Provision for connection to Exposed Shower Pipe (Without Overhead & Hand Shower), Wall Mounted



OPP-15615PMWBP

Exposed Thermostatic Bath & Shower Mixer with Provision for Overhead Shower with 115mm Long Bend Pipe on Upper Side, Wall Mounted





OPP-15663PMWBP

Exposed Thermostatic Bath & Shower 3-in-1 System with Provision for both Hand Shower and Overhead Shower Complete with 115mm Long Bend Pipe on Upper Side, Wall Mounted



FLP-5615PM

Exposed Thermostatic Bath & Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted



FLP-5663PM

Exposed Thermostatic Bath & Shower Mixer 3-in-1 System with Provision for connection to Exposed Shower Pipe (Without Overhead & Hand Shower), Wall Mounted



FLP-5615PMWBP

Exposed Thermostatic Bath & Shower Mixer with Provision for Overhead Shower with 115mm Long Bend Pipe on Upper Side, Wall Mounted

Florentine Prime Florentine



FLP-5663PMWBP

Exposed Thermostatic Bath & Shower 3-in-1 System with Provision for both Hand Shower and Overhead Shower Complete with 115mm Long Bend Pipe on Upper Side, Wall Mounted



FLR-5657

Florentine Thermostatic Bath & Shower Mixer, Wall Mounted Flow rate: 29.96 \(\extstyle / \text{min} \)*



FLR-5653

Multifunction Thermostatic Shower Valve with Integrated Diverter and Provision for Rigid Riser, Shower Head & Shower Handset Flow rate: 35.16 l/min*



FLR-5653SHK

Multifunction Thermostatic Shower Valve with Integrated Diverter and Adjust Height Upto 250mm Rigid Riser with Shower Head & Shower Handset (1213, 1613, 1653 & 571) Flow rate: 35.16 l/min*



FLR-5655

Florentine Thermostatic Bar Valve Flow rate: 36.43 \(\ext{!/min*} \)



FLR-5659

Florentine Thermostatic Bath & Shower Mixer, Deck Mounted Flow rate: 26.96 \(\extstyle / \text{min} \)*

Arc



FLR-5677

4-Hole Thermostatic Bath & Shower Mixer, Deck Mounted



ARC-87677

4-Hole Thermostatic Bath & Shower Mixer, Deck Mounted Flow rate: 14.19 {/min*

Eko



EKO-33673LWR

Eko Thermostatic Shower Valve with 115mm Long Bend pipe on Lower Side, Wall Mounted Flow rate: 26.54 ℓ/min*

jaquar.com *at 3 bar pressure



BATHTUB SPOUTS

Laguna



SPJ-91429

Laguna Bath Spout with Wall Flange Flow rate: 31.59 {/min*



SPJ-91463

Laguna Bath Spout with Diverter & Wall Flange Flow rate: 25.60 ℓ/min*

Florentine Prime



SPJ-5429PM

Florentine Prime Bath Spout with Wall Flange



SPJ-5463PM

Florentine Prime Bath Spout with Diverter & Wall Flange

Queen's Prime



SPJ-7429PM

Queens Prime Bath Spout with Wall Flange Flow rate:47 {/min*



SPJ-7463PM

Queens Prime Bath Spout with Diverter & Wall Flange Flow rate: 34.50 \(\)/min*

Arc



SPJ-87429

Arc Bath Spout with Wall Flange Flow rate: 33.92 \(\)/min*



SPJ-87463

Arc Bath Spout with Diverter & Wall Flange Flow rate: 28.97 ℓ/min*

Kubix Prime



SPJ-35429PM

Kubix Prime Bath Spout with Wall Flange Flow rate: 17.18 ℓ/min*



SPJ-35463PM

Kubix Prime Bath Spout with Diverter & Wall Flange Flow rate: 37.22 {/min*

Opal Prime



SPJ-15429PM

Opal Prime Bath Spout with Wall Flange Flow rate: 18.69 \(\extrm{\text{min}} \)*



SPJ-15463PM

Opal Prime Bath Spout with Diverter & Wall Flange

Flow rate: 17.71 \{/min*

Ornamix Prime



SPJ-10429PM

Ornamix Prime Bath Spout with Wall Flange Flow rate: 18.57 {/min*



SPJ-10463PM

Ornamix Prime Bath Spout with Diverter & Wall Flange Flow rate: 18.2 {/min*

Alive



SPJ-85429

Alive Bath Spout with Wall Flange Flow rate: 22.81 {/min*



SPJ-85463

Alive Bath Spout with Diverter & Wall Flange Flow rate: 21.14 \(\extrm{/min*} \)

Allied



SPJ-461

Bath Spout with Diverter & Built-In Flange with Inclined Shape Flow rate: 30.06 \(\extrm{\text{min}} \)*



SPJ-467

Bath Spout Heavy Casted Body with Diverter

Flow rate: 35.17 {/min*

Continental



SPJ-429

Continental Bath Spout with Wall Flange Flow rate: 36.98 {/min*



SPJ-433

Continental Bath Spout 235 mm Long with Wall Flange Flow rate: 47 {/min*

Continental Florentine



SPJ-463

Continental Bath Spout with Diverter Flow rate: 29.06 {/min*



SPJ-5429S

Florentine Bath Spout with Wall Flange, Stainless Steel Flow rate: 47 l/min*



SPJ-5439

Florentine Bath Spout (20 mm) with Wall Flange Flow rate: 47.00 {/min*



SPJ-5447

Florentine Basin Spout 9 Inch with Wall Flange Flow rate: 29.81 \(\)/min* Also available

SPJ-5443

Florentine Basin Spout 7 Inch with Wall Flange Flow rate: 13.93 {/min*

Queen's



SPJ-5463

Florentine Bath Spout with Diverter & Wall Flange Flow rate: 32.29 {/min*



SPJ-

Queens Bath Spout with Wall Flange Flow rate: 47 {/min*



SPJ-7439

Queens Bath Spout (20 mm) with Wall Flange Flow rate: 47.00 {/min*



SPJ-7463

Queens Bath Spout with Diverter & Wall Flange Flow rate: 27.75 {/min*



Fusion

SPJ-29429

Fusion Bath Spout with Wall Flange Flow rate: 36.43 {/min*



SPJ-29463

Fusion Bath Spout with Diverter & Wall Flange Flow rate: 32.2 {/min*

Fusion

Vignette Prime



SPJ-29439

Fusion Bath Spout (20 mm) with Wall Flange Flow rate: 36.43 {/min*



SPJ-81429

Vignette Prime Bath Spout with Wall Flange Flow rate: 22.97 {/min*

Rendezvous



SPJ-81463

Vignette Prime Bath Spout with Diverter & Wall Flange Flow rate: 20.83 ₹/min*



SPJ-8429

Rendezvous Bath Spout with Wall Flange (Also Available in Auric Gold) Flow rate: 47 l/min*

Continental Prime



SPJ-8463

Rendezvous Bath Spout with Diverter & Wall Flange (Also Available in Auric Gold) Flow rate: 35.19 {/min*



SPJ-429PM

Continental Prime Bath Spout with Wall Flange Flow rate: 22.06 \(\)/min*

D'arc



SPJ-463PM

Continental Prime Bath Spout with Diverter & Wall Flange Flow rate: 28.22 ℓ/min*



SPJ-37429

D-Shape Bath Spout with Wall Flange



SPJ-37463

D-Shape Bath Spout with Diverter & Wall Flange



■ BIDSPA | SANITARYWARE |

Features

- Futuristic design
- Cutting edge technology
- Touch free
- Smart button
- UV nozzle
- LED light
- Adjustable temperature-water, air & seat
- Smart deodorization
- Automatic flushing
- Bidet & rear wash
- Self cleaning
- 4.8L average flushing volume
- Seat thickness is 6.5cm
- Smart flushing system with brushless motor
- Slim in shape
- Powerful flushing with low noise
- Automatic opening seat & cover
- Foot sensor
- Remote operated



Multi-functional remote control



Hygienic anti-bacterial surface

I BIDSPA∣SANITARYWARE I



ITS-WHT-89853S300PPPM Automatic Rimless Floor Mounted WC with Electronic PP Seat Cover, Adjustable Seat, Air, Water temperature, Night light, Fixing Accessories And Accessories Set, Size: 390×685×465 mm, S Trap- 300 mm



ITS-WHT-89853S300PPPMAT
Fully Automatic Rimless Floor
Mounted WC with Electronic PP Seat
Cover - Auto Open, Adjustable Seat,
Air, Water temperature, Night light,
Fixing Accessories Set,
Size: 390×685×465 mm,
S Trap- 300 mm



ITS-WHT-89851S300PP
Bidspa Single Piece WC with
Electronic PP Seat Cover, Hinges,
Dual Flush Cistern Fitting, Fixing
Accessories and Accessories Set,
Size: 360×730×740 mm,
S Trap- 300 mm









Size: 390×570×365 mm



ITS-BLM-89853S300PPPMAT
Fully Automatic Rimless Floor
Mounted WC with Electronic PP Seat
Cover - Auto Open, Adjustable Seat,
Air, Water temperature, Night light,
Fixing Accessories Set,
Size: 390×685×465 mm,
S Trap- 300 mm



DISABLED - FRIENDLY SANITARYWARE







DIS-WHT-93951UF
Wall Hung WC with UF Soft
Close Seat Cover, Hinges and
Accessories Set,
Size: 350×750×340 mm



DIS-WHT-93955P180UF Rimless Back To Wall WC with UF Soft Close Seat Cover, Hinges, Fixing Accessories and Accessories Set, Size: 360×515×410 mm, P Trap- 180 mm



DIS-WHT-93753NP180UFSMZ Rimless Bowl With Cistern for Coupled WC with UF Soft Close Slim Seat Cover, Hinges And Fixing Accessories, Size: 380×650×790 mm, P Trap- 180 mm

JAQUAR DESIGNER (JDR)

Modernity Gets New Sophistication



NEW



JDS-WHT-25901 Table Top Basin, Size: 640×425×155 mm



JDS-WHT-25943 Table Top Basin Size: 640×500×130 mm



JDS-WHT-25903 Table Top Basin, Size: 480×470×195 mm



JDS-WHT-25905 Table Top Basin, Size: 450×450×170 mm



JDS-WHT-25907N Thin Rim Table Top Basin, Size: 530×420×140 mm, Shape - Rectangular



JDS-WHM-25907N Thin Rim Table Top Basin In White Matt, Size: 530×420×140 mm, Shape - Rectangular



JDS-BLM-25907N Thin Rim Table Top Basin In Black Matt, Size: 530×420×140 mm, Shape - Rectangular



JDS-WHT-25909 Thin Rim Table Top Basin, Size: 495×395×150 mm, Shape - Rectangular

JDR - JAQUAR DESIGNER RANGE I



JDS-WHT-25911 Thin Rim Table Top Basin, Size: 420×420×150 mm, Shape - Square



JDS-WHM-25911 Thin Rim Table Top Basin In White Matt, Size: 420×420×150 mm, Shape - Square



JDS-BLM-25911 Thin Rim Table Top Basin In Black Matt, Size: 420×420×150 mm, Shape - Square



JDS-WHT-25935 Table Top Basin, Size: 460×460×170 mm



JDS-WHT-25937 Thin Rim Table Top Basin, Size: 500×380×120 mm, Shape - Oval



JDS-WHT-25939 Thin Rim Table Top Basin, Size: 455×455×110 mm, Shape - Round



JDS-WHT-25503 Semi Recessed Basin, Size: 510×450×175 mm



JDS-WHT-25841 Wall Hung Corner Basin With Fixing Accessories, Size: 315×450×175 mm

JDR - JAQUAR DESIGNER RANGE I



JDS-WHT-25505 Semi Recessed Basin, Size: 505×425×125 mm



JDS-WHT-25801 Table Top Basin, Size: 460×265×110 mm





URS-WHT-13253N Urinal (Back Inlet) with Fixing Accessories, Size: 385×325×635 mm



URS-WHT-13255 Urinal without Sensor with Fixing Accessories, Size: 480×300×740 mm



URS-WHT-13263 Urinal (Back Inlet) with Fixing Accessories, Size: 340×325×650 mm



URS-WHT-13261H Urinal with Spreader Hole and Fixing Accessories, Size: 355×340×535 mm



URS-WHT-13261 Urinal with Fixing Accessories, Size: 355×340×535 mm



i-FLUSH | COLOUR FINISHES |



Chrome CHR



Antique Bronze ABR



Antique Copper ACR



Black Chrome BCH



Black Matt BLM



Graphite GRF



Stainless Steel Finish SSF

If you wish to place orders for the different colour finishes of this range shown above, just replace the colour code in the middle of the product code with the colour code of your choice. For instance, in the product code FLV-CHR-1075NK, 'CHR' connotes Chrome Finish. If you wish to order the same product in Black Matt, replace 'CHR' with 'BLM'. Thus the product code will be FLV-BLM-1075NK.

The finishes depicted here are only indicative and may differ from that on the actual product.

Installed directly in the pipeline, the i Flush concealed flushing mechanism has multiple aesthetic and design advantages. It also provides a more appropriate mechanism of flushing, using the available water pressure to create better siphoning at the trap and superior clearing of waste.









i-Flush advantages

- Repeated flushing is possible, whereas concealed cisterns will definitely take time to fill up after flushing once
- i-Flush 32 mm can work efficiently at even low pressure (minimum 0.8 bar dynamics)
- · Less noise in flushing
- Dual flush Saves water, a green product
- Easy maintenance, control stop valve can be closed with the help of a T-type key provided along with the product
- Access to control cartridge by removing front actuation plate hence easy accessibility for maintenance



in-built control system



saves water



twin flowsystem



less noise



slim wall plate



go green



cost effective



FLV-1075N

In-Wall i-flushing system, 20 mm with Dual Fush Push Button Actuation & Control Stop Valve Flow rate: 1.2 \(/ \sec* \)



FLV-1075NK

Exposed Part Kit of i Flush with Dual Flush Push Button Actuation & control stop valve (Compatible concealed parts FLV-1073C or FLV-1075C are sold separately)



FLV-1075FP

i-Flush 20 mm In-Wall Body with Floor Mounting Frame, Installation Kit and "P-Type" Drain Pipe Connection Set for Wall Hung WC (without Exposed Actuation Plate Kit) Flow rate: 1.2 l/sec*



FLV-1075FS

i-Flush 20 mm In-Wall Body with Floor Mounting Frame, Installation Kit and "S-Type" Drain Pipe Connection Set for Wall Hung WC (without Exposed Actuation Plate Kit) Flow rate: 1.2 l/sec*



FLV-1073

In-Wall i-flushing system, 32 mm with Dual Fush Push Button Actuation & Control Stop Valve Flow rate: 1.2 \(\frac{1}{2} \) sec*



FLV-1073FP

i-Flush 32 mm In-Wall Body with Floor Mounting Frame, Installation Kit and "P-Type" Drain Pipe Connection Set for Wall Hung WC (without Exposed Actuation Plate Kit) Flow rate: 1.2 {/sec*



FLV-1073FS

i-Flush 32 mm In-Wall Body with Floor Mounting Frame, Installation Kit and "S-Type" Drain Pipe Connection Set for Wall Hung WC (without Exposed Actuation Plate Kit) Flow rate: 1.2 l/sec*

*at 3 bar pressure





FLV-1015

Flush Valve Regular, 32 mm Size Flow rate: 10.00 ℓ/f^{**} (Adjustable from 4 - 20 ℓ/f^{**})



FLV-1029

Flush Valve Dual Flow, 32 mm Size Flow rate: 3.0/6.0 \(\frac{1}{5} f^{**} \)

Metropole Flush Valves-32 mm



In-Wall Flush Valve

FLV-1051

In-Wall Flush Valve, 32 mm Size with 200 mm Long Operating Lever Flow rate: 10.00 ℓ /f** (Adjustable from 4 - 20 ℓ /f**)



FLV-1095N

Metropole Regular In-Wall Flush Valve, 32 mm Size for Western Commode with Round Flange Flow rate: 6.0 \$\ellfit{f**}\$



FLV-1095NSQ

Metropole Regular In-Wall Flush Valve, 32 mm Size for Western Commode with Square Flange Flow rate: 6.0 \$\mathcal{U}\$f***



FLV-1085N

Metropole Dual Flow In-Wall Flush Valve, 32 mm Size for Western Commode with Round Flange Flow rate: 3.0/6.0 ℓ/f**



FLV-1085NSQ

Metropole Dual Flow In-Wall Flush Valve, 32 mm Size for Western Commode with Square Flange Flow rate: 3.0/6.0 ℓ/f**



FLV-1085DFP

Metropole Dual Flow In-Wall Flush Valve, 32 mm Size for Western Commode with Rectangular Dual Flush Plate

Flow rate: 3.0/6.0 {/f**

Metropole Flush Valves-40 mm



FLV-1093N

Metropole Regular In-Wall Flush Valve, 40 mm Size for Western Commode with Round Flange Flow rate: 6.0 \$\mathcal{V} f^***



FLV-1093NSQ

Metropole Regular In-Wall Flush Valve, 40 mm Size for Western Commode with Square Flange Flow rate: 6.0 ℓ/f***

Metropole Flush Valves-40 mm



FLV-1089N

Metropole Dual Flow In-Wall Flush Valve, 40 mm Size for Western Commode with Round Flange Flow rate: 3.0/6.0 ℓ/f**



FLV-1089NSQ

Metropole Dual Flow In-Wall Flush Valve, 40 mm Size for Western Commode with Square Flange Flow rate: 3.0/6.0 \(\extstyle{\extstyle{\extstyle{1}}} \)



FLV-1089DFP

Metropole Dual Flow In-Wall Flush Valve, 40 mm Size for Western Commode with Rectangular Dual Flush Plate

Flow rate: 3.0/6.0 \(\ext{\chi} \)f**

*at 3 bar pressure | **litre per flush

FLUSHING SYSTEMS



In order to bring you the latest and the most advanced bath products, Jaquar, a complete bathroom solutions provider, presents a design revolution—the superbly designed high quality Flush Plates. Besides modern designs that offer a sleek look to bath spaces and outstanding features like water - saving, easy access maintenance and anti-condensation, Jaquar Concealed Cisterns ensure that your bathrooms look spacious, clean and hygienic at all times.

Advantages

Saves Water: Impressive Dual Flush with a provision of 3/6 Ltr flush (Can be adjusted to 2/4 Ltrs)

Less Noise: Technically advanced, silent flush valve and fast-filling hydraulic float valve minimises the flushing sound during usage

Perfect Pan Cleaning: Heavy and even water discharge during every flush at every water pressure

No Damage from Condensation: Has anti-condensation lining wrapping the tank and supply bend to protect damage from masonry condensation

Easy to install and maintain: Jaquar's floor standing frames with concealed cisterns not only provide the benefits of easy, quick and perfect installation but also allow you to choose contemporary wall mounted sanitaryware of your choice for the bathroom.



Features

Easy Installation: Easy and hassle free installation as no chiselling of the wall is required

Load Bearing Capacity: Wall hung WC can be bolted simply and securely to the frame, which can take a load of up to 400 kg

Wide Compatibility of WC: Accommodates different types of wall hung WCs as holes are provided at different heights

Perfect Easy Alignment: Fixed inlet and outlet distance (135 mm from centre to centre) means perfect installation of WC, and pre-defined space for cistern results in perfect flushing every time

Adjustable Height: Adjustable legs (0-200 mm) to allow for variation in heights of WC, as required

In-Wall



JCS-WHT-2400WP

Single Piece Slim In-Wall Cistern with Wall Mounting Frame, Installation Kit and "P-Type" Drain Pipe Connection Set for Wall Hung WC (without Flush Control Plate)



JCS-WHT-2400WS

Single Piece Slim In-Wall Cistern with Wall Mounting Frame, Installation Kit and "S-Type" Drain Pipe Connection Set for Wall Hung WC (without Flush Control Plate)



JCS-WHT-2400FP

Single Piece Slim In-Wall Cistern with Floor Mounting Frame, Installation Kit and "P-Type" Drain Pipe Connection Set for Wall Hung WC (without Flush Control Plate)



JCS-WHT-2400FS

Single Piece Slim In-Wall Cistern with Floor Mounting Frame, Installation Kit and "S-Type" Drain Pipe Connection Set for Wall Hung WC (without Flush Control Plate)



JCS-WHT-2400P

Single Piece Slim In-Wall Cistern Body with Installation Kit & "P-Type" Drain Pipe Connection Set for Wall Hung Wc (without Flush Control Plate)



JCS-WHT-2400S

Single Piece Slim In-Wall Cistern Body with Installation Kit & "S-Type" Drain Pipe Connection Set for Wall Hung WC (without Flush Control Plate)



JCS-WHT-2431P

Single Piece In-Wall Cistern Body (Front or Top Actuation) with Installation Kit & "P-Type" Drain Pipe Connection Set for Wall Hung WC (without Flush Control Plate)



JCS-WHT-2431S

Single Piece In-Wall Cistern Body (Front or Top Actuation) with Installation Kit & "S-Type" drain pipe connection set for Wall Hung WC (without Flush Control Plate)



JCS-WHT-2431FP

Single Piece In-Wall Cistern Body (Front or Top Actuation) with Floor Mounting Frame, Installation Kit and "P-Type" Drain Pipe Connection Set for Wall Hung WC (without Flush Control Plate)



JCS-WHT-2431FS

Single Piece In-Wall Cistern Body (Front or Top Actuation) with Floor Mounting Frame, Installation Kit and "S-Type" Drain Pipe Connection Set for Wall Hung WC (without Flush Control Plate)



JCP-912415 Control Plate Laguna



JCP-2415 Control Plate Continental Prime



JCP-152415 Control Plate Opal



JCP-352415 Control Plate Kubix



JCP-292415 Control Plate Fusion




JCP-102415 Control Plate Ornamix Prime



JCP-812415 Control Plate Vignette Prime



JCP-852415 Control Plate Alive



JCP-392415 Control Plate Aria



JCP-72415 Control Plate Queens Prime

FLUSH PLATES I



JCP-372415 Control Plate D'arc



Continental Prime



CPA-CHR-1101
Grab Bar 300mm Long



CPA-CHR-1111Towel Rail 600mm Long



CPA-CHR-1111L450
Towel Rail 450mm Long



CPA-CHR-1115 Swivel Towel Holder Twin Type



CPA-CHR-1121Towel Ring Square



CPA-CHR-1121RD
Towel Ring Round



CPA-CHR-1131Soap Dish Holder



CPA-CHR-1135Soap Dispenser, Glass Bottle



CPA-CHR-1141
Tumbler Holder



CPA-CHR-1143
Toilet Brush & Holder

Continental Prime



CPA-CHR-1151Toilet Paper Holder



CPA-CHR-1153Toilet Paper Holder with Lid



CPA-CHR-1155Spare Toilet Paper Holder



CPA-CHR-1161Double Robe Hook



CPA-CHR-1171
Glass Shelf 600mm Long



CPA-CHR-1173Corner Glass Shelf (with Bracket)



CPA-CHR-1181
Towel Shelf 600mm Long with Lower Hangers



CPA-CHR-1181FTowel Shelf 600mm Long without Hangers



CPA-CHR-1181FH
Towel Shelf 600mm Long without
Lower Hanger but with 3 Hooks



CPA-CHR-1191Single Robe Hook



ACN-1101S Grab Bar 300 mm Long, Stainless Steel



ACN-1111SM

Towel Rail 600 mm Long,
Stainless Steel
Also available

ACN-1111BSM





ACN-1115S Swivel Towel Holder Twin Type, Stainless Steel



ACN-1121N Towel Ring Square



ACN-1121BN
Towel Ring Round



ACN-1131N Soap Dish Holder



ACN-1135N Soap Dispenser, Glass Bottle



ACN-1137N Soap Dispenser, Metallic Bottle



ACN-1141N Tumbler Holder



ACN-1143N Toilet Brush & Holder

Continental



ACN-1151N Toilet Paper Holder



ACN-1153S Toilet Paper Holder with Stainless Steel Lid



ACN-1155S Spare Toilet Paper Holder, Stainless Steel



ACN-1157
Toilet Paper Holder with Shelf



ACN-1161N Double Robe Hook



ACN-1171N Glass Shelf 600 mm Long



ACN-1181S Towel Shelf 600 mm Long with Lower Hangers, Stainless Steel



ACN-1181FS
Towel Shelf 600 mm Long
without Hangers, Stainless Steel



ACN-1181FHS
Towel Shelf 600mm Long
without Lower Hanger but with
3 Hooks, Stainless Steel



ACN-1191N Single Robe Hook



ACN-1193N Double Arm Wall Mounted Reversible Plain / Magnifying (3X) Pivotal Mirror



ACN-1195N Swivel Mirror



ACN-1185 Swivel Mirror 615X445mm Oval Shape



ACN-1173
Corner Glass Shelf (with Bracket)



ACN-1175N Corner Shower Basket



ACN-1177N Shower Basket Small

Kubix Prime



ACN-1179N Shower Basket Large



AKP-35701PS
Grab Bar 300 mm Long,
Stainless Steel



AKP-35711PS Single Towel Rail 600 mm Long, Stainless Steel



AKP-35715PS Swivel Towel Holder Twin Type, Stainless Steel

Kubix Prime



AKP-35721PTowel Ring Square



AKP-35731PSoap Dish Holder



AKP-35735P Soap Dispenser with Glass Bottle



AKP-35741P Tumbler Holder



AKP-35743P W.C. Brush Holder



AKP-35751P Toilet Roll Holder



AKP-35753PS
Toilet Roll Holder with Stainless
Steel Flap



AKP-35755PS Spare Toilet Roll Holder, Stainless Steel



AKP-35761P Double Coat Hook



AKP-35757PToilet Paper Holder with Shelf



AKP-35771P Glass Shelf 600 mm Long



AKP-35781PS

Towel Shelf 600 mm long with Lower Hangers, Stainless Steel Also available

AKP-35781PFS

Towel Shelf 600 mm long without Lower hangers, Stainless Steel



AKP-35791P Robe Hook



AKP-35795 Swivel Mirror 630 X 445 mm Rectangular Shape

Queen's



Towel Rail 600 mm Long Also available

AQN-7711A

Towel Rail 450 mm Long



Grab Bar 300 mm Long



AQN-7721 Towel Ring Round



AQN-7733 Soap Dish



AQN-7741 Tumbler Holder



AQN-7751 Toilet Paper Holder



AQN-7753 Toilet Paper Holder with Lid

Queen's



AQN-7755
Toilet Paper Holder Twin Type



AQN-7761 Double Robe Hook

AQN-7781

Towel Shelf 600 mm long with Lower Hangers Also available

AQN-7781A

Towel Shelf 600 mm long without Lower Hangers

AQN-7781B

Towel Shelf 450 mm long with Lower Hangers



AQN-7771 Glass Shelf 550 mm Long



Hotelier



AQN-7791 Single Robe Hook



AHS-1501 Grab Bar (Sta

Grab Bar (Stainless Steel) 300 mm Long Also available

AHS-1503

Grab Bar (Stainless Steel) 450 mm Long

AHS-1507

Grab Bar (Stainless Steel) 600 mm Long



AHS-1565 Cloth Liner Retractable (Stainless Steel)



AHS-1581
Towel Shelf with Lower Hanger (Stainless Steel)

Rendezvous Crystal Collection



AHS-1581H Towel Shelf with Lower Hanger (Stainless Steel) with Hooks



ACT-8881 Towel Shelf 600 mm Long

Rendezvous Crystal Collection



ACT-8881B Towel Shelf 450 mm Long



ACT-8871 Glass Shelf 550 mm Long



ACT-8811 Towel Rail 600 mm Long



ACT-8851 Toilet Paper Holder



ACT-8821 Towel Ring



ACT-8841 Tumbler Holder



ACT-8861 Double Coat Hook



ACT-8891 Robe Hook



ACT-8833 Soap Dish

COMBO PACK



ACN-CHR-1121BN



ACN-CHR-1131N



ACN-CHR-1153S



ACN-CHR-1161N



ACN-CHR-1135N



ACN-CHR-1111SM

ACN-6PCCOP1

Combo Pack of Accessories 6 Pcs (1121BN, 1131N, 1135N, 1153S, 1161N & 1111SM)



ALD-233N

In-Wall Body of Single Lever Built-In Manual Valve for Wall Mounted Basin Mixer (without Exposed Parts) Flow rate: 32 l/min*



ALD-233NPSO

In-Wall Body of Single Lever Built-In Manual Valve for Wall Mounted Basin Mixer with Protection Cover Old (without Exposed Parts) Flow rate: 32 l/min*



ALD-235N

Left Hand Side Operated In-Wall Body of Single Lever Built-In Manual Valve for Wall Mounted Basin Mixer (without Exposed Parts) Flow rate: 32 {/min*



ALD-235NPSO

Left Hand Side Operated In-Wall Body of Single Lever Built-In Manual Valve for Wall Mounted Basin Mixer with Protection Cover Old (without Exposed Parts) Flow rate: 32 {/min*



In-Wall Bodies | Bath & Shower

ALD-441

In-Wall body of Single Built-In Stop Valve with provision for basin spout (without Exposed Parts) Flow rate: 14.44 {/min*



ALD-121

Basic Set for Floor Mounted Single Lever Bath Mixer (without Exposed Parts)



ALD-055N

In-Wall Body of Single Lever Diverter with 35 mm Cartridge (without Exposed Parts) Flow rate: 27.77 \(/min*\)



ALD-065M

In-wall Body of Single Lever Diverter with 40 mm Cartridge (Without Exposed Parts)



ALD-079N

In-Wall Body of Single Lever Hi-Flow Diverter (without Exposed Parts) Flow rate: 48.94 \(\ext{!/min*} \)



ALD-227

In-Wall Body of Single Lever Manual Shower Valve, 35 mm Cartridge (without Exposed Parts) Flow rate: 35.00 l/min*



ALD-229 In-Wall Body of Single Lever Manual Spout Valve (without Exposed Parts) Flow rate: 35.00 \(\frac{1}{2} \) min*



ALD-139 In-wall Body of Single Lever Manual Shower Valve (Without Exposed Parts)



ALD-783NE
Aquamax In-wall Body of
Single Lever Shower Mixer with
Fixing Lugs & 3-way diverter
(Without Exposed Parts)



ALD-783N Aquamax In-wall Body of Single Lever Shower Mixer with 3-way diverter (Without Exposed Parts)



ALD-661N

Aquamax In-wall Body of
Thermostatic Shower Mixer Single
Function (Without Exposed Parts)
Flow rate: 56.00 {/min*



ALD-681N

Aquamax In-wall Body of
Thermostatic Shower Mixer
with 2-way diverter (Without
Exposed Parts)
Flow rate: 42.00 {/min*



ALD-683N Aquamax In-wall Body of Thermostatic Shower Mixer with 3-way diverter (Without Exposed Parts) Flow rate: 52.00 \(\ell)\)min*



ALD-661NE

Aquamax In-wall Body of
Thermostatic Shower Mixer
Single Function with Fixing
Lugs (Without Exposed Parts)
Flow rate: 56.00 {/min*



ALD-681NE

Aquamax In-wall Body of
Thermostatic Shower Mixer with
Fixing Lugs & 2-way diverter
(Without Exposed Parts)
Flow rate: 42.00 l/min*



ALD-683NE
Aquamax In-wall Body of
Thermostatic Shower Mixer with
Fixing Lugs & 3-way diverter
(Without Exposed Parts)
Flow rate: 52.00 {/min*

Thermostatic Valve For Health Faucet



ALD-649C In-wall Body of Thermostatic valve for Health Faucet



ALD-649CE In-wall Body of Thermostatic valve for Health Faucet with Fixing Lugs

Health Faucet



ALD-649K Exposed Part Kit of In-wall Thermostatic valve for Health Faucet (Compatible In-Wall part ALD-649 is sold separately)



ALD-573
Health Faucet Kit (Flexible Hose, Handset & Bracket)
Flow rate: 11.65 {/min*



ALD-577 Health Faucet Kit (Flexible Hose, Handset & Bracket) with N.R.V Flow rate: 11.64 {/min*



Waste

ALD-565 Health Faucet Kit (Easy flex Hose, Handset & Bracket) Flow rate: 8.52 {/min*



ALD-587 Health Faucet Kit (Spirochrome Flex Hose, Handset & Bracket) Flow rate: 21.72 \(\lambda \)min*



ALD-705
Basin Waste with 80 mm
Height, Unslotted



ALD-705L130 Basin Waste with 130 mm Height, Unslotted



ALD-709 Basin Waste with 80 mm Height, Slotted

Waste



ALD-709L130 Basin Waste with 130 mm Height, Slotted



ALD-727 Click Clack Basin Waste, Unslotted



ALD-727L130 Click Clack Basin Waste with 130 mm Height, Unslotted



ALD-729 Click Clack Basin Waste, Slotted

Bottle Trap



ALD-729L130 Click Clack Basin Waste with 130 mm Height, Slotted



ALD-769L250X190

Bottle Trap with 250 mm & 190 mm Long Wall
Connection Pipes

Spreaders



ALD-769L300X190 Bottle Trap with 300 mm & 190 mm Long Wall Connection Pipes



ALD-1041 Urinal Spreader Back Inlet 75 mm Tail Slab Fixing

Wall Outlet with Shower Hook & Shut Off Valve



ALD-1043 Urinal Spreader Bowl Top Inlet 15 mm with Fixing Stud



ALD-591R Round Wall Outlet with Shower Hook and Shut off Valve

SHOWERS



Jaquar showers are designed to deliver a range of experiences, and let you have a shower of your choice every time. Our overhead, hand and body showers complement a wide range of shower systems, catering to your unique showering habits, design and installation requirements.

Our advanced showers are designed to deliver great precision and consistent water distribution to each individual nozzle. Jaquar showers give you a choice of up to 5 different flows matching your mood. Whichever flow you choose, you will be assured of an ultimate experience every time.











Normal

Soft

Cascade

Mist

Features



Advanced Rubit Technology

A feature that keeps showers clean and increases their longevity. Since the spray jets on the showers are made from elastic silicone, they ensure that no limescale deposits stick to the shower face. Even if they do, they can be easily rubbed off by hand or flannel.



Click Position System

All Jaquar multi-functional showers feature the convenient click mechanism. You can feel and hear the click while changing the function of the shower sprays.



Jaquar Booster Technology

Jaquar Booster Technology creates the sensation of a full shower regardless of the water pressure.




Thermo Insulation

Jaquar's insulated shower systems prevent scalding by not heating up the shower body.









Rectangular

Sizes



Hand Shower 75 mm dia, 80 mm dia 95 mm dia, 100 mm dia 105 mm dia, 120 mm dia 140 mm dia, 180 mm dia



Overhead Shower (Square) 150 × 150 mm, 200 × 200 mm, 240 × 240 mm, 300 × 300 mm, 450 × 450 mm Registered design no.276017



Overhead Shower (Round) 80 mm dia, 100 mm dia 105 mm dia, 120 mm dia 140 mm dia, 150 mm dia 180 mm dia, 190 mm dia 200 mm dia, 240 mm dia 300 mm dia Registered design no.276016



Overhead Shower (Oval) 340 × 220 mm Registered design no.276015



Overhead Shower (Round Edge & Rectangular head) 200 × 300 mm, 450 × 450 mm Registered design no.276014



Overhead Shower (Rectangular head) 552 X 205 X 25 mm 190 X 295 mm



CEILING MOUNTED DUAL FUNCTION SHOWER



OHS-1675

Duoflo Shower Round Shape 450mm AISI 304 stainless steel with RGB LED light remote control & installation kit for false ceiling


- Chromo therapy (RGB):
 LED x 0.23W with 12V Power Supply (SMPS) Including Controller, connecting to AC 100-240V, 50-60Hz
- 2-functions
 - Rain
 - -4 X Mist



OHS-1677

Duoflo Shower Round Shape 450mm AISI 304 stainless steel with RGB LED light remote control & installation kit for false ceiling


- Chromo therapy (RGB):
 LED x 0.23W with 12V Power Supply (SMPS) Including Controller, connecting to AC 100-240V, 50-60Hz
- 2-functions
- Rain
- Waterfall



OHS-1685

Duoflo Shower Square Shape 450 X 450mm AISI 304 stainless steel with RGB LED light remote control & installation kit for false ceiling

- Chromo therapy (RGB):
 LED x 0.23W with 12V Power Supply (SMPS) Including Controller, connecting to AC 100-240V, 50-60Hz
- 2-functions
- Rain
- -4XMist



OHS-1687

Duoflo Shower Square Shape 450 X 450mm AISI 304 stainless steel with RGB LED light remote control & installation kit for false ceiling

- Chromo therapy (RGB):
 LED x 0.23W with 12V Power Supply (SMPS) Including Controller, connecting to AC 100-240V, 50-60Hz
- 2-functions
 - Rain
 - Waterfall





UNMATCHED SHOWERING, EVEN AT LOW WATER PRESSURES

- PATENTED, INVERTED RIVETING SYSTEM FOR DURABILITY
- REMOTE-OPERATED HEALING CHROMOTHERAPY LIGHT









Overhead Showers

OHS-1679

Maze Prime Square Shape Single Function Shower 450 X 450mm AISI 304 Stainless Steel with RGB LED Light Remote Control & Installation Kit for False Ceiling

• Chromo therapy (RGB): LED x 0.23W with 12V Power Supply (SMPS) Including Controller, Connecting to AC 100-240V, 50-60Hz Flow rate: 47 {/min*

Registered design no.276017





OHS-1673

Maze Prime Round Shape Single Function Shower 450 mm AISI 304 Stainless Steel with RGB LED Light Remote Control & Installation Kit for False Ceiling
• Chromo therapy (RGB):
LED x 0.23W with 12V Power Supply (SMPS) Including Controller, Connecting to AC 100-240V, 50-60Hz Flow rate: 47 {/min*

Registered design no.276016



Maze Showers

OHS-85857

Alive- Maze Prime Single Function Shower 450 X 350 mm AISI 304 Stainless Steel with RGB LED Light Remote Control & Installation Kit for False Ceiling

 Chromo therapy (RGB): LED x 0.23W with 12V Power Supply (SMPS) Including Controller, Connecting to AC 100-240V, 50-60Hz

Flow rate: 47 {/min*

Registered design no.276014



OHS-1633

Single Function 300 mm Round Shape Maze Overhead Shower, Stainless Steel Flow rate: 42 {/min*

Registered design no.276016





OHS-1603: Single Function 150 mm Round Shape Maze Overhead Shower, Stainless Steel

Flow rate: 47 {/min*

OHS-1613: Single Function 200 mm Round Shape Maze Overhead Shower, Stainless Steel Flow rate: 45.67 l/min*

OHS-1623: Single Function 240 mm Round Shape Maze Overhead Shower, Stainless Steel

Flow rate: 42.64 \(\frac{1}{2} \)/min*

Registered design no.276016





OHS-1639

Single Function 300X300 mm Square Shape Maze Overhead Shower, Stainless Steel Flow rate: 42.9 {/min*

Registered design no.276017





OHS-1605: Single Function 150X150 mm Square Shape Maze Overhead Shower,

Stainless Steel Flow rate: 43.8 \(\)/min* Registered design no.276017

OHS-1619: Single Function 200X200 mm Square Shape Maze Overhead Shower,

Stainless Steel Flow rate: 42.16 \(\)/min*

OHS-1629: Single Function 240X240 mm Square Shape Maze Overhead Shower,

Stainless Steel Flow rate: 37.91 {/min*



OHS-1637

Single Function 190X295 mm Rectangular Shape Maze Overhead Shower, Stainless Steel Flow rate: 45.18 l/min*





OHS-85859M

Single Function 200×300 mm Round Edge & Rectangular Head Alive Maze Overhead Shower, Stainless Steel Flow rate: 40.96 \(\frac{1}{2} \) min*

Registered design no.276014





OHS-1635

Single Function 340X220 mm Oval Shape Maze Overhead Shower, Stainless Steel

Flow rate: 42.93 {/min* Registered design no.276015



Hand Shower



HSH-85537

Single Function 68X100 mm Round Edge & Rectangular Head Alive Maze Hand Shower (with Stainless Steel Face Plate & ABS Body) Flow rate: 22.88 {/min* Registered design no.283938





HSH-1653

Single Function 95 mm Round Shape Maze Hand Shower (with Stainless Steel Face Plate & ABS Body) Flow rate: 22.75 {/min*

Registered design no.283936





HSH-1655

Single Function 95X95 mm Square Shape Maze Hand Shower (with Stainless Steel Face Plate & ABS Body)







HSH-1657

Single Function 65X95 mm Rectangular Shape Maze Hand Shower (with Stainless Steel Face Plate & ABS Body) Flow rate: 22.52 {/min*





SHOWERS | MULTI FUNCTION

Overhead Showers



OHS-1649

Waterfall Overhead Shower 552X205X25mm, Dual Function (Maze Rain & Cascade), Stainless Steel Flow rate: 26.16 \(\extrm{/min} \)*



SHOWERS | MULTI FUNCTION I

Overhead Showers



OHS-1719

Multifunction 105 mm Round Shape Overhead Shower with Rain & Massage Spray with Air Effect

Flow rate: 11.89 {/min*





OHS-1769

Multifunction 140 mm Round Shape Overhead Shower with Rain & Massage Spray with Air Effect

Flow rate: 12.9 {/min*





OHS-1999

Multifunction 100 mm Round Shape Overhead Shower with Rain, Soft & Massage Spray Flow rate: 14.59 {/min*





OHS-1787

Multifunction 100 mm Cylindrical Shape Overhead Shower with Rain, Massage & Mist Spray Flow rate: 16.35 \left\/min*







OHS-1799

Multifunction 120 mm Round Shape Overhead Shower with Rain, Soft & Massage Spray Flow rate: 15.84 {/min*





OHS-1779

Multifunction 120 mm Round Shape Overhead Shower with Rain, Soft, Massage & Cascade Spray Flow rate: 16.64 {/min*



Hand Showers



HSH-1721

Multifunction 105 mm Round Shape Hand Shower with Rain & Massage Spray with Air Effect Flow rate: 11.44 {/min*





HSH -1729

Multifunction 140 mm Round Shape Hand Shower with Rain & Massage Spray with Air Effect Effect Flow rate: 13.1 {/min*





HSH-5541

Multifunction 32 mm Round Shape Hand Shower with Rain & Massage Spray Flow rate: 18.82 {/min*





HSH-1797

Multifunction 75 mm Cylindrical Shape Hand Shower with Rain, Massage & Mist Spray Flow rate: 13 l/min*



*at 3 bar pressure

■ SHOWERS | MULTI FUNCTION I

Hand Showers



HSH-1739

Multifunction 95 mm Round Shape Hand Shower with Rain, Soft & Massage Spray Flow rate: 15.74 \lambda/min*





HSH-1939

Multifunction 100 mm Round Shape Hand Shower with Rain, Soft & Massage Spray Flow rate: 16.51 {/min*





HSH-1731

Multifunction 120 mm Round Shape Hand Shower with Rain, Soft, Massage & Cascade Spray Flow rate: 14.81 l/min*



SHOWERS | SINGLE FUNCTION

Overhead Showers



OHS-1757

Single Function 140 mm Round Shape Overhead Shower with Air Effect Flow rate: 12.16 {/min*





OHS-1709

Single Function 105 mm Round Shape Overhead Shower with Air Effect Flow rate: 12.12 \(\ell / \text{min*} \)





OHS-1755

Single Function 180 mm Round Shape Overhead Shower with Air Effect

Flow rate: 13.63 \(\ell/\text{min*}\)





OHS-1843

Victorian Showerhead Round 200 mm dia, brass Flow rate: 23.27 {/min*





OHS-1989

Single Function 100 mm Round Shape Overhead Shower Flow rate: 17.26 \(\frac{1}{1} \) min*





OHS-1789

Single Function 120 mm Round Shape Overhead Shower Flow rate: 24.76 \(\)/min*



SHOWERS | SINGLE FUNCTION |

Overhead Showers



OHS-1759

Single Function 180 mm Round Shape Overhead Shower Flow rate: 25.89 \(\)/min*





OHS-497N

Single Function 200 mm Round Shape Overhead Shower Flow rate: 35.59 \(\)/min*






OHS-35495

Single Function 150X150 mm Square Shape Overhead Shower Flow rate: 24.78 {/min*





OHS-35497

Single Function 200X200 mm Square Shape Overhead Shower Flow rate: 24.15 \mathcal{!}/min*





OHS-1765

Single Function 250 mm Round Shape Overhead Shower Flow rate: 11.33 \(\frac{1}{1} \)min*





OHS-WHM-1765

Single Function 250 mm Round Shape Overhead Shower (with Face Plate White Matt) Flow rate: 11.33 \(\)/min*





OHS-1801

Single Function 150 mm dia Round Shape Overhead Shower with Self Cleaning Function, brass Body with Gray Face Plate Flow rate: 24.29 l/min*





OHS-1763

LED Single Function 180 mm Circular Shape Overhead Shower Flow rate: 12.29 {/min*



OHS-WHM-1763

LED Single Function 180 mm Circular Shape Overhead Shower (with Face Plate White Matt)

Flow rate: 12.29 {/min*





OHS-BLM-1763

LED Single Function 180 mm Circular Shape Overhead Shower (with Face Plate Black Matt) Flow rate: 12.29 \(/ min* \)



Overhead Showers



OHS-1661
Single Function 100 mm Round
Shape Overhead Shower





OHS-1663 Single Function 120 mm Round Shape Overhead Shower





OHS-1665

Single Function 100X100 mm Square Shape Overhead Shower





OHS-1667

Single Function 120X120 mm Square Shape Overhead Shower



Hand Showers



HSH-1715

Single Function 105 mm Round Shape Hand Shower with Air Effect Flow rate: 9.92 ℓ/min*





HSH-WHM-1715


Single Function 105 mm Round Shape Hand Shower with Air Effect (with Face Plate White Matt) Flow rate: 9.92 \(/ / min* \)





HSH-1717

Single Function 105 mm Round Shape Hand Shower with Air Effect







HSH-1727

Single Function 140 mm Round Shape Hand Shower with Air Effect Flow rate: 13.16 {/min*





HSH-5537N

Single Function 24 mm Round Shape Hand Shower Flow rate: 21.74 \(\ext{!/min*} \)







Single Function 27X27 mm Square Shape Hand Shower Flow rate: 33.63 \(\extstyle{\textstyle{1}}\)/min*



SHOWERS | SINGLE FUNCTION I

Hand Showers



HSH-49537

Single Function 25X38 mm Oval Shape Hand Shower Flow rate: 25.65 {/min*









Single Function 78 mm Round Shape Victorian Hand Shower Flow rate: 14.19 \(\extrm{/min*} \)





HSH-1937

Single Function 100 mm Round Shape Hand Shower Flow rate: 22 {/min*







HSH-1781

Single Function 180 mm Round Shape Hand Shower Flow rate: 24.52 {/min*





HSH-1737

Single Function 95 mm Round Shape Hand Shower Flow rate: 19.89 \(\frac{1}{2}\)min*



*at 3 bar pressure jaquar.com







<32°C

A light emitting shower which transforms the stream of water into a beautiful waterfall of light.

- Powerful electric energy for LED, which is generated by waterpower. Does not require any battery or electrical power supply.
- The sensitive shower light changes its colour with change in temperature.
- Water glows Red when temperature is above 42°C
- Water glows Purple when temperature is between 32-42°C
- Water glows Blue when temperature is less than 32°C
- Immersing your body in a heavenly rain, experience nature's downpour.



OHS-1741 LED Single Function 234 mm Round Shape Overhead Shower Flow rate: 14.93 {/min*





OHS-1743 LED Single Function 250X250 mm Square Shape Overhead Shower Flow rate: 15.51 \(\)/min*



SHOWERS | BODYTILE I



BSH-1761

Tilting Round Bodytile 120 mm, in wall installation Flow rate: 8.82 \(\extrm{!} \)/min*







Tilting Rectangular Bodytile 130X120 mm, in wall installation Flow rate: 9 l/min*





BSH-1751

Tilting Square Bodytile 100X100 mm, Wall mounted Flow rate: 13.19 l/min*



jaquar.com *at 3 bar pressure

SHOWER PANELS

Jaquar's Shower Panels make showering much more convenient, since they can offer all the capability of a shower stall, even in a small bathroom. Body shower jets, hand showers, a convenient shelf for your shampoo and shower gel, and of course an overhead rain shower. Easy to install, Jaquar Shower Panels are a great way to increase the functionality of your existing shower area, as they can fit neatly on to the wall via their wall bars.



SHP-WHT-TMCURVENEO

Curve Neo Shower Panel 1500×230mm In White Almunium Finish

Specifications



body

Dual tone aluminium



Inbuilt ABS top shower with 60 nozzles



2 Moveable ABS body massage jets



Hand shower with flexible hose







Thermostatic mixer with diverter




40cm stainless steel braided hose



Minimum water pressure required 2 bar





SHP-SSF-ST88158B

Selfy Shower Panel 1600×200mm With Anti Finger Print In Stainless Steel Finish

Specifications



Anti Finger Print with stanless steel finish




40cm stainless steel braided hose











SHP-SSF-ST8896

Shinny Shower Panel 1600×200mm With Chrome Plated In Stainless Steel Finish

Specifications



Body material chrome plated stainless steel







Brass Spout



1.5cm stainless steel double locked



Movable ABS top shower



Moveable ABS body massage jets



Brass Faucets body Multifunction water with thermostat diverter for top shower waterfall, hand shower, body jets, spout



40cm stainless steel braided hose











SHP-WHT-ST86113

Glassy White Shower Panel 1400×250mm With Thermostat Mixer, White Tempered Glass With Special Surface

Specifications





Body material Tempered glass with glass special surface



top shower



Moveable ABS body massage jets



Chrome plated ABS hand shower





40cm stainless steel





Brass faucets body Multifunction water with thermostat diverter for top shower waterfall, hand shower, body jets, spout



1.5cm stainless steel double locked



 \approx II





required 2 bar





SHP-BLK-ST86112

Glassy- Black 1400×250mm Shower Panel With Thermostat Mixer, Black Tempered Glass With Special Surface

Specifications



Black Tempered Glass With Special Surface



Brass faucets body with thermostat mixer



1.5cm stainless steel double locked flexible hoses



Movable ABS top shower



Moveable ABS body massage jets



Chrome plated ABS hand shower



Multifunction water



diverter for top shower waterfall, hand shower, body jets, spout

≋II

Minimum water pressure required 2 bar





Brass Spout



40cm stainless steel braided hose





SHP-BLK-JA011 Black 1500×200mm Shower Panel with Thermostat mixer in black finish

Specifications



Stainless steel structure



Connecting Hose



3 adjustable vertical jets (Square)



Thermostat mixer with diverter



Integrated shower head (8" Square)



Hand shower




Flexible hoses







 \approx II Minimum water pressure required 2 bar



SHP-WHT-G0843JAX

Infinity1500×200mm Shower Panel Without Thermostat Mixer in White Glass Finish

Specifications



2 Jets



Hand Shower



Minimum water pressure 2 bar





Shampoo shelf



Head Shower



SHP-BLK-G0842JAX

Infinity 1500×200mm Shower Panel without Thermostat mixer in Black glass finish

Specifications



2 Jets



Hand Shower



Minimum water pressure 2 bar





Shampoo shelf



Head Shower



SHP-SSF-ST8858B3

Project Shower Panel 1400×200mm with Anti Finger Print In Stainless Steel Finish

Specifications



Shower Panel Jaq Brushed Stainless Steel



Anti Finger Print with stanless steel finish



Minimum water pressure 2 bar



Inbuilt ABS Top Shower with 50 nozzles



Moveable ABS body massage



Chrome plate Brass F ABS Hand Shower with the



Brass Faucets body with thermostat mixer



40cm stainless steel braided hose



1.5cm stainless steel double locked flexible hoses



Minimum water pressure required 2 bar





SHP-SSF-SPMYHOMEP

My Home Shower Panel Project 1450×175mm Without Thermostat Mixer With Stainless Steel Mirror Finish

SHP-SSF-SPMYHOMEGB

My Home with Flow Restrictor 8.0 LPM At 3 Bar Pressure, Wall Mounted

Specifications



Material Stainless steel Grade: 304



Single Lever Diverter



Hand Shower (optional)







Mirror finish SS body

Movable overhead Shower

Flow Rates	0.5Bar	1.0Bar	1.5Bar	2.0Bar	2.5Bar	3.0Bar	3.5Bar	4.0Bar	4.5Bar	5.0Bar	5.5Bar
My Home Shower Panel (Spout Flow Rate in Ltr/Min)	9.35	13.04	16.05	18.57	20.74	22.79	24.65	26.34	28.04	29.61	31.05
My Home Shower Panel (Shower Flow Rate in Ltr/Min)	5.42	8.03	10.03	11.68	13.16	14.44	15.68	16.81	17.83	18.87	19.77





SHOWERS | ACCESSORIES |

Exposed Shower Pipes



SHA-1215F

Exposed Shower Pipe with Provision for Simultaneous Working of Showers with Operating Diverter Knob, Flat Shape 1071X50X15 mm & 350 mm Wide with Sliding Holder for Hand Shower, Wall Bracket & 15 mm In-wall Water Inlet Connection for Connection To In-wall Shower Mixer (without Showers)



SHA-1215FSHK1

Exposed Shower Pipe with Provision for Simultaneous Working of Showers with Operating Diverter Control, Flat Shape 1071X50X15 mm & 350 mm Wide with Sliding Holder for Hand Shower, Wall Bracket & 15 mm In-wall Water Inlet for Connection to an In-wall Shower Mixer with Shower Kit (1619, 1657 & 549D8)



SHA-1215R*

Exposed Shower Pipe with Provision for Simultaneous Working of Showers with Operating Diverter Knob, Round Shape 24 mm dia., Size 975X370 mm with Sliding Holder for Hand Shower, Wall Bracket & 15mm In-wall Water Inlet Connection for Connection To In-wall Shower Mixer (without Showers)



SHA-1215RSHK1

Exposed Shower Pipe with Provision for Simultaneous Working of Showers with Operating Diverter Knob, Round Shape 24 mm, Size 975X370 mm with Sliding Holder for Hand Shower, Wall Bracket & 15mm In-wall Water Inlet for Connection to a In-wall Shower Mixer with Shower Kit (1613, 1653 & 549D8)



SHA-1217F

Exposed Shower Pipe with Provision for Simultaneous Working of Showers with Operating Diverter Knob, Flat Shape 1071X50X15 mm & 350 mm Wide with Sliding Holder for Hand Shower, Wall Bracket & 8 mm dia, 0.5M Long Flexible Tube for Connection To Exposed Shower Mixer (without Showers)



SHA-1217FSHK

Exposed Shower Pipe with Provision for Simultaneous Working of Showers with Operating Diverter Knob, Flat Shape 1071X50X15 mm & 350 mm Wide with Sliding Holder for Hand Shower, Wall Bracket & 8 mm dia, 0.5M Long Flexible hose for Connection to an Exposed Shower Mixer with Shower Kit (497N, 5537N & 549D8)

SHOWERS | ACCESSORIES |

Exposed Shower Pipes



SHA-1217R

Exposed Shower Pipe with Provision for Simultaneous Working of Showers with Operating Diverter Knob, Round Shape 24 mm dia., Size 975X370 mm with Sliding Holder for Hand Shower, Wall Bracket & 8mm dia, 0.5M Long Flexible Tube for Connection To Exposed Shower Mixer (without Showers)



SHA-1217RSHK1

Exposed Shower Pipe with Provision for Simultaneous Working of Showers with Operating Diverter Knob, Round Shape 24 mm, Size 975X370 mm with Sliding Holder for Hand Shower, Wall Bracket & 8 mm dia, 0.5M Long Flexible hose for Connection to an Exposed Shower Mixer with Shower Kit (1989, 5537N & 549D8)



SHA-1217NR

Exposed Shower Pipe with Provision for Simultaneous Working of Showers with Operating Diverter Knob, L-Type in Round Shape 20mm dia., Size 1120X410 mm with Sliding Holder for Hand Shower, Wall Bracket & 8mm dia, 0.5M Long Flexible Tube (for connection to Exposed Shower Mixer) Without Showers



SHA-1211N

Exposed Shower Pipe L-Type in Round Shape 20 mm, Size 1120X410 mm (for Connecting Overhead Shower)



SHA-1211NH

Exposed Shower Pipe with Hand Shower Holder, L-Type in Round Shape 20 mm, Size 1120X410 mm (for Connecting Overhead Shower & Sliding Holder for Hand Shower)



SHA-1213

Exposed Shower Pipe for Bath & Shower Mixer Round Shape 25 mm dia., Size 1050X350 mm with Provision to Adjust Height Upto 250 mm & Sliding Holder for Hand Shower

Sliding Rails



SHA-1183 Slide Rail 700X30X10 mm



SHA-1187N Slide Rail 19 mm dia. & 600 mm with Soap Dish



SHA-1189N Slide Rail 24 mm dia. & 600 mm with Soap Dish



SHA-1197N Slide Rail 19 mm dia. & 600 mm



SHA-1199N Slide Rail 24 mm dia. & 600 mm



SHA-1110 Slide Rail (24 mm dia. & 600 mm) with Single function Hand Shower (HSH-1937) with 8 mm dia 1.5M Long Flexible Hose and soap dish



SHA-1110E

Slide Rail (19 mm dia. & 600 mm) with Single function Hand Shower (EHS-551) with 1.5M Plastic Coated Shower Hose and soap dish



SHA-1110EF

Slide Rail (19 mm dia. & 600 mm) with Single function Hand Shower (HSH-1937) with 1.5M Plastic Coated Shower Hose and soap dish



SHA-1110FHS

Slide Rail (19 mm dia. & 600 mm) with Single function Hand Shower (HSH-5537N) with 8 mm dia 1.5M Long Flexible Hose and soap dish



SHA-1150

Slide Rail (24 mm dia. & 600 mm) with Multifunction Hand Shower (HSH-1939) with 8mm dia 1.5M Long Flexible Hose and soap dish

Wall Mounted Shower Arms



SHA-1150EF

Slide Rail (19 mm dia. & 600 mm) with Multifunction Hand Shower (HSH-1939) with 1.5M Long Flexible Hose and soap dish



SHA-477

Casted Light Body Round Shape Shower Arm, 160 mm Long



SHA-483 Casted Flat Shape Shower Arm, 190 mm Long



SHA-487 Casted Heavy Body Round Shape Shower Arm, 120 mm Long



SHA-49483 Round Straight Shower Arm without Bend, 20 mm dia. & 450 mm Long



SHA-479L300S Round Shower Arm, 20 mm dia. &

300 mm Long with Stainless Steel

SHA-479L450

Round Shower Arm, 20 mm dia. & 450 mm Long

SHA-479L600

Round Shower Arm, 20 mm dia. & 600 mm Long



SHA-455L400

Square Shower Arm, 400X25X25 mm Also available

SHA-455L600

Square Shower Arm, 600X25X25 mm



SHA-485

Victorian Shower Arm, 20 mm dia. & 460 mm Long



Round Ceiling Shower Arm, 20 mm dia. & 75 mm Long Also available

SHA-475L100

Round Ceiling Shower Arm, 20 mm dia. & 100 mm Long

SHA-475L280

Round Ceiling Shower Arm, 20 mm dia. & 280 mm Long

SHA-475L450

Round Ceiling Shower Arm, 20 mm dia. & 450 mm Long



SHA-91483

Shower Arm for operating Overhead Shower and Holding Shower Enclosure



Wall Outlets



SHA-457L200

Square Ceiling Shower Arm, 200X25X25 mm



SHA-1195S Square Wall Outlet

Wall Outlets

Shower Tubes



SHA-1195R Round Wall Outlet



SHA-549D8 Flexible Metal Hose, 8 mm dia. & 1.5M Also available

SHA-549D12

Flexible Metal Hose, 12 mm dia. & 1.5M



SHA-571
Plastic Coated Shower Hose, 1.5M



SHA-547D8 Spirochrome flex Hose, 8 mm dia & 1.5M

Bracket

Wall Outlet with Shower Hook



SHA-555 Wall Bracket



SHA-566R Round Wall Outlet with Shower Hook



SHA-566S Square Wall Outlet with Shower Hook



FLOOR MOUNTED SINGLE LEVER BATH MIXER I

Fresh. Dynamic. Striking. The distinctiveness of our Floor Mounted Faucets makes the perfect choice for modern freestanding bathtubs.

They add eye-catching detail to a freestanding bathtub. Floor Mounted faucets are the choice for today's modern bathroom. Once the tub of choice for traditional style bathrooms, the floor mounted faucets have seen a rise in recent years as the bathroom continues to evolve into a lifestyle space.

Our Floor Mounted Faucets lets you choose the exact location of your bath, giving you the freedom to plan your bathroom without compromise. The wide-angle lever provides the perfect comfort and flawless smooth operations.

Range Name	Chrome	Antique Bronze	Antique Copper	Black Chrome	Black Matt Finish	Graphite	Stainless Steel Finish
	CHR	ABR	ACR	всн	BLM	`GRF	SSF
Kubix Prime	√	√	√	√	√	√	√
Opal Prime	√	√	√	√	√	√	√
Ornamix Prime	√	√	√	√	√	√	√
Vignette Prime	√	√	√	√	√	√	√
Alive	√	√	√	√	√	√	√
Florentine Prime	√			√	√		
Lyric	√						
Aria	√						
Fusion	√						
Solo	√						
Florentine	√						
Laguna	√			√	√		

Laguna Dual Colours

Gold Matt PVD + Black Matt		Gold Bright PVD + Gold Matt PVD	Gold Bright PVD	Gold Matt PVD	Blush Gold Bright PVD
BGM	BBC	GMG	GBP	GMP	BGP
√	√	√	√	√	√

■ FLOOR MOUNTED



ALD-121 Basic Set for Floor Mounted Single Lever Bath Mixer



LAG-91121K

Exposed Parts of Floor Mounted Single Lever Bath Mixer with Provision for Hand Shower, but without Hand Shower & Shower Hose (Compatible In-Floor part ALD-121 is sold separately)



LYR-38121K

Exposed Parts of Floor Mounted Single Lever Bath Mixer with Provision for Hand Shower, but without Hand Shower & Shower Hose (Compatible In-Floor part ALD-121 is sold separately)



ARI-39121K

Exposed Parts of Floor Mounted Single Lever Bath Mixer with Provision for Hand Shower, but without Hand Shower & Shower Hose (Compatible In-Floor part ALD-121 is sold separately)



ALI-85121K

Exposed Parts of Floor Mounted Single Lever Bath Mixer with Provision for Hand Shower, but without Hand Shower & Shower Hose (Compatible In-Floor part ALD-121 is sold separately)



KUP-35121KPM

Exposed Parts of Floor Mounted Single Lever Bath Mixer with Provision for Hand Shower, but without Hand Shower & Shower Hose (Compatible In-Floor part ALD-121 is sold separately)



FLR-5121K

Exposed Parts of Floor Mounted Single Lever Bath Mixer with Provision for Hand Shower, but without Hand Shower & Shower Hose (Compatible In-Floor part ALD-121 is sold separately)



SOL-6121K

Exposed Parts of Floor Mounted Single Lever Bath Mixer with Provision for Hand Shower, but without Hand Shower & Shower Hose (Compatible In-Floor part ALD-121 is sold separately)

■ FLOOR MOUNTED ■



FUS-29121K

Exposed Parts of Floor Mounted Single Lever Bath Mixer with Provision for Hand Shower, but without Hand Shower & Shower Hose (Compatible In-Floor part ALD-121 is sold separately)



VGP-81121K

Exposed Parts of Floor Mounted Single Lever Bath Mixer with Provision for Hand Shower, but without Hand Shower & Shower Hose (Compatible In-Floor part ALD-121 is sold separately)



OPP-15121KPM

Exposed Parts of Floor Mounted Single Lever Bath Mixer with Provision for Hand Shower, but without Hand Shower & Shower Hose (Compatible In-Floor part ALD-121 is sold separately)



ORP-10121KPM

Exposed Parts of Floor Mounted Single Lever Bath Mixer with Provision for Hand Shower, but without Hand Shower & Shower Hose (Compatible In-Floor part ALD-121 is sold separately)



FLP-5121KPM

Exposed Parts of Floor Mounted Single Lever Bath Mixer with Provision for Hand Shower, but without Hand Shower & Shower Hose (Compatible In-Floor part ALD-121 is sold separately)

WELLNESS

Stimulating Invigorating Restorative Welcome To The Rejuvenation Zone





WHIRLPOOLS

Jaquar proudly presents its own range of whirlpools. Created by specialist designers from Europe and made in Jaquar's state-of-the-art manufacturing facilities. Jaquar whirlpools bring wellness into your home with great style and panache. Their jets project water in a flowing, circular motion, which offers a wide array of health benefits, including relaxation, improved blood circulation and sore muscle and joint relief. Whatever you desire, whether hot or cold water massages, long relaxing soaks or even chromotherapy, a Jaquar whirlpool gives you all these and more. Easy to use functions flawlessly switch water modes for your benefit.

Hydromassage

A gentle jet stream massage bath that stimulates from the surface of the skin onwards. The deep tissue massage stimulates blood vessels and nerve endings and relaxes your body's entire muscular system.

Air Massage

An infinite number of air bubbles provide a caressing sensation on the skin and allow the water's soothing warmth to penetrate deeper into the body's tissue. This sensational feeling, akin to weightlessness, is accompanied by a deep experience of healing warmth

Chromotherapy

The use of various coloured lights offers additional therapeutic benefits when used in conjunction with the whirlpool's massage. These include:

Green: has harmonious effects on the digestive system.

Yellow: radiates sun-like warmth on the body.


Blue: is calming and soothing and lets you float away into your dreams.

Red: infuses energy and vitality, giving lost strength to the entire system.

Features

The unbeatable product features are:


- Brilliant surface of acrylic
- Antibac® hygienic surface
- Increased chemical resistance
- · High break strength
- Long life
- Excellent design possibilities
- Easyglide® layer
- Low specific weight
- Recyclable
- Repairable



Special transparent acrylic top layer has a high chemical resistance to: cleaning agents, perfumed foams, household detergents, body care products. It prevents surface defects, crazing/cracking, decolouration and colour fading

Special polymer for better mechanical resistance to impact and the temperature

Polyurethane layer is recyclable and usable ecological material with high insulation that retains the temperature for a longer period than FRP





Safety Vacuum Breaker

This is one of the important safety features installed in Jaquar whirlpools. In case of blockage in the suction point the motor switches off automatically.



No Bacteria Formation

Fresh water everytime. The water pipes connect via Y-shaped housings, creating a bow which ensures the complete drainage of water. Unpleasant odours and, even worse, bacteria are thus avoided.



Environment Friendly

The pipes are made from special Food Grade PVC. These pipes have an anti bacterial coating on the inner side so that even if some drops of water stay behind after the tub is drained, there won't be any bacteria formation in the water droplets.



3 Tier Test

Each and every Jaquar whirlpool goes through a functional test with hot water after which it is tested on a European test machine for earthing resistance, insulation test and a high voltage test.



Easy To Use

The electronic keypad control activates all the hydromassage functions, to regulate airpool intensity. All electronic parts can be installed and removed on site, thus making after-sales, what it should ideally be - a service!



Water Jets

The effectiveness of the hydromassage is enhanced by the water flow which can be adjusted in intensity and direction to suit personal needs, in order to gently massage delicate areas.



Airpool Jet

The airpool jets provide a gentle and delicate massage on your spine, which increases the sensation of warmth in the body and has benefical effects on the back. The air bubbles open the insulation layer by oxygenating the body.



PMMA Sheet

Jaquar whirlpools are made of the highest grade of PMMA acrylic sheets.



Air Suction Valve

To enable suction of atmospheric air, and distribute it to each and every water jet to boost the jet pressure.



JWP-WHT-ARC190CX Arc 1900x900x470mm Whirlpool and Airpool Combi System

Specifications



PMMA Sheet



PU Green Reinforcement



SS Frame





Level Sensor



Safety Vacuum Breaker



Keypad



Overflow with drain & filler





Super slim brass water jets 8





0.9 HP Air Blower



Micro brass Air Jets 12





Air Regulator



Disinfection



Headrests



Chromotherapy



Slim Suction Cover

JWP-WHT-ARC190WX Arc 1900x900x470mm Water System

Specifications



PMMA



PU Green



SS Frame



Level Sensor



Safety Vacuum



Keypad control



Overflow with



Water Pump



Super slim brass water jets 8









Chromotherapy



Slim Suction Cover

JWA-WHT-ARCFPX (Front Panel Suitable For Arc Bathtub & Whirlpool With Fixing Kit) JWA-WHT-ARCSPX (Side Panel Suitable For Arc Bathtub & Whirlpool With Fixing Kit)



JWP-WHT-KUBIXPM180CX Kubix Prime 1800x1100x470mm Whirlpool And Airpool Combi System JWP-WHT-KUBIXPM180FLTCX Kubix Prime 1800x1100x470mm Whirlpool And Airpool Combi System With Filtration System





РММА Sheet



PU Green Reinforcement



SS Frame



Level Sensor



Safety Vacuum Breaker



Keypad control



Overflow with drain & filler





Slim water Jets 8









Air Regulator











JWP-WHT-KUBIXPM180WX Kubix Prime 1800x1100x470 mm Water System

Specifications



PMMA Sheet



PU Green Reinforcement



SS Frame



Level Sensor



Safety Vacuum Breaker



Keypad control



Overflow with drain & filler



Water Pump 1.4 HP















Chromotherapy



JWA-WHT-FP180X (Front Panel Suitable For Kubix / Alive / Fonte180 / Kubix P / D'arc With Fixing Kit) JWA-WHT-SP110X (Side Panel Suitable For Kubix Prime / D'arc With Fixing Kit)

OPAL PRIME



JWP-WHT-OPALPM180CX Opal Prime 1800x800x470mm Whirlpool And Airpool Combi System

Specifications



PMMA Sheet



PU Green Reinforcement



SS Frame



Level Sensor



Safety Vacuum Breaker



Touchpad Control



Overflow with drain & filler





Super slim brass water jets 8









Micro brass Air Jets 12



Air Regulator



Disinfection



Headrests



Chromotherapy



Slim Suction Cover

JWP-WHT-OPALPM180WX Opal Prime 1800x800x470mm Water System Whirlpool

Specifications



PMMA Sheet



PU Green Reinforcement



SS Frame



Level Sensor



Safety Vacuum Breaker



Touchpad



Overflow with drain & filler





brass water jets 8

Back Jets-4










Chromotherapy







JWP-WHT-DARC180CX D'Arc 1800x1100x470mm Combi System

Specifications



PMMA



PU Green Reinforcement



SS Frame



Level Sensor



Safety Vacuum Breaker



Keypad control



Overflow with drain & filler





Slim water Jets 8







0.9 HP Air Blower



Air Jets 12



Air Regulator



Disinfection



Headrests



Chromotherapy

JWP-WHT-DARC180WX D'Arc 1800x1100x470mm Water System

Specifications



PMMA



PU Green



SS Frame



Level Sensor



Safety Vacuum



Keypad control



Overflow with drain & filler









Air Regulator



Headrests

Chromotherapy

JWA-WHT-FP180X (Front Panel Suitable For Kubix / Alive / Fonte180 / Kubix P / D'arc With Fixing Kit) JWA-WHT-SP110X (Side Panel Suitable For Kubix Prime / D'arc With Fixing Kit)

VIGNETTE PRIME I



JWP-WHT-VGNT190CX Vignette Prime 1900x900x470mm Whirlpool and Airpool Combi System Specifications



PMMA



PU Green



SS Frame



Level Sensor



Safety Vacuum Breaker



Keypad control



Overflow with





Slim water









Air Jets 12



Air Regulator



Disinfection



Headrests



Chromotherapy

JWP-WHT-VGNT190WX Vignette Prime 1900x900x470 Water System

Specifications



PMMA Sheet



PU Green Reinforcement







Safety Vacuum Breaker



Keypad control



Overflow with drain & filler





Slim water Jets 8













JWA-WHT-VGNTPFPX (Front Panel For Vignette Prime 1900x900x470 With Fixing Kit) JWA-WHT-VGNTPSPX (Side Panel For Vignette Prime 1900x900x470 With Fixing Kit)



JWP-WHT-KUBIX180CX Kubix 1800x800x470mm Whirlpool and Airpool Combi System Specifications



PMMA Sheet



PU Green Reinforcement



SS Frame





Safety Vacuum Breaker





Overflow with drain & filler





Slim water Jets 8



Back Jets-4



0.9 HPAir Blower



Air Jets 16



Air Regulator



Disinfection



Headrests



Chromotherapy

JWP-WHT-KUBIX180WX kubix 1800x800x470 mm Water System

Specifications



PMMA Sheet



PU Green Reinforcement



SS Frame





Safety Vacuum



Keypad



Overflow with drain & filler





Jets 8













JWA-WHT-FP180X (Front Panel Suitable For Kubix / Alive / Fonte180 / Kubix P / D'arc With Fixing Kit) JWA-WHT-SP80X (Side Panel Suitable For Kubix / Alive / Fonte1800 With Fixing Kit)



JWP-WHT-ALIVE180CX Alive 1800x800x470mm Whirlpool and Airpool Combi System Specifications



PMMA



PU Green Reinforcement



SS Frame



Level Sensor



Safety Vacuum Breaker



Keypad control



Overflow with drain & filler









0.9 HP Air Blower





Air Jets 12



Air Regulator



Disinfection



Headrests



Chromotherapy

JWP-WHT-ALIVE180WX Alive 1800x800x470 mm Water System





PMMA



PU Green Reinforcement



SS Frame



Level Sensor



Safety Vacuum Breaker



Keypad control



Overflow with drain & filler













Headrests

Chromotherapy

JWA-WHT-FP180X (Front Panel Suitable For Kubix / Alive / Fonte180 / Kubix P / D'arc With Fixing Kit) JWA-WHT-SP80X (Side Panel Suitable For Kubix / Alive / Fonte1800 With Fixing Kit)



JWP-WHT-FONTE180CX Fonte 1800x800x450mm Whirlpool and Airpool Combi System

Specifications



PMMA Sheet



PU Green Reinforcement



SS Frame



Level Sensor



Safety Vacuum Breaker



Keypad control



Drain pipe



Water Pump 1 HP



mp Slim water Jets 6









Air Jets 12



Air Regulator



Headrests



Chromotherapy

JWP-WHT-FONTE180WX Fonte 1800x800x450 mm Water System

Specifications



PMMA Sheet



PU Green Reinforcement



SS Frame



Level Sensor



Safety Vacuum Breaker



Keypad control



Overflow with Drain pipe



Water Pump 1 HP



Slim water Jets 6











 $\label{lem:JWA-WHT-FP180X} \mbox{ (Front Panel Suitable For Kubix / Alive / Fonte180 / Kubix P / D'arc With Fixing Kit)} \mbox{ } \mbox{JWA-WHT-SP80X (Side Panel Suitable For Kubix / Alive / Fonte1800 With Fixing Kit)} \mbox{ } \mbox{$



JWP-WHT-FONTE150CX Fonte 1500x750x420 mm Combi System

JWP-WHT-FONTE150PCX Fonte 1500x750x420 mm Combi System Project (6 Water + 12 Air Jet) With Out Light

JWP-WHT-FONTE160CX Fonte 1600x750x420 mm Whirlpool and Airpool Combi System

JWP-WHT-FONTE160PCX Fonte 1600x750x420 mm Whirlpool and Airpool Combi System-Project

JWP-WHT-FONTE170CX Fonte 1700x750x420 mm Whirlpool And Airpool Combi System

JWP-WHT-FONTE170PCX Fonte 1700x750x420 mm Combi System Project (6 Water + 12 Air Jet) With Out Light

Specifications



PMMA Sheet



PU Green Reinforcement



SS Frame



Level Sensor



Safety Vacuum Breaker



Keypad control



Drain pipe



Water Pump 0.75 HP



Slim water Jets 6







0.9 HPAir Blower



Air Jets 12



Air Regulator



gulator H



Headrests



Chromotherapy

JWP-WHT-FONTE160PWX Fonte 1600x750x420 mm Water System Whirlpool- Project

JWP-WHT-FONTE170PWX Fonte 1700x750x420 mm Water System Project (6 Water) With Level Sensor Electronic Key Pad

JWP-WHT-FONTE150WX Fonte 1500x750x420 mm Water System

JWP-WHT-FONTE160WX Fonte 1600x750x420 mm Water System

JWP-WHT-FONTE150PWX Fonte 1500x750x420 mm Water System Project (6 Water) - With Level Sensor Electronic Key Pad JWP-WHT-FONTE170WX Fonte 1700x750x420 mm Water System

Specifications



PMMA Sheet



PU Green



SS Frame



Level Sensor



Safety Vacuum



Keypad control



Overflow with Drain pipe



Nater Pum



Slim water



Back Jets-4



Air Regulato



Headrests



Chromotherapy

JWA-WHT-FONT150FPX Front Panel with Fixing Kit JWA-WHT-FONT170FPX Front panel with Fixing kit

JWA-WHT-FONT160FPX Front panel
JWA-WHT-FONT160SPX Side Panel Suitable For Fonte 1600x700 mm Bathtub
JWA-WHT-SP75X Side Panel Suitable For Fonte1500 / Fonte1700 With Fixing Kit



JWP-WHT-POINT150CX Fonte - R 1500x1500x470 mm Combi System

Specifications



PMMA Sheet



PU Green Reinforcement



SS Frame



Level Sensor



Safety Vacuum Breaker



Keypad control



Overflow with drain & filler



Water Pump 1.4 HP



Slim water Jets 8



0.9 HP Air Blower



Air Jets 12



Air Regulator



Disinfection



Headrests



JWP-WHT-POINT150WX Fonte - R 1500X1500X470mm Water System

Specifications



PMMA Sheet



PU Green Reinforcement



SS Frame



Level Sensor



Safety Vacuum Breaker



Keypad control



Overflow with drain & filler



Water Pump 1.4 HP



Jets 8



Air Regulator



Disinfection



Headrests



Chromotherapy

Accessories available (only for Combi System): White/Chrome



JWP-WHT-GMI140CX Fusion 1400x1400x450 mm Combi System

Specifications



PMMA Sheet



PU Green Reinforcement



SS Frame





Safety Vacuum



Keypad



Overflow with drain & filler



Water Pump 1 HP



Slim water











Air Jets 12



Air Regulator



Disinfection



Headrests



JWP-WHT-GMI140WX Fusion 1400x1400x450 mm Water System



PMMA



PU Green



SS Frame



Level Sensor



Safety Vacuum



Keypad control



Overflow with



Water Pump 1 HP



Slim water





Air Regulator









JWP-WHT-LAGUNA170CX Laguna 1700x700x450mm Whirlpool and Airpool Combi System JWP-WHT-LAGUNA180CX Laguna 1800x700x450mm Whirlpool and Airpool Combi System Specifications



PMMA Sheet



PU Green



Reinforcement



SS Frame



Level Sensor



Safety Vacuum



Keypad



Overflow with drain & filler





Slim water







0.9 HP Air Blower



Air Jets 12





Air Regulator



Disinfection



Headrests



Chromotherapy

JWP-WHT-LAGUNA170WX Laguna 1700 X 700 X 450 mm Water System Whirlpool JWP-WHT-LAGUNA180WX Laguna 1800 x 700 X 450 mm Water System Whirlpool



PMMA Sheet





PU Green





SS Frame



Disinfection



Level Sensor



Headrests



Safety Vacuum Breaker



Keypad control



Overflow with drain & filler





Slim water Jets 6



Air Regulator





Chromotherapy

		Whirlp	ools spe	ecificatio	ons shee	et	
	Range Product Name	Arc ARC 1900X900	Kubix Prime 1800X1100	Opal Prime 1800 x 800	Kubix KUB I X 1800X800	Alive ALIVE 1800X800	D'Arc D'Arc 1800X1100
	Size	1900X900	1800X1100	1800X800	1800X800	180X800	1800X1100
	Depth	470	480	470	470	470	470
	Material	PMMA	PMMA	PMMA	PMMA	PMMA	PMMA
	Reinforcement	PU Green Reinforcement	PU Green Reinforcement	PU Green Reinforcement	PU Green Reinforcement	PU Green Reinforcement	PU Green Reinforcement
	Water jets	8	8	8	8	8	8
	Slim and flat Water jets	•	•	•	•	•	•
Discolaria	Air jets	12	16	12	12	12	12
Physical	Back jets	4	4	4	4	4	4
	Feet jets	0	0	•	0	0	0
	Pump water	1.4HP	1.4HP	1.4HP	1.4HP	1.4HP	1.4HP
	Air blower	0.90Hp	0.90Hp	0.90Hp	0.90Hp	0.90Hp	0.90Hp
	Chromotherapy	•	•	•	•	•	•
	White Light	X	X	X	X	X	X
	Headrest	•	•	•	•	•	•
	Overflow with drain & filler	•	•	•	•	•	•
Safety	3 Tier Testing	•	•	•	•	•	•
	Steel Frame	SS202	SS202	SS202	SS202	SS202	SS202
Hygiene	Sanitazation/System Clean	•	•	•	•	•	•
	Food Grade Pipe	•	•	•	•	•	•
	Bow shape Pipes	•	•	•	•	•	•
	Level sensor	•	•	•	•	•	•
	Self drainage system	•	•	•	•	•	•
Control	Digital	•	•	•	•	•	•
Control	Cross	X	X	•	X	X	X

Warranty Table								
	Range Product Name	Arc ARC 1900X900	Kubix Prime 1800X1100	Opal Prime 1800 x 800	Kubix KUBIX 1800X800	Alive ALIVE 1800X800	D'Arc D'Arc 1800X1100	
	Body	5	5	5	5	5	5	
Warranty	Electrical	2	2	2	2	2	2	
	Jets	5	5	5	5	5	5	

Note:

• Symbol indicate that particular feature is available in that product. X Symbol indicate that particular Feature is not available in that product.

	Whirl	pools sp	pecificat	tions sh	eet		
Range Product Name	Vignette Prime 1900X900	Fonte R 1500X1500	Fonte 1800X800	Fusion Fusion 1400X1400	Fonte Fonte 1500x750	Fonte Fonte 1700x750	Laguna Laguna 1800x700
Size	1900X900	1500X1500	1800X800	1400X1400	1500x750	1700x750	1800x700
Depth	470	470	450	450	420	420	450
Material	PMMA	PMMA	PMMA	PMaMA	PMMA	PMMA	PMMA
Reinforcement	PU Green Reinforcement	PU Green Reinforcement	PU Green Reinforcement	PU Green Reinforcement	PU Green Reinforcement	PU Green Reinforcement	PU Green Reinforcement
Water jets	8	8	6	6	6	6	6
Slim and flat Water jets	•	•	•	•	•	•	8
Air jets	12	16	12	12	12	12	12
Back jets	4	0	4	4	4	4	4
Feet jets	0	0	0	0	0	0	0
Pump water	1.4HP	1.4HP	1.0HP	1.0HP	1HP	1HP	1.4HP
Air blower	0.90Hp	0.90Hp	0.90Hp	0.90Hp	0.90Hp	0.90Hp	0.90Hp
Chromotherapy	•	•	•	•	•	•	•
White Light	X	X	X	X	Χ	X	X
Headrest	•	X	•	•	•	•	•
Overflow with drain & filler	•	•	X	•	Χ	X	•
3 Tier Testing	•	•	•	•	•	•	•
Steel Frame	SS202	SS202	SS202	SS202	SS202	SS202	SS202
Sanitazation/System Clean	•	•	X	X	Χ	X	•
Food Grade Pipe	•	•	•	•	•	•	•
Bow shape Pipes	•	•	•	•	•	•	•
Level sensor	•	•	•	•	•	•	•
Self drainage system	•	•	•	•	•	•	•
Digital	•	•	•	•	•	•	•
Cross	X	X	X	X	X	X	X

Warranty Table							
Range Product Name	Vignette Prime 1900X900	Fonte R 1500X1500	Fonte 1800X800	Fusion 1400X1400	Fonte Fonte 1500x750	Fonte Fonte 1700x750	Laguna Laguna 1800x700
Body	5	5	5	5	5	5	5
Electrical	2	2	2	2	2	2	2
Jets	5	5	5	5	5	5	5

Note:

[•] Symbol indicate that particular feature is available in that product. X Symbol indicate that particular Feature is not available in that product.

FREESTANDING BATHTUBS

Bathtubs are far more than just bathing. They can be an oasis of peace and calm. Jaquar's freestanding bathtubs set the mood perfectly for those precious moments of relaxation with their beautiful lines and curves, which invites you to step in and indulge yourself at the end of a long day. For those who have the luxury of space in their bathroom, a chic, freestanding Jaquar bathtub placed away from the walls makes a stunning statement of style and class.



JBT-WHT-FSBT177840X: Julia Free Standing Bath 1715x785x400/560mm with Over Flow & Waste

Specifications







Lucite acrylic



Overflow & drain



*560 mm is the outer size

LAGUNA

JBT-WHT-FSBTLG6001: Laguna Free Standing Bathtub 1800x800x440/580mm with Built-in Overflow, Pop-up Waste JBT-WHT-FSBTLG6005: Laguna Free Standing Bathtub 1800x800x440/580mm with Holes For 5 Hole Filler, Built-in Overflow



Free standing bathtub



Overflow & drain





QUEENS



JBT-WHT-FSBTMAD1778:

Queens Free Standing Bath Tub 1702x787x434/615mm with Chrome Over Flow, Waste and Legs

JBT-WHT-FSBTMAD1778G: Queens Free Standing Bath Tub 1702x787x434/615mm with Gold Over Flow, Waste and Legs Specifications









Free standing bathtub

Lucite acrylic sheet

Overflow & wast



ALASKA I

JBT-WHT-FSBT177542X: Alaska Free Standing Bathtub 1712x760x440/580mm with Over Flow & Waste







Lucite acrylic

Overflow





JBT-WHT-FSBT177544X: Saipan Free Standing Bath Tub 1690x800x445/565mm with Over Flow & Waste

Specifications





Lucite acrylic Overl





EGGY



JBT-WHT-FSBTPB278X: Eggy Free Standin 1700x850x450/580mm with Built In Overflow & Pop-up Waste



Free standing bathtub



Lucite acrylic sheet



Overflow & drain





JBT-WHT-FSBT167543X

Free Standing Bath Tub 1600×750×430/570mm with built in over flow & pop-up waste.

BUILT-IN BATHTUBS

The more common and practical choice in bathtubs, the built-in or 'drop-in' bathtub is preferred wherever space is at a premium. Because they are placed adjacent to a wall and tucked away, built-in bathtubs are space-economical and can also offer additional storage on the surrounding ledges or the walls next to them. Perfect for placing aromatic candles while you soak in the bubble bath and unwind!



JBT-WHT-ARC190X: Built-in Bathtub

Specifications





Sheet

Reinforcement

JBT-WHT-ARC190FX: Arc 1900×900×470mm Built in bathtub with powder coated MS frame

JWA-WHT-ARCFPX: Front Panels JWA-WHT-ARCSPX: Side Panels

IWA-CHR-ACC00510X: Base Europa Kit for bathtub JWA-CHR-132201: Drain pipe with overflow & filler JWA-CHR-DRNPIPE80: Drain pipe with overflow



^{**} In case of one side wall installation 2 side panels and one front panel is a must for installation.

KUBIX PRIME 1800 × 1100 × 470mm

JBT-WHT-KUBIXP180X: Built-in Bathtub

Specifications





PMMA

PU Green

JBT-WHT-KUBIXP180FX: Kubi Prime

1800×1100×470mm Built-in Bathtub with Powder

Coated Ms Frame

JWA-WHT-FP180X: Front Panel JWA-WHT-SP110X: Side Panel

JWA-CHR-132201: Drain Pipe with overflow & filler JWA-CHR-DRNPIPE100: Drain Pipe 1000mm

with overflow

IWA-CHR-ACC00510X: Base Europa Kit





Note: Drain pipe/Europa kit are mandatory products for installation of all the bathtubs. Accessories shown in the image are not a part of the product

■ OPAL PRIME 1800 × 800 × 470mm

JBT-WHT-OPALPM180X: Built-in Bathtub

Specifications





PMMA Sheet

PU Green Reinforcement

JBT-WHT-OPALPM180FX: Opal Prime 1800×800×470mm Built-in Bathtub with Powder Coated MS Frame

JWA-WHT-OPALPMFPX: Front Panel C-shape Suitable For Opal Prime Bathtub And Whirlpool JWA-CHR-132201: Drain Pipe with Overflow & Filler JWA-CHR-DRNPIPE80: Drain Pipe 800mm with Overflow

IWA-CHR-ACC00510X: Base Europa Kit





D'ARC 1800 × 1100 × 470mm



JBT-WHT-DARC180X: Built In Bath Tub

Specifications





PMMA Sheet

PU Green Reinforcement

JBT-WHT-DARC180FX: D Arc 1800×1100×470mm Built-in Bath Tub With Powder Coated Ms Frame JWA-WHT-SP110X: Side Panel Suitable For Kubix

Prime / D'Arc With Fixing Kit

JWA-WHT-FP180X: Front Panel

JWA-CHR-DRNPIPE100: Drain Pipe 100cm with Overflow

IWA-CHR-ACC00510X: Base Europa Kit



Note: Drain pipe/Europa kit are mandatory products for installation of all the bathtubs. Accessories shown in the image are not a part of the product



JBT-WHT-FONT150X: Built-in Bathtub

Specifications





PMMA Sheet

PU Green Reinforcement

JBT-WHT-FONT150FX: Fonte 1500X750X420mm
Built-in bathtub with power Coated MS Frame
JWA-WHT-FONT150FPX: Front Panels
JWA-WHT-SP75X: Side Panels with Fixing Kit
JWA-CHR-DRNPIPE70: (Drain Pipe)* with Overflow
JWA-CHR-132201: Drain Pipe with Overflow & Filler
IWA-CHR-ACC00510X: Base Europa Kit For Bathtubs



Note: Drain pipe/Europa kit are mandatory products for installation of all the bathtubs. Accessories shown in the image are not a part of the product

FONTE 1600 × 750 × 420mm

JBT-WHT-FONT160X: Built In Bathtub

Specifications



Sheet



PU Green Reinforcement

JBT-WHT-FONT160FX: Fonte 1600×750×420mm Built in Bathtub with Powder Coated MS Frame

JWA-WHT-FONT160FPX: Front Panel JWA-WHT-FONT160SPX: Side Panels

JWA-CHR-DRNPIPE70: (Drain Pipe)* with Overflow JWA-CHR-DRNPIPE80: Drain Pipe 800mm with Overflow JWA-CHR-132201: Drain Pipe with Overflow & Filler

IWA-CHR-ACC00510X: Base Europa Kit





Note: Drain pipe/Europa kit are mandatory products for installation of all the bathtubs. Accessories shown in the image are not a part of the product

JBT-WHT-FONTR150X: Built In Bathtub

Specifications





JBT-WHT-FONTR150FX: Fonte-R 1500×1500×470mm Built-in Bathtub with Powder Coated MS Frame JWA-CHR-132201: Drain Pipe with Overflow & Filler JWA-CHR-DRNPIPE100: Drain Pipe 100 cm with Overflow

IWA-CHR-ACC00510X: Base Europa Kit For Bathtub





FONTE 1700 × 750 × 420mm



JBT-WHT-FONT170X: Built In Bathtub

Specifications





PMMA

PU Green Reinforcement

JBT-WHT-FONT170FX: Fonte 1700×750×420mm Built in Bath Tub with Powder Coated MS Frame JWA-WHT-FONT170FPX: Front Panel JWA-WHT-SP75X: Side Panels with Fixing Kit JWA-CHR-DRNPIPE70: (Drain Pipe)* with overflow JWA-CHR-DRNPIPE80: Drain Pipe 800mm with overflow

JWA-CHR-132201: Drain Pipe with Overflow & Filler IWA-CHR-ACC00510X: Base Europa Kit



Note: Drain pipe/Europa kit are mandatory products for installation of all the bathtubs. Accessories shown in the image are not a part of the product



JBT-WHT-KUBIX180X: Built-in Bathtub

Specifications





JBT-WHT-KUBIX180FX: Kubix 1800×800×470 Built-in

BathTub with Powder Coated MS Frame

JWA-WHT-FP180X: Front Panel JWA-WHT-SP80X: Side Panel

JWA-CHR-132201: Drain Pipe with Overflow & Filler JWA-CHR-DRNPIPE80: Drain Pipe 800mm with Overflow

IWA-CHR-ACC00510X: Base Europa Kit



ALIVE 1800 × 800 × 470mm

JBT-WHT-ALIVE180X: Built-in Bathtub

Specifications





PU Green Reinforcement

JBT-WHT-ALIVE180FX: Alive 1800×800×470mm Built-in Bath Tub with Powder Coated MS Frame

JWA-WHT-FP180X: Front Panel JWA-WHT-SP80X: Side Panel

JWA-CHR-132201: Drain Pipe with Overflow & Filler JWA-CHR-DRNPIPE80: Drain Pipe size 800mm with

Overflow

IWA-CHR-ACC00510X: Base Europa Kit





Note: Drain pipe/Europa kit are mandatory products for installation of all the bathtubs. Accessories shown in the image are not a part of the product

VIGNETTE PRIME 1900 × 900 × 470mm

JBT-WHT-VGNTP190X: Built-in Bathtub

Specifications





PMMA Sheet

PU Green Reinforcement

JBT-WHT-VGNTP190FX: Vignette Prime 1900×900×470mm Built-in Bath Tub with Powder

Coated MS Frame

JWA-WHT-VGNTPFPX: Front Panel JWA-WHT-VGNTPSPX: Side Panel

JWA-CHR-132201: Drain Pipe with Overflow & Filler JWA-CHR-DRNPIPE80: Drain Pipe 800mm with

Overflow





■ FONTE 1800 × 800 × 450mm



JBT-WHT-FONT180X: Built In Bathtub

Specifications





PMMA Sheet

PU Green Reinforcement

JBT-WHT-FONT180FX: Fonte 1800×800×450mm Built in Bath Tub with Powder Coated MS Frame

JWA-WHT-FP180X: Front Panel JWA-WHT-SP80X: Side Panel

JWA-CHR-132201: Drain Pipe with Overflow & Filler JWA-CHR-DRNPIPE80: Drain Pipe 800mm with Overflow

IWA-CHR-ACC00510X: Base Europa Kit



Note: Drain pipe/Europa kit are mandatory products for installation of all the bathtubs. Accessories shown in the image are not a part of the product



JBT-WHT-FUSN140X: Built-in Bathtub

Specifications





PMMA Sheet

PU Green Reinforcement

JBT-WHT-FUSN140FX: Fusion 1400×1400×450mm Built-in Bathtub With Powder Coated MS Frame **JWA-WHT-FUSNCPX:** Angular Panel for Fusion 1400×1400×450 With Fixing Kit

JWA-CHR-132201: Drain Pipe with Overflow & Filler
JWA-CHR-DRNPIPE80: Drain Pipe 800mm with OverflowI
WA-CHR-ACC00510X: Base Europa Kit



LAGUNA 1700 × 700 × 450mm

JBT-WHT-LAGUNA170X: Built-in Bathtub

Specifications





PU Green Reinforcement

JBT-WHT-LAGUNA170FX: Laguna 1700×700×450mm Built-in Bathtub With Powder Coated Ms Frame

JWA-CHR-132201: Drain Pipe 80cm with Overflow & Filler For Laguna

JWA-CHR-DRNPIPE80: Drain Pipe 80cm with Overflow for Laguna

JWA-WHT-FPLAG170X: Front Panel Suitable for Laguna 1700 X 700 Bathtub

JWA-WHT-SP55X: Side Panel Suitable for Laguna Bathtub





Note: Drain pipe/Europa kit are mandatory products for installation of all the bathtubs. Accessories shown in the image are not a part of the product

JBT-WHT-LAGUNA180X: Built-in Bathtub

Specifications





PMMA Sheet

PU Green Reinforcemen

JBT-WHT-LAGUNA180FX: Laguna 1800×700×450mm Built-in Bathtub With Powder Coated MS Frame JWA-CHR-132201: Drain Pipe 80cm with Overflow &

Filler For Laguna

JWA-CHR-DRNPIPE80: Drain Pipe 80cm with

Overflow for Laguna

JWA-WHT-FPLAG180X: Front Panel Suitable for Laguna 1800×700 Bathtub

JWA-WHT-SP55X: Side Panel Suitable for Laguna Bathtub









Drain Pipe



JWA-CHR-132201

Drain Pipe 80cm With Overflow & Filler For Kubix, Alive, Fonte, Vignette Prime, Fusion & Laguna Available in: Chrome



JWA-CHR-DRNPIPE70

Drain Pipe with Overflow System 70 - 80 mm for Jaquar Whirlpool 1500×750, 1700×750, 1800×800 & 1900 X900 mm

Available in: Chrome

JWA-CHR-DRNPIPE80

Drain Pipe 80cm with Overflow For Kubix, Alive, Fonte, Vignette Prime, Fusion, & Laguna
Available in: Chrome | Black Matt | White Matt | Gold |
Gold Dust | Black Chrome | Antique Bronze |
Antique Chrome | Stainless Steel Finish | Grafite

Also available

JWA-CHR-DRNPIPE100

Drain Pipe 100cm With Overflow for Fonte R, Kubix Prime & D Arc

Available in: Chrome

Disclaimer: Pictures shown are for illustration purposes only

■ BATHTUB ACCESSORIES |

Headrest Sophi

Headrest Comfort



JWA-BLK-HRSP120GAC06

Headrest Sophi For (Vignette/Darc) Jaquar Whirlpool Available in: Black



JWA-BLK-HRCP750GAC06

Headrest Comfort For Jaquar Whirlpool Kubix/Fonte/ Alive/Fusion Available in: Black

Base EuropaKit for Bathtubs



IWA-CHR-ACC00510X Base Europa Installation Kit

Disclaimer: Pictures shown are for illustration purposes only



Spas are a wonderful way to relax and restore equilibrium. Jaquar's spa models are technological marvels whose 'well-being circuits' comprise of various seats and a common footrest in the centre. Each seat is strategically fitted with different types of massage jets in various positions, oriented to massage different parts of the body. By moving from one seat to the other, one can enjoy a complete and satisfying massage that stimulates and relaxes all parts of the body. Cushioned headrests, ergonomic seats and a host of high performance features make this the ultimate home spa experience.

Features:

Touch Control Panel

- Next generation of touchscreen panel made by BALBOA in trapezoid shape
- Modern technology combined with high quality, impact resistant materials
- Responsive, colour touch screen
- Looks and feels like a glass display
- Impervious to water splashes or contamination.
- Simpler, more intuitive navigation

The Aquapure Clean Water System

This system makes safe, clean and clear water easy and affordable. With the Aquapure ozone generator for advanced water clarification and the Aquapure UV steriliser for removing water borne microbes.

Cabinet

- High density polystyrene cabinet
- Looks like wood, eco friendly
- Water Proof
- Weather Proof

Bio-Lok® Microbe Shield

In addition to Aristech Acrylics® excellent gloss and colour retention, our Bio-Lok® surfaces are naturally impervious to microbes, without the need for added chemicals.

Aristech Acrylic

Isn't it nice to know that your Jaquar Spa is made out of the best acrylic available. Rest easy knowing your spa's acrylic is manufactured to handle weather extremes.

The Shell. Matters Most.

Jaquar Spas use Aristech Acrylic shell with High Density PU Insulation foam, a process not found in most other spas. This process includes the curing of the shell in a temperature and humidity-controlled oven

TOP LAYER: ARISTIC ACRYLIC SECOND: GLASS FIBRE WITH RESIN

THIRD: HIGH DENSITY PU INSULATION FOAM

Hydro Flow Bearing-less Jets

Jaquar Spas made in ABS with Chrome finish, come with a 5 year jet warranty. Our Hydro flow jets are designed to provide the ultimate water massage experience. The options are extremely reliable even under heavy use thanks to Jaquar's premium quality.

Spa-bottom Drain & Valve

Built-in spa drain and release valve offers ultimate comfort and ease of operation for the user and during maintenance.

Jet Pressure Control

Conveniently located to be adjusted while you are in the spa, our jet pressure controllers allow you to 'dial up' your desired jet intensity so you can maximise relaxation and hydrotherapy.

HYDROZONE 5900 × 2300 × 1300 (5 Seater)



WSP-WHT-SPA5S590VX

Hydrozone Swim Spa 5900×2300×1300mm (5 Seater)

JETS:

5" Directional Jets 2 5 5" Single Hole Spinning Jets 3" Directional Jets 6 3" Spinning Jets 9 2" Directional Jets 14 12 2" Spinning Jets 16 Air Jets Water Cascade Jets 2 Swim Jets 4 Laminar Jets 6 Total 76



Key features



Thermoclad cabinet



Perimeter



Thermobond 4 layer shell construction



Duraflex plumbing



Uv steri**l**ising system



Set & forget control system



Programmable multi-colour spa light



Hydrotherapy recliners



Adjustable aromatherapy



Illuminated topside controls



Ozone filtration



Reinforced foot wall



Micro filteration



Moulded headrests



Steps





Filled weight 9942kg



Water capacity spa 1530 litres swim 7030 litres



Spa controller Progra sv4+sv2 circulat



Programmable circulation pump 250w x 2



Jet pump(s) 2.5hp x 5



Variable speed air blower 700w



Variab**l**e output heater 6kw/3kW



AQUAGYM MAX EXTREME 4490 × 2310 × 1300 (4 Seater)



WSP-SLV-SPA4S449VX

Aquagym Max Swim Spa 4490×2310x-1300mm With Panels Natural Wood, Thermic Cover, Stair, (4 Seater)

JETS:

0210	
5" Directional Jet	2
5" Single Hole Spinning Jet	3
3" Directional Jet	8
3" Spinning Jet	10
2" Directional Jet	24
2" Spinning Jet	16
Air Jet	14
Water Cascade Jet	1
Laminar Jet	4
Swim Jet	4
Total	86



Key features



Thermoclad cabinet



Perimeter



Thermobond 4 layer shell construction



Duraflex plumbing



Uv sterilising system*



Set & forget control system



Programmable multi-colour spa light



Hydrotherapy recliners



Adjustable aromatherapy



Illuminated topside controls



Ozone fi**l**tration



Reinforced



Micro fi**l**teration





Moulded headrests



Individual pressure control



Steps

Specifications







Water capacity 8100 litres



Spa controller sv4

Programmable circulation pump 250w



pump(s) hp x 4



Variab**l**e speed air b**l**ower 700w



Variable output heater 6kW





WSP-SLV-AQUASWIM13TP

Aqua Swim Top 4490×2300×1300mm With Swim Jets, Chromotherapy & UV Filtration System

WSP-SLV-AQUASWMHCVR Jaquar Aqua Swim Spa Hard Cover

JETS:

Swim Jets Total

2



Key features







Thermobond 4 layer shell construction



Duraflex plumbing



Uv sterilising system



Set & forget control system



Ozone fi**l**tration



Reinforced foot wall



Powerful and efficient pumps

Spa-hydroglow



Programmable multi-colour spa light







Spa controller



Dry weight 696kg



Fi**ll**ed weight 7496kg



Electrical requirements max 32 amps



Jet pump(s) 2.5hpx2



Programmable circulation pump 250w



output heater 3kW



WSP-SLV-SPA8S3520VX

Palladium Spa 3520×2290×920mm With Panels Natural Wood, Thermic Cover, Stair, (9 Seater)

JETS:

3" Directional Jet 12 3" Spinning Jet 2 " Directional Jet 2 " Spinning Jet 3 Air Jet 2 Water Cascade Jet Laminar Jet 4		
3" Directional Jet 12 3" Spinning Jet 2" Directional Jet 2 2" Spinning Jet 2 2" Spinning Jet 2 Water Cascade Jet Laminar Jet 2	5" Directional Jet	6
3" Spinning Jet 2" Directional Jet 2" Spinning Jet Air Jet Water Cascade Jet Laminar Jet	5" Single Hole Spinning Jet	14
2" Directional Jet 2. Spinning Jet 3. Air Jet 2. Water Cascade Jet Laminar Jet 3. Air Jet 4. Air Je	3" Directional Jet	12
2" Spinning Jet Air Jet 2 Water Cascade Jet Laminar Jet	3" Spinning Jet	2
Air Jet 2 Water Cascade Jet Laminar Jet	2" Directional Jet	24
Water Cascade Jet Laminar Jet	2" Spinning Jet	8
Laminar Jet	Air Jet	22
	Water Cascade Jet	1
Total	Laminar Jet	4
TOtal	Total	93



Key features



Thermoclad cabinet



Perimeter insulation



Thermobond 4 layer shell construction



Duraflex plumbing Uv steri**l**ising system

























Programmable multi-colour Spa light



Moulded headrests



Individual seat pressure control



Neck therapy collar









Water capacity 3600 litres



Programmable circulation pump 250w Spa contro**ll**er sv3





Variab**l**e speed air b**l**ower 700w



Variable output heater 6kW





WSP-SLV-SPA7S2340VX

Xenon Spa 2340×2340×900mm With Panels Natural Wood, Thermic Cover, Stair, (6 Seater)

JETS:

5" Double Hole Spinning Jets	2
5" Single Hole Spinning Jets	4
3" Directional Jets	4
2" Directional Jets	4
2" Spinning Jets	8
Air Jets	20
Water Cascade Jets	1
Laminar Jets	2
Total	45



Key features



Thermoclad cabinet



Perimeter insulation



Thermobond 4 layer shell construction



Duraflex plumbing



Purezone uv sterilising system*



Set & forget control system



Programmable multi-colour spa light



Adjustable aromatherapy



Illuminated topside controls



Ozone filtration



Reinforced foot wall



Micro filteration



Moulded headrests



Foot jets



Wine cooler



Child seat



Individual seat pressure control







Filled weight 1534kg



Water capacity 1200 litres



Spa controller sv2



Programmable circulation pump 250w



Jet pump(s 2.5x1 hp



Variable speed air blower 700w



Variab**l**e output heater 3kW





JSP-WHT-SPAPOLARIS6S

Polaris Spa 2200×2200×900mm, Shell Color-Pearl Blend With Panelscolor-Coffee, Thermic Cover Color - Coffee, Stair, (6 Seater)

Jets drawing of POLARIS



- 5" direct jets: 2pcs
- 3.5" direct jets: 2 pcs
- 3.5" single rotation jets: 5pcs 2" direct jets: 31 pcs
- 2" single rotating jets: 8pcs
- O Air jets: 12pcs
- 1" circulation jets: 4pcs • 2" fountain jets: 3pcs

Seat Layout



Specifications:



Dry Weight 420 Kg







Underwater LED 17Pcs



FRP Base



Outdoor / Indoor installation



Heat-releasing grills: 2pcs



Headrests 3Pcs



Water Capacity 1500 Litres



High-density PU insulation foam on shell 25mm



Fountain switch: 1pc





Operating System Balboa



Maximum current: 38A or 24A (with interlock system)









Energy-saving Circulation pump 1x0.35 hp

Spa Touch Control Panel



Spa bottom drain: 1pc

High density lockable spa cover





Jet Pump 2X3 hp





Ozone and UV









Individual seat



\$

Variable heater 3kw

pressure control



Insulated Panel/Cabinet



Aromatherapy







NIRWANA 2150 × 2150 × 920 (5 Seater)



WSP-SLV-SPANIRWANA

Nirvana Spa 2150×920mm, (5 Seater)

JETS:

 3" Directional Jet
 7

 3" Spinning Jet
 8

 Air jet
 10

 Total Jets
 25



Key features



Thermoclad cabinet



Perimeter insulation



Thermobond 4 layer shell construction



Duraflex Plumbing



Uv sterlising system



Set & forge control syste



Multi-colou



Ozone filtration









Fi**ll**ed weight 1320kg



Water capacity 1000 litres



Spa controller sv2



Jet pump(s)



Variable speed air blower 700w



Electrical requirements max 15 amps



Programmable circulation pump 250w



Variable output heater 3kW



JSP-WHT-SPABREVA5S

Breva Spa 2000×2000×900mm, Shell Color-Pearl Blend With Panel Color-Coffee, Thermic Cover Color- Coffee, Stair, (5 Seater) Structure Frame drawing of BREVA

Jets drawing of BREVA



- 3" single rotating jets: 3pcs 2.5" direct jets: 4 pcs
- 2" direct jets: 25pcs 1" direct jets: 4 pcs
- O Air jets: 12pcs
- 1" circulation jets: 4pcs 2" fountain jets: 3pcs

Seat Layout



Specifications:



Dry Weight 350 Kg













Outdoor / Indoor installation





Filled Weight 1380 Kg



Maximum current: 38A or 24A (with interlock system)

Water Capacity 1030 Litres









Operating System Balboa



Massage water pump: 1x3HP

ĴĴG (O

Fountain switch: 1pc











Energy-saving Circulation pump 1x0.35 hp



Spa Touch Control Panel



Hydrotherapy recliners 2



Spa bottom



High-density PU insulation foam on shell 25mm







Heater 3kw



Individual seat

















WSP-SLV-SPA5S1990VX

Mercury Spa 2000×2000×930mm With Panels Natural Wood, Thermic Cover, Stair, (5 Seater)

JETS:

5" Single Hole Spinning Jets	4
3" Directional Jets	8
2" Spinning Jets	4
2" Directional Jets	14
Air Jets	16
Water Cascade Jet	1
Laminar Jets	2
Total	49



Key features



Thermoclad cabinet



Perimeter insulation



Thermobond 4 layer shell construction



Duraflex plumbing



Uv sterilising system*



Set & forget control system



Multi-colour Spa light



Hydrotherapy Rediners



Aromatherapy



Ozone filtration











Neck therapy co**ll**ar



Moulded Individual seat headrests pressure control



Steps

Specifications







Water capacity 1000 litres



Spa contro**ll**er sv2

Programmable circulation pump 250w





Electrical requirements max 15 amps



Variab**l**e output heater 3kW



WSP-SLV-SPA3S2060VX

Neon Spa 2060×1690×820mm With Panels, Natural Wood, Thermic Cover, Stair, (3 Seater)

JETS:

5" Single Hole Spinning Jet	2
3" Spinning Jet	4
2" Directional Jet	10
2" Spinning Jet	18
Volcano Jet	1
Air Jet	16
Water Cascade Jet	1
Laminar Jet	2
Total	54



Key features







Perimeter insulation



Thermobond 4 layer shell construction



Duraflex Plumbing







Set & forget control system



Multi-colour spa light







Ozone fi**l**tration



















Water capacity 600 litres







Variable Electrical output heater 3 kW requirements max 15 amps




Variable speed air blower 700w



JSP-WHT-SPANUOVO2S

Nuovo Spa 1950×1400×750mm, Shell Color-Silver White Marble With Panels-Black, Thermic Cover Color- Solid Black, Stair (2 Seater)

Jets drawing of NUOVO



- 3.5" single rotating jets: 4pcs
- 2" direct jets: 30 pcs
- 1" direct jets: 4pcs
- 1" circulation jets: 3pcs O Air jets: 8pcs

Seat Layout



Specifications:



Dry Weight 215 Kg



Power supply 220V/50-60Hz or 380V/50-60Hz



Aluminum foil insulation on skirt panel



and UV



Filled Weight 735 Kg



Outdoor / Indoor Installation









Aromatherapy

0

Air valve: 1pc



Operating System Balboa















Energy-saving Circulation pump 1x0.35 hp









Corner drain valve : 1pc



High-density PU insulation foam on shell 25mm



Jet Pump 3 hp



Spa touch

T.F

Spa bottom d rain: 1pc

Headrest 2Pcs





Hydrotherapy recliners 2



Variable heater 3kw











High density lockable spa cover





SS Frame





WSP-SLV-SPAAVANTE

Avante Spa Top Version 1870×1280×740mm, (2 seater)

JETS:

3" Directional Jets 8
2" Directional Jets 8
Total 16



Key features







Perimeter insulation



Thermobond 4 layer shell construction



Duraflex plumbing



Uv sterlising system



Set & forget control system



1ulti-colour spa light



Ozone filtration



Foot jets



Moulded headrests



Dual controls



Individual seat pressure control



Wifi enab**l**ed



Bluetooth music system







[---]

Water capacity 600 litres



Spa controller sv2



Jet pump(s



Electrical requirements max 15 amps

GEMINI 2100 × 1100 × 740 (2 Seater)



WSP-SLV-SPANF2001X

Gemini Spa 2100×1100×740mm, (2 Seater)

JETS:

5" Directional Jet 3" Directional Jet 4 4 3" Spinning Jet Water Cascade Jet 1 **Total Jets** 10



Key features



Thermodad cabinet



Perimeter insulation



Thermobond 4 layer shell construction



Duraflex plumbing







Backlit drink Holders



Chromo cascade grab bar



Uv steri**l**ising system*



Set & forget control system







Aromatherapy



Illuminated topside controls



Ozone filtration





Skimmer



Individual seat pressure control







Water capacity 300 litres





Electrical requirements max 15 amps



WSP-SLV-SPAFISHER

Fisher 2 Spa 1650×1650×740mm (2 Seater)

JETS:

3" Directional Jet 8
2" Directional Jet 8
Total Jets 16



Key features







Perimeter insulation



Thermobond 4 layer shell construction



Duraflex plumbing



Uv ster**l**ising system



Set & forget control system



Multi-colou spa light



Ozone













Filled weight 620kg



Water capacity 400 litres



Spa contro**ll**er sv2



Jet pump(s



Variable output heater 3 kw



Company Comp						Jaquar S	Spas produ	ct features	sheet						
Second												Sna	Sna	Sna	Sna
Description 1900	Product Name							Extreme	top version			Avante	Polaris	Breva	Nuovo
Figure 10 10 10 10 10 10 10 1	Size														195×140 x75 cm
	, ,						_	_			-				215kg
Separation Sep	Filled Weight	Spa 1530										779Kg			
Personal Accidentation Service Variable Control Part Variable Course Var	Water Capacity		300 litres	600 litres	1200 litres	1000 litres	3600litres	8100 litres	6800 litres	400 litres		600 litres	1500 litres	1030 litres	520 litres
Pump	·	SV4 + SV2	Gecko	SV2	SV2	SV2	SV3	SV4	SV M2	SV2	SV2	SV2	Balboa	Balboa	Balboa
Western Color Western Colo		250 WX2	Х	250W	250W	250W	250W	250W	250W	Х	250W	X	0.35HP	0.35HP	0.35hp
See Purspor	Variable Speed Air Blower	700W	X	700W	700W	700W	700W	700W	X	Х	700W	X	700W	700W	400W
Company Comp	Jet Pump(s)	2.5hp X 1 or	2.5hp X 1	2.5hp X 1	2.5 X 1hp	2.5 X 1hp	2.shp x 2	2.5hp X 4	2.5hp X 2	2speed	2.5hp X 1		2×3hp	3hp	3hp
Secretary of Properties Secretary Se	Variable Output Heater		1.3 KW	3 KW	3KW	3KW	6KW	6KW	3KW	3KW max	3KW	3KW	3KW	3KW	3KW
Single Fields (Carpent) 12	Electrical Requirements		15 amps	15 amps			1			15 amps	15 amps	15 amps	38 amps		27A or 13 amp
Single Polis Sporting Jet 5	5" Directional Jet	2	1	X	X	X	6		X	Х	Х	Х	2	· ·	i i
3° Directone Vert 6															X
31 Spring Jahr 9															
27 Directional Just Max X								-		_					
21 Sprinting Jate							1								
A A Left															
White Clascade Jeff 2															
Volcano Jet															
Volcano_Jed															
Learniar Jet															
Set 6 Forger Control System Syste															
Permoton of all signs shall	Set & Forget Control														
	Thermo bond 4 layer shell	√	√	√	√	√	√	√	√	√	√	√			
Noncommon on Shell-Cumm Noncommon No	High-density PU insula-	×	X	X	X	X	X	X	X	X	X	X	√	√	√
Child Seets & Wine Cooler															
Programmable Circulation V															
Hydrotherapy Recliners	Programmable Circulation														
Water Spout	Twin Accu-Pressure Seats	X	X	√	X	X	√	X	Х	Х	X	X	1	2	2
Dual Controllers	Hydrotherapy Recliners	√	√	X	√	√	X	√	X	Х	X	X	X	X	X
Programmable Mutil-Colour Spa Light	Water Spout	Х	Х	X	√	X	X	X	Х	X	X	Х	X	X	X
Spa Light		√	Х	X	X	Х	X	Х	Х	Х	X	Х	17	28	18
Water Cascade	Spa Light													•	•
Adjustable Aromatherapy															
Lockable Hard Cover (Internic Cover) V															
Illuminated Topside Controls													•		•
Cup holder illumination	(Thermic Cover)														
Individual Seat Pressure	·														X
Neck therapy collar													•	•	•
Intelligent thermal tuning	Controls												•	•	•
Perimeter Insulation															
Duraflex plumbing															
Steel Frame															
Thermoclad cabinet √ ✓			plastic	plastic	plastic	plastic	Steel	Steel	Steel	Timeber support	Timeber support	Timeber support	Stainless	Stainless	Stainless Steel Frame
Base	Thermoolad cabinat	-/	_/	-/	-/	-/	-/	-/	Y						Insulated
Water fall X √ X <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>skirt/panel</td><td>skirt/panel</td><td>skirt/panel</td></th<>													skirt/panel	skirt/panel	skirt/panel
Foot jet															FRP Base
Micro Filtration ✓ Skimmer ✓															
Ozone J <td></td>															
UV V V V V V V V V V										1					
Clean up cycle															
Structural Warranty 10 Years 1															
Structural Warranty 10 Years 1	Shell Warranty	5 Vooro	5 Vooro	5 Voore	5 Vooro	5 V000	5 Vaara	5 Voore	5 Voore	5 Vooro	5 Vooro	5 Vaara	5 Vooro	5 Vaara	5 Voors
Electrical Warranty 2 Years 2															5 Years 10 Years
															2 Years
Jets Warranty 5 Years 5	Jets Warranty	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	5 years	5 Years	5 Years	5 Years

SAUNAS

A Sauna is a bathhouse or room, usually made of wood, which uses dry heat to induce perspiration, with steam being produced by pouring water on heated stones. Perspiration or sweating is one of the main ways our bodies get rid of the traces of hundreds of toxins that accumulate inside us from pesticides, drugs and manmade chemicals. 15 minutes in a Jaquar sauna can help us sweat as much as we might otherwise do over an entire day or more. And the benefits of this aid in many medical conditions.



JSA-NAW-T16120

Jaquar Kubix Sauna 1750×1200×2100mm (2-3 Seater), Stove Heater, Wood-Hemlock, Led Light, Bluetooth, Mp3 Player (2-3 Seater)

Specifications

















& two Speakers

SOLO 900 × 1050 × 1900 (1 Person)

JSA-NAW-DLX9011

Solo One Infrared Sauna 900×1050×1900mm, Carbon Heater- 1750 Watt, Wood-Hemlock, Led Light, Digital Touch Panel (Single Seater)





Wood finish Comfortable hemlock backrest



Touch control system



Combination of spectrum & black mica carbon heater1.75kw



Built-in temperature sensor



usb, aux, bluetooth



Chromotherapy



SERENE 1750 × 1200 × 2100 mm (3-4 Persons)

JSA-NAW-S004175

Serene Sauna 1750×1200×2100mm (2-3 Seatrs), Stove Heater, Wood-Hemloc, Inside And Outside TouchControl, White Light With Cover, Chromo Light, Radio, Bluetooth (2-3 Seater)



Specifications











On heater control panel



White light with cover



Chromotherapy



Bluetooth & two Speakers



Thermometer





Jaquar Kaya Sauna 1500×1100×2100mm

2 pcs. s shape backrest

JSA-NAW-MD3150IH

(With Infrared Heater)



Sandglass timer

KAYAIR 1500 × 1100 × 2100 mm (1-2 Person)

Specifications



Wood finish hemlock



On heater Chromotherapy control panel



2 pcs. s shape backrest



Thermometer



Hygrometer



Sandglass



& two Speakers



JSA-NAW-DLX9022 Jaquar Paire Sauna 1300×1050×1900mm, 2490w-Hemlock, LED CLR LGT, Infrared Heater

STEAM SOLUTIONS

For those seeking wellness in the comfort of their homes, Jaquar steam solutions are a great way to enjoy the benefits of humidifying water vapour from a high-quality steam generator.

MID SERIES



Steam Generators

JSG-WHT-NMID40 Steam Generator Without Digital Control Panel- 4 kW JSG-WHT-NMID60 Steam Generator Without Digital Control Panel- 6 kW JSG-WHT-NMID90 Steam Generator Without Digital Control Panel- 9 kW JSG-WHT-NMID120 Steam Generator Without Digital Control Panel- 12 kW JSG-WHT-NMID150 Steam Generator Without Digital Control Panel- 15 kW JSG-WHT-NMID180 Steam Generator Without Digital Control Panel- 18 kW JSG-WHT-NMID225 Steam Generator Without Digital Control Panel- 22.5 kW JSG-WHT-NMID240 Steam Generator Without Digital Control Panel- 24 kW



Features



Touch button





Temperature













Newly designed steam nozzle




Over heat protection



Pressure safety value

Note: Steam generator & control plate are sold separately.



JSG-WHT-CPSQUARE

Control Panel Square in white for Jaquar Steam Generator

JSG-BLK-CPSQUARE

Control Panel Square in Black for Jaquar Steam Generator

JSG-WHT-CPROUND

Control Panel Round in white for Jaquar Steam Generator

JSG-BLK-CPROUND

Control Panel Round in Black for Jaquar Steam Generator


Note: Steam generator & control plate are sold separately.



JSG-BLK-PIUVAP5000ST

Smart Vapour Steam Stool, Capacity- 4.5 kW, Black Matt With Chromotherapy Light





Features



4.5 kW Single phase connection



Press button Start



Vapour Sealed Chromotherapy



Aroma therapy



Built in seating area



Quadrilateral Design



Inspired by straight lines



Auto Drain – 20 min.



Overheat protection



WATER HEATERS Gas | Electric | Instant



Why Jaquar Water Heaters

Water heaters that gives you more.

To ensure that they are worthy of the trust that is placed by customers in every Jaquar product, a whole range of safety, longevity and energy efficient features have been built in to these water heaters:

MORE SAFETY

- Double Safety Thermostat dual overheating control mechanism cuts off power automatically even if primary cut off fails
- Multi-function Safety Valve discharges water and acts as a non-return valve if pressure or temperature exceed preset limits







Multi Function Safety Valve

Thermostat

Double Safety Earth Leakage Circuit Breaker

MORE LIFE

- Superior Quality Glass-lined Inner Tank prevents rust, corrosion and prolongs the life of the inner tank
- Single/Dual Glass-coated Incoloy Heating Elements made of high quality steel for quicker heating and to prevent scale formation



High Quality Glass Lined Heating Element

MORE SAVINGS 3)

- High Density Insulation CFC-free PUF insulation, with added thickness to minimise heat loss and maximise energy savings
- Cathodic Protection a sacrificial Magnesium Anode protects and saves the tank from electrochemical reactions during water heating





Energy Saving High Density PUF Insulation

Cathodic Protection

ATTRACTIVE DIGITAL FEATURES

- Cordless Remote: Wireless remote control for operational ease
- Full Digital Display
- On/Off Timer
- Clock Temperature Setting





Cordless

Digital Controls

TRUST OF JAQUAR

Quality sets Jaquar apart. The high standards of our products have cemented our reputation as the most valued premium brand in the bathing industry

UNMATCHED CUSTOMER SERVICE

Jaquar Water Heaters come with a warranty along with service back-up. Jaquar also offers a Preventive Maintenance Service for hassle-free bathrooms

^{*}Available in Erica (Digital) 15/25L,

How to select your water heater on the basis of capacity

ELECTRIC

Capacity (in litres)																	
Model	1	3	6	10	15	20	25	30	40	50	60	80	100	200	300	400	500
Insta	\checkmark	\checkmark	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Elena (Manual)	-	-	\checkmark	\checkmark	\checkmark	-	√	-	-	-	-	-	-	-	-	-	-
Erica (Manual)	-	-	\checkmark	\checkmark	\checkmark	-	\checkmark	-	-	-	-	-	-	-	-	-	-
Erica (Digital)	-	-	-	-	\checkmark	-	√	-	-	-	-	-	-	-	-	-	-
Elena Prime	-	-	\checkmark	\checkmark	\checkmark	-	\checkmark	-	-	-	-	-	-	-	-	-	-
Meta (Manual)	-	-	\checkmark	\checkmark	\checkmark	-	\checkmark	-	-	-	-	-	-	-	-	-	-
Elena Horizontal	-	-	-	-	\checkmark	-	\checkmark	-	-	-	-	-	-	-	-	-	-
Verna (Floor Mounted)	-	-	-	-	-	-	-	-	-	-	-	-	-	\checkmark	\checkmark	\checkmark	\checkmark
Versa Vertical (VME)	-	-	-	-	-	-	-	\checkmark	-	\checkmark	-	\checkmark	\checkmark	-	-	-	-
Versa Horizontal (VME)	-	-	-	-	-	-	-	\checkmark	-	\checkmark	-	\checkmark	\checkmark	-	-	-	-

Choose the right water heater for your needs:

	9		,				
INSTA ELECTRIC	ELENA(Vertical /Horizontal) ELENA PRIME/ ERICA, META	ERICA DIGITAL		VI (Horizon	ERSA (VME) tal/Vertical Mo	del)	VERNA FLOOR MOUNTING
1 & 3	6,10,15 & 25	15 & 25	40	60	80	100	200, 300 400 & 500
WALL	WALL	WALL	WALL	WALL	WALL	WALL	FLOOR MOUNTED
BUCKET BATH/ KITCHEN	BUCKET BATH/ KITCHEN	SHOWER	SHOWER	SHOWER PANELS	BATHTUB	WHIRLPOOL	WHIRLPOOL/ SPA
SMALL FAMILY	SMALL FAMILY	SMALL FAMILY	LARGE FAMILY	LARGE FAMILY	LARGE FAMILY	LARGE FAMILY	LARGE FAMILY/ MULTIPLE BATHROOMS
NO REMOTE	NO REMOTE	CORDLESS	NO REMOTE	NO REMOTE	NO REMOTE	NO REMOTE	NO REMOTE

INSTANT ELECTRIC

Available in 1/3 litres
Instant Electric Water Heater With 3 kW/4.5 kW Heating Element,
1/3 Litre Capacity Vertical Installation

Product Specifications

Details		Instant			
Volume (L)		1/3			
Rated Wattage		3/4.5 kV	V		
Required Power Supply (V/Hz)		230/50			
Temperature Range		25°C to	75°C		
Working Pressure (Mpa)		6.5 Bar			
Inlet / Outlet Connection (Inch)		1/2			
Inner Container Material		Stainles	s Steel		
Warranty		5 Years	on Tank		
		2 Years	on Heat	ing Eleme	nt
		2 Years	on Othe	r Parts	
Product Dimensions (in mm)	Code		W	Н	D
	INS-WHT-3KW01	1 Litre	200	330	150
	INS-WHT-3KW03	3 Litres	230	370	200
	INS-WHT-4.5KW01	1 Litre	200	330	150
	INS-WHT-45KW03	3 Litres	230	370	200
		O LITTOS	200	0/0	200



Recommended for: Kitchen / Bucket Baths

(With Euro Plug)

Available in 1/3 litres

Instant Electric Water Heater With 3 kW/4.5 kW Heating Element, Euro Plug 1/3 Litre Capacity Vertical Installation

Product Specifications

Details		Instant			
Volume (L)		1/3			
Rated Wattage		3/4.5 kV	V		
Required Power Supply (V/Hz)	230/50			
Temperature Range		25°C to	75°C		
Working Pressure (Mpa)		6.5 Bar			
Inlet / Outlet Connection (Inch	n)	1/2			
Inner Container Material		Stainles	s Steel		
Warranty		5 Years	on Tank		
		2 Years	on Heat	ing Eleme	nt
		2 Years	on Othe	r Parts	
Product Dimensions (in mm)	Code		W	Н	D
	INS-WHT-E3KW01	1 Litre	200	330	150
	INS-WHT-E3KW03	3 Litres	230	370	200
	INS-WHT-E4.5KW01	1 Litre	200	330	150
	INS-WHT-E4.5KW03	3 Litres	230	370	200



Recommended for: Kitchen / Bucket Baths

Available in 6/10/15/25 litres

Elena Prime Storage Water Heater 6/10/15/25 Litre Capacity Vertical Installation

Product Specifications

1 Todact opecinications					
Details		Elena Pri	me (Ma	anual)	
Volume (L)		6/10/15/25	5		
Rated Wattage		2 kW			
Required Power Supply (V/Hz)		230/50			
Temperature Range		25°C to 7	5°C		
Working Pressure (Mpa)		0.8			
Inlet / Outlet Connection (Inch)		1/2			
Warranty		7 Years or	n Tank		
		4 Years o	n Heati	ng Elem	ent
		2 Years or	n Other	Parts	
Product Dimensions (in mm)	Code		W	Н	D
	EPM-WHT-V006	6 Litres	316	316	273
	EPM-WHT-V010	10 Litres	366	366	285
	EPM-WHT-V015	15 Litres	402	402	312
	EPM-WHT-V025	25 Litres	452	452	369
·					



Recommended for: Kitchen / Bucket Baths / Overhead Showers

ELENA VERTICAL (Manual)

Available in 6/10/15/25 litres

Elena Manual Storage Water Heater 6/10/15/25 Litre Capacity Vertical Installation

Product Specifications

Details		Elena Ve	rtical (Manua	I)
Volume (L)		6/10/15/2	5		
Rated Wattage		2kW			
Required Power Supply (V/Hz)		230/50			
Temperature Range		25°C to 7	75°C		
Working Pressure (Mpa)		0.8			
Inlet / Outlet Connection (Inch)		1/2			
Warranty		7 Years o	n Tank		
		4 Years o	n Heat	ting Eler	ment
		2 Years o	n Othe	er Parts	
Product Dimensions (in mm)	Code		W	Н	D
	ELM-WHT-V006 ELM-WHT-V010 ELM-WHT-V015 ELM-WHT-V025	6 Litres 10 Litres 15 Litres 25 Litres	385		260 295 305 345



Recommended for: Kitchen / Bucket Baths / Overhead Showers

ELENA MANUAL - HORIZONTAL

Available in 15/25 litres

Elena Manual Storage Water Heater 15/25 Litre Capacity Horizontal Installation also available in with intlet and outlet on left hand side

Product Specifications

Details	Elena Manual (Horizontal)
Volume (L)	15/25
Rated Wattage	2 kW
Required Power Supply (V/Hz)	230/50
Temperature Range	25°C to 75°C
Working Pressure (Mpa)	0.8
Inlet / Outlet Connection (Inch)	1/2
Warranty	7 Years on Tank
	4 Years on Heating Element
	2 Years on Other Parts
Product Dimensions (in mm) Inlet / Outlet right hand side Code	W H
ELM-WHT-H	1015 15 Litre 510 320
ELM-WHT-H	025 25 Litres 747 320
Product Dimensions (in mm) Inlet / Outlet left hand side Code	W H
ELM-WHT-LHS	015 15 Litre 510 320
ELM-WHT-LHS	025 25 Litres 747 320



Recommended for: Kitchen / Bucket Baths / Overhead Showers Available with inlet/outlet on left hand side (LHS) and right hand side (RHS), ideal for installation above false ceilings.

ERICA VERTICAL (Manual)

Available in 6/10/15/25 litres

Erica Manual Storage Water Heater 6/10/15/25 Litre Capacity Vertical Installation

Product Specifications

Details		Erica Ve	rtical (Manua	I)
Volume (L)		6/10/15/2	25		
Rated Wattage		2 kW			
Required Power Supply (V/Hz)		230/50			
Temperature Range		25°C to 7	75°C		
Working Pressure (Mpa)		0.8			
Inlet / Outlet Connection (Inch)		1/2			
Warranty		7 Years o	n Tank		
		4 Years	on Hea	ting Ele	ment
		2 Years o	n Othe	er Parts	
Product Dimensions (in mm)	Code		W	Н	D
	ERM-WHT-V006	6 Litres	300	300	285
	ERM-WHT-V010	10 Litres	340	340	328
	ERM-WHT-V015	15 Litres	410	410	336
	ERM-WHT-V025	25 Litres	470	470	375



Recommended for: Kitchen / Bucket Baths / Overhead Showers

ERICA VERTICAL (Digital)

Available in 15/25 litres

Erica Digital Storage Water Heater 15/25 Litre Capacity Vertical Installation

Product Specifications

Details		Erica Vertical (Digital)
Volume (L)		15/25
Rated Wattage		1/2/3 kW
Required Power Supply (V/Hz)		230/50
Temperature Range		25°C to 75°C
Working Pressure (Mpa)		0.8
Inlet / Outlet Connection (Inch)		1/2
Warranty		7 Years on Tank
		4 Years on Heating Element
		2 Years on Other Parts
Product Dimensions (in mm)	Code	W H D
	ERD-WHT-V015 ERD-WHT-V025	15 Litres 410 410 334 25 Litres 470 470 371



Recommended for: Kitchen / Bucket Baths / Overhead Showers

VERSA MANUAL - HORIZONTAL (VME)

Available in 30/50/80/100 litres
Versa Manual Storage Water Heater With G Type Plug &
Euro Plug 30/50/80/100 Litre Capacity Horizontal Installation

Product Specifications

Details		Versa Manual - Horizotal (VME)
Volume (L)		30/50/80/100
Rated Wattage		1.5 kW
Required Power Supply (V/	Hz)	230/50
Temperature Range		35°C to 75°C
Working Pressure (Mpa)		0.8
Inlet / Outlet Connection (In	nch)	1/2
Warranty		7 Years on Tank
		4 Years on Heating Element
		2 Years on Other Parts
Product Dimensions (in mr	m) Code	H W
VME-WH	HT-H030 / VME-WHT-EH030	30 Litres 375 675
	HT-H050 / VME-WHT-EH050	
	HT-H080 / VME-WHT-EH080 HT-H100 / VME-WHT-EH100	



Recommended for: Overhead Shower / Shower Panels / Bathtubs

VERSA MANUAL - VERTICAL (VME)

Available in 30/50/80/100 litres Versa Manual Storage Water Heater With G Type Plug & Euro Plug 30/50/80/100 Litre Capacity Vertical Installation

Product Specifications

Details	Versa Manual - Vertical (VME)
Volume (L)	30/50/80/100
Rated Wattage	1.5 kW
Required Power Supply (V/Hz)	230/50
Temperature Range	35°C to 75°C
Working Pressure (Mpa)	0.8
Inlet / Outlet Connection (Inch)	1/2
Warranty	7 Years on Tank
	4 Years on Heating Element
	2 Years on Other Parts
Product Dimensions (in mm) Code	W H
VME-WHT-V030 / VME-WHT-EV030	30 Litres 370 715
VME-WHT-V050 / VME-WHT-EV050	50 Litres 410 770
VME-WHT-V080 / VME-WHT-EV080	80 Litres 480 810
VME-WHT-V100 / VME-WHT-EV100	100 Litres 480 1020



Recommended for: Overhead Shower / Shower Panels / Bathtubs

META VERTICAL (Manual)

Available in 6/10/15/25 litres
Meta Manual Storage Water Heater 6/10/15/25 Litre Capacity Vertical Installation

Product Specifications

Details	Meta Vertical (Manual)		
Volume (L)	6/10/15/25		
Rated Wattage	2kW		
Required Power Supply (V/Hz)	230/50		
Temperature Range	25°C to 75°C		
Working Pressure (Mpa)	0.8		
Inlet / Outlet Connection (Inch)	1/2		
Warranty	7 Years on Tank		
	4 Years on Heating Element		
	2 Years on Other Parts		
Product Dimensions (in mm) Code	L W		
MET-WHT-PV006	6 Litres 400 290		
MET-WHT-PV010	10 Litres 495 290		
MET-WHT-PV015	15 Litres 495 340		
MET-WHT-PV025	25 Litres 560 390		

Recommended for: Kitchen / Bucket Baths / Overhead Showers



Available in 200/300/400/500 litres

Verna Manual Storage Water Heater 200/300/400/500 Litre Capacity Floor Mounted Installation

Product Specifications

Details		Verna Floo (Manual)	r Moun	ted
Volume (L)		200/300/4	00/500	
Rated Wattage		200/300/4	00L - 2	.5 kW x 2
		500L - 3.00) kW x 2	2
Required Power Supply (V/Hz)		230/50		
Temperature Range		35°C to 75°	°С	
Working Pressure (Mpa)		1.0		
Inlet / Outlet Connection (Inch)		3/4		
Warranty		3 Years on	Tank	
		3 Years on	Heating	Element
		3 Years on	Other P	arts
Product Dimensions (in mm)	Code		W	Н
	VRN-GRY-200	200 Litres	540	1575
	VRN-GRY-300	300 Litres	650	1600
	VRN-GRY-400	400 Litres	710	1650
	VRN-GRY-500	500 Litres	710	1999



Recommended as the Centralised Heating Solution for Multiple Bathrooms

WASHROOM ACCESSORIES





WASHROOM ACCESSORIES

Jaquar's high-performance washroom accessories are specially designed for use in premium public facilities.

- Created in technical collaboration with the world-renowned Mediclinics, Spain
- The range includes state-of-the-art Hand Dryers, Soap Dispensers and Paper Towel Dispensers, among others

Quick Guide







Medium traffic



High



Electrical protection



Low electricity consumption eco-efficient hand dryer



Value for money



Vandal-proof



Lock with key



Nuts and bolts included



Biocote



ADA standard



UNE standard



Units per box

Hand Dryer



HDR-SLV-AK2030

Nuovo dualflow touch-free infrared hand dryer with intelligent LED display, 1850W rated power, DC brushless motor & double HEPA filter



HDR-SSF-AK2803D

Bolt touch-free infrared hand dryer with 1150W rated power & carbon brush motor

Soap Dispenser - Push Button



HDR-SSF-AK2807

Flash touch-free infrared hand dryer with 1150W rated power & carbon brush motor



SDR-WHT-DJ0010FN

Soap Dispenser - Push Button, Capacity: 0.8L, Material: ABS, Finish: White / Smoked

Soap Dispenser - Automatic







SDR-BLC-DJ0160ASN

Soap Dispenser - Automatic, Capacity: 0.8L, Material: Aluminium / ABS, Finish: Chrome / Black Also available

SDR-BLC-DJ0160ASE

Soap Dispenser With (9V Transformer) - Automatic

Paper Towel Dispenser - Towels with c/z Folds - Wall Mounted













PTD-SAP-DT0106CSN

Paper Towel Dispensers Towels With C /Z Folds - Wall Mounted, Capacity: 400-600 C / Z towels, Material: AISI 304 Stainless Steel, Finish: Satin

ACCESSORIES (FOR DISABLED-FRIENDLY BATHROOMS) I

Stainless Steel





WAC-SAP-BG0800CSN Grab Bar Vertical Swing

White Epoxy





WAC-WHT-BG0800N Grab Bar Vertical Swing

Black Matt





WAC-BLM-BG0800N Grab Bar Vertical Swing

Jaquar has an ongoing policy of design, development and improvement and thus reserves the right to modify specification and prices without any prior notice.





Glossary

Adjustable Exposed Shower Pipe: An attachment to the exposed shower mixer which allows the showerhead to be adjusted to different heights.

Aerator: A device located in the faucet spout that mixes air with water. It is made by using a restrictor that limits the flow of water while increasing water pressure.

Angle Stop: The shut-off valve between the water pipes and the faucet. The inlet connects to the water supply pipe in the wall and it angles up 90 degrees to the faucet.

Anti-Scald: A valve which monitors the temperature of water coming out to minimise the risk of scalding.

Basin Mixer: A basin tap that will mix hot and cold water and deliver it through a single spout.

Bath Filler: Like a basin mixer, a bath filler will mix hot and cold water and deliver it through a single spout.

Bath Shower Mixer: A bath tap fixture which incorporates a shower attachment. Bath Tub Spout: An output device through which water flows to fill a tub. A valve controls the flow.

Bib Tap: A tap with a nozzle that is bent downward and supplied with water through a horizontal inlet.

Bidet: A low height washbasin, specially designed for washing certain parts of the body for personal hygiene.

Body Shower: A mini-shower head that delivers water from a vertical position in the shower. It often targets specific areas of the body and offers a precise therapeutic and invigorating massage.

Cartridge: A part of the valve that controls the On/Off function and allows water to flow.

Central Hole Basin Mixer: A one-piece fitting with two handles. Hot and cold water are mixed and delivered through a single spout.

Ceramic Disc: Two pieces of ceramic within the valve that open and close to allow control over flow volume.

Chromotherapy: A system of directing light sequences on or around the body to promote relaxation.

Cistern: The ceramic or plastic vessel that stores the water necessary for flushing a toilet.

Click-Clack Waste: A fitted alternative to a plug that you touch and click to drain the water

In-wall Cistern: A cistern that is hidden from view behind a false wall.

In-wall Shower Mixer: A shower control hidden within a finished wall, with only the operating lever and wall flange visible.

Couple Closet: A style of toilet where the cistern attaches directly to the pan. Deck/Table Mounted Tap: A tap that sits on the rim of a washbasin or bath (as opposed to being wall mounted).

Diverter Valve: A valve designed to direct, or redirect, mixed water to a specific location.

Diverter: A shower control that will 'divert' the water flow to an additional hand shower or to an over head shower from a bath and shower mixer/diverter.

3-Inlet Diverter: Used where a customer has 3 pipelines installed in the bathroom: Hot (Geyser), Cold (Overhead Tank) and Fresh (direct from Municipal Corporation/Submersible).

Dual-Flush: A cistern that offers two flushing strengths - a full-volume flush or a half-volume flush to save water.

Electronic Flush: A hands-free, hygienic and water saving flush that's perfect for both public and private installations. It uses a beam of infrared light to switch on and switch off the water flow.

Face/Spray Plate: A plate with holes or slots through which water passes to form a spray with separate, definable jets or water droplets.

Fixed Head Shower: A shower head that is fixed to the wall with in-wall pipe work.

Fixture: Anything that accepts or discharges water or wastewater: faucets, sinks, toilets, tubs.

Flange: Non-threaded piece that goes over the pipe coming out of the wall and covers the hole in the wall.

Flow Rate: Measurement of water flow through a plumbing system in gallons per minutes (GPM) or gallons per hour (GPH).

Flush Valve: The valve located at the bottom of a gravity operated toilet flush tank that opens when the trip lever is actuated and closes when the tank has drained to the desired level. It usually contains an overflow tube as well.

Gasket: A flat piece of fibre or rubber used to provide a watertight seal between metal joints.

Gray Water: Wastewater from fixtures other than toilets.

Hand Shower: A detachable shower head with an integral handle and a flexible hose that allows the water spray to be directed onto any part of the body by hand.

Handle: The trim piece on the faucet that turns the stem on the cartridge.

Hi-flow Diverter: It delivers a high-flow rate to quickly fill your bath. Ideal for use on the top floor of buildings where there's less water pressure.

Hard Water: Natural water containing impurities in various proportions. Traditional hardness is a measure of calcium, minerals or dissolved solids in a solution, measured in parts per million. Hard water generally ranges from 100 to 250 ppm.

Mono Block: A toilet in which the tank and bowl are manufactured as a single vitreous china fixture. Typically, Mono Block toilets have a lower profile than Couple Closet toilets.

O-Ring: A rubber washer that is round instead of flat. Used in valve stems to create a watertight seal.

Overhead Shower: Shower outlets which direct water onto the user from

above the head

Pillar Tap: A tap which does not allow for temperature regulation by the user. Pillar taps are supplied with water through a vertical inlet.

Pop-up Waste: An alternative to traditional plugs, a pop-up waste comprises of a stopper connected by levers to a control knob on the tap. When the knob is pushed down the stopper is lifted to allow water to drain away. When the knob is pulled up the stopper seals the plug hole.

PVC: Acronym for Polyvinyl-Chloride. Usually refers to a rigid white plastic pipe made of this material, used for bathroom drain, waste and vent pipes.

Quarter Turn Taps: Taps which can be turned fully on or off by turning the handle through just 90 degrees. Ceramic discs inside the tap allow extreme controllability of water flow rate, provide a smooth, quiet action and great resistance to wear.

Reducer: A fitting that allows pipes of different sizes to be joined together.

Relief Valve: A valve that opens to relieve excess temperature and/or pressure in the system.

Scale: A thin coating or layer, usually of calcium, on the bottom of a tank or interior parts that may prevent heat transfer.

Sediment: The substance that settles at the bottom of a water tank.

Shower Arm: A component which supports a shower head and connects it to the water supply.

Shower Hose: A flexible pipe that connects the shower head and the shower control.

Shower Mixer: A shower that mixes hot and cold water and supplies it together to achieve the required temperature.

Shower Outlet: A fixture which allows water to be emitted in the form of jets or water droplets.

Single Lever: Taps which incorporate the opening, closing and mixing of hot and cold water with one lever. Move the lever up to open the tap and down to close. To alter the water temperature, the lever is moved from left to right or vice versa.

Slide Rail: A vertical rail to allow height adjustment of a shower head. Soft Water: Water that has been treated so that it has low mineral content.

Stop Cock: A simple, hand operated tap that turns the water flow off and on.

Tap: Tap is synonymous with faucet. Tap also refers to the divergence of water from one fitting to another.

Tall Boy: A single lever basin mixer with a higher spout. Used for countertop basins where the faucet is not installed directly on the ceramics, but on the vanity (or a separate shelf). The shaft must be longer for the water to flow into the basin at a comfortable distance, and it is significantly higher than the rim of the basin.

Thermostatic: Mixer taps that automatically maintain a constant temperature irrespective of the variations in the water pressure and the temperature of the hot and cold water supply. They have a cartridge or thermostatic element, a control for selecting the temperature and feature a safety stop that prevents scalding.

Thermostatic Bath & Shower Mixer: Gives precise and regulated control of the water temperature as well as flow. Sudden temperature changes are prevented, making the bath and shower experience consistent and enjoyable at all times.

Three Hole Mixer Tap: A faucet fixture with separate hot and cold water handles to blend water through a third central spout.

Three-Handle: Three-handle faucets also use separate handles for hot and cold water, but have an additional handle to divert the water from bath spout to shower head.

Trap: A curved section of drain that traps a small portion of water to prevent sewer gases from escaping into the bathroom. "P" traps and "S" traps are the types of traps most co mmonly found in bathrooms.

Two-Handle: Two-handle faucets feature separate handles to control hot and cold water temperature.

Urinal: A plumbing fixture only for receiving liquid body waste (urine) which is then conveyed through a trap seal into a gravity drainage system.

Vacuum Breaker: A device that prevents the backward flow of contaminated water into clean water supply.

Valve: A device that regulates the flow, water temperature and/or volume of water.

Wall Bracket/Handset Holder: A device for holding a shower handset at a fixed height position such that the hands of the user are free. It also allows angular movement which enables the water spray trajectory to be adjusted.

Wall Hung: The toilet cistern is in-wall, behind a wall or inside bathroom furniture and the pan protrudes from the wall, above the floor. Basins and bidets can also be wall hung. The height can be fixed to suit the comfort of users.

Wall Mount Tap: Used with washbasins or baths which have no tap holes. The handle and spout protrude from the wall above the basin or bath and the pipework is hidden behind the wall.

Wall Mixture: Exposed wall mounted mixer that can divert water to either the spout or the shower head.

Wall Mixture Non-Telephonic: Exposed wall mounted mixer that can deliver water through spout only.

Wall Mixture 3-in-1: Exposed wall mounted mixer that can divert water to three different outputs- spout, overhead shower and hand shower.

Water Closet: A plumbing fixture that has a receptacle with water to receive liquid and solid body waste. Upon actuation (flushing), it discharges the waste through a trapway into a gravity drainage system.

Warranty Information



Warranty Description	Product Category	Name of the Jaquar Products or Parts		Warranty - In Years			
The products are warranted against any manufacturing defect specified under the warranty period subject to terms and conditions specified in this warranty certification.	Faucets	Faucet, Accessory (Only Metal Parts) & Braided Hose Sensor Faucet Electronic/Electrical assembly for Sensor Faucet Showertronic Faucets with color finish only			10 5 5 5 5		
	Flushing Systems	Flush Valve Concealed Cistern - Body & Working Mechanism Wall Hung Cistern Sensor based Flushing System - Body, Electronic / Electrical Assembly			10 7 2		
	Sanitary Ware	Ceramic Body Mechanical Parts UF Seat Cover PP Seat Cover			10 2 5 2		
Wellness Washroom Accessori		Electrical & electronic parts in all products Free standing tub, bath tub, Whirlpool, SPA, Steam Cabin, Sauna, Shower Panel: parts other than electrical & electronics parts SPA - shell Steam generator Filter & other consumables			2 5 10 2 Nill		
		Hand Dryer, Soap Dispenser, Paper Towel Dispenser			2		
	Product Category	Brand & Product	Warranty - In Y		ty - In Years	· In Years	
			Tank	Heating Element	Other spare part	Compressor & sealed system	
	Hot Water Solution	Jaquar - Instant	5	2	2	NA	
		Jaquar - Storage upto 100L	7	4	2	NA	
		Jaquar - Storage above 100L	3	3	3	NA	
		Jaquar - Tank Less	NA	3	1	NA	
		Jaquar - Heat pump	4	2	1	2	
		Jaquar - Gas geyser	1	NA	1	NA	
		Essco - Instant & storage upto 100L	5	2	2	NA	

Our warranty does not cover certain product consumables like batteries or fragile items like glass

MAINTENANCE GUIDELINES FOR JAQUAR PRODUCT

Kindly follow the guidelines mentioned below to give you the best results and to maintain the finishes and longevity of the product.

- · Clean the product with water-soaked soft towel or bathing soap solution once in a day or two to keep the plated surface clean and free from any deposits.
- Don't use any type of cleaning/detergent agents which contain acids or chemicals such as flush cleaner, tile cleaner etc.
- Don't use salt or vinegar-based cleaning agents to remove scale or scale-related stains. They may damage the surface or finish of products.
- · Special color combination products should not be rubbed by Emery paper/cleaning powder. This can cause abrasion.

You need to protect your product from:

- 1. Water Scaling: Due to presence of minerals and salt in water, scaling is formed on the product if it is not cleaned regularly. The products should be cleaned gently at regular intervals. Also, take extra care to clean the edges and corners of the products because these areas are more vulnerable for scale settling. Clean the aerators from time to time for a perfect foam flow of water from the fittings. The property of water being used is very important for your plumbing installations (Pipes etc.), as well as for your own hygiene. The hardness of water should not exceed 300-400ppm.
- 2. Acid Fumes: When we clean the tiles or floors in the bathroom with cleaning agents which contain acids or chemicals, acid fumes are formed. Because the basic material used in the products is brass, brass being an alloy of copper reacts with these acid fumes. With this reaction, a green colour layer is formed on the products resulting in damage to the outer finish or coating.
- 3. Scratching while cleaning: Scratching or scrubbing occurs due to hard nature of cloth or coarse cleaning powder being used for cleaning. Use a gentle fluffy soft cloth for cleaning the surface.
- 4. Atmospheric conditions: This condition applies mostly to salt content in the air in coastal areas, sometime the air reacts with brass and black spots emerge on the surface of product. Therefore, the product is required to be cleaned regularly. At the time of installation of these products, cover the products with the cloth covers provided in packaging or with polythene till the time you actually start using them.

CARE AND CLEANING GUIDELINES FOR SANITARYWARE PRODUCTS

Vitreous china sanitaryware products are fragile in nature and need to be handled with care (to avoid personal injury) at all times during its storage, handling, installation and use thereafter.

- > The wash basin and water closet are heavy and it is recommended that two persons hold it while it is being fixed.
- > Carefully inspect the new product for damage before installation.
- > Risk of product damage. Over tightening may cause breakage or chipping of vitreous china.
- > Risk of external leakage. Do not lift or rock the bowl after placement.
- · Always test product cleaning solution on an inconspicuous area on the product before applying it to the entire surface.
- Do not allow cleaners to sit or soak on the product.
- Use a soft, dampened sponge or cloth to clean. Never use abrasive material like a bristle brush or scouring pad.
- Wipe surfaces clean and rinse completely with water immediately after applying cleaners.

WARRANTY TERMS & CONDITIONS:

- 1. Warranty is offered by Jaquar & Company Pvt. Ltd (hereinafter referred as company) as warranty on all its products as per warranty period ONSITE. The warranty period varies from product to product. Kindly refer Warranty Certificate for details.
- 2. The foregoing warranty constitutes Jaquar's sole warranty and Jaquar gives no warranty, express or implied, including warranties of fitness for a particular purpose and warranties of merchantability and there are no warranties which extend to use of the company's Products for the purposes beyond description and further company neither assumes nor makes nor authorizes any person to make representation that the product is of any particular quality or standard or is suitable for any particular purpose.
- 3. This warranty shall be governed by the laws of the land wherein the sale of the product is affected. The Courts within whose territorial jurisdiction such sale is affected shall have the exclusive jurisdiction to entertain any dispute regarding or arising out of this warranty and/ or the sale of this product. Any claim of defect or replacement or any other complaint under this Limited Warranty Certificate shall be made to such Official Distributor/ Dealer Provider of the Company in the Country where the sale is finalised. The warranty for this product shall be valid only if the product has been purchased through an Official Distributor/ Dealer.
- 4. This original certificate must be preserved by the customer and produced whenever required.
- 5. During the warranty period and under normal use, if the product / component / part is found to be of faulty due to manufacturing defect, the same will be repaired or replaced upon production of this warranty certificate, without charges either for part or labor or both, the decision of company official will be final for fault qualifies for warranty.
- 6. Warranty remains applicable only if the products have at all times been used strictly in accordance with the terms of this warranty and has not been improperly or negligently handled and is not maintained in accordance to maintenance guidelines given.
- 7. In the event of non-availability of components or parts due to any reason whatsoever Company or its Authorized Service provider or the Dealer will not be responsible or liable for any delay that may be caused to service/repair of the Products; no claims financial or otherwise will be entertained.
- 8. Warranty on Wellness Products against defects in material or workmanship as follows: Company will repair at no charge for parts only or, at its option, replace any product or part which proves defective because of improper workmanship and/ or material, under normal installation, use, service and maintenance.
- 9. Company and customer agree that company will not be liable for any damages whatsoever arising out of use or inability to use its Company's Products. Jaquar bears no responsibility for incidental or consequential damages arising out of use or inability to use Company Product.
- 10. Company and customer agree that Company shall have no liability for any cargo loss, loss of use or any incidental or consequential damages arising out of this order which are alleged to have been caused by any of the goods delivered hereunder.
- 11. By purchasing this product, customer agrees to Company's aforesaid warranty on the product.
- 12. Company neither assumes nor authorizes any person to assume for us any other obligation or liability in connection with sale of this product.
- 13. Under no circumstances shall Jaquar be responsible for any incidental or consequential or any other damage or cost or expense, including but not limited to loss of profit or removal, transportation, handling or re-fixing costs and expenses.
- 14. Customer and Company agree that customer's sole remedy for any defects in goods hereunder shall be limited to the repair or replacement at the Company's option within warranty period after delivery of such goods to the first purchaser, of any defective goods, of which notice of defects is given by the Customer to the Company in accordance with terms of this warranty certificate. The part/product against replaced part/product will be property of Company.
- 15. Company Shall not be liable to Customer claiming the warranty under the terms of condition of this Limited Warranty Certificate, due to defects caused by rodents/pets or in the events of force majeure. The Force Majeure means any disaster, act of God or the public enemy, any accident, explosion, fire, storm, earthquake, electric storms, tornado, flood, casualty, lockout, strike, labour conditions, unavoidable accident, nuclear explosion, national calamity, or any other circumstance or event or by any enactment of law, or by order of any legally constituted authority, or by any other similar cause of the Company or beyond the reasonable control of the party relying upon such circumstance or event.
- 16. Company and customer agree that Jaquar bears no responsibility for incidental and / or consequential damage arising out of use and for inability to use a product. Company liability will be limited and restricted to the product replacement/value of the product sold. Company under all circumstances shall not be liable to uninstall the defective product or installed replacement product. In case replacement is the only option then the customer has to hand over the defective product to the seller from whom it was purchased and take the replacement product from there.
- 17. In order to claim warranty, this Limited Warranty Certificate, duly filled, stamped and signed by the Dealer must be submitted along with product on which warranty claim is made to attending authorized service personnel.

NOTWITHSTANDING THE ABOVE, THE FOREGOING WARRANTY SHALL NOT APPLY TO THE FOLLOWING:

- 1. Any defect or damage caused to the product due to natural wear and tear.
- 2. Any defect or damage arising from reasons attributable to the purchaser/ third party, including without limitation willful actions, negligence, mishandling, improper storage, improper fitting, misuse or improper repair, faulty installation, negligence, accidents and repairs by unauthorized person or maintenance practices and/ or used in any manner contrary to any written instructions provided by Jaquar; however the certificate entitles the customer to seek training for his plumber from nearest Jaquar office.
- 3. Any other defect or damage occurring or being notified after the expiry of Warranty Period, including but not limited to any latent defect.
- 4. The problems arising from inadequate water pressure, water impurities or improper care and cleaning and Voltage fluctuations.
- 5. In line water filters, should be used with Faucets so that any damage to ceramic cartridges without the use of in line filters will void warranty.
- 6. Intentional and Accidental use of cleaners containing abrasive cleansers, ammonia, bleach, hair dye, acids, waxes, alcohol, solvents, bath oil, bath salts or other products not recommended for Color and Coating and due to Improper cleaning or cleaning with coarse cloth also for fading of any material due to sun or chemical exposure.
- 7. Any goods which after delivery hereunder have been repaired or modified or altered by anyone other than that has been authorized and approved by the Jaquar.
- 8. This warranty does not cover installation or any other labour charges associated with the job work or re-installation of Jaquar products.
- 9. When the product is not operated in accordance with the instructions concerning use and operating.
- 10. Damage to any products based on or resulting from installation or repair, misuse or abuse or alteration or adjustment, whether performance by a contractor, service company or yourself.
- 11. Damage resulting from failing to reasonably clean, care for or maintain a product.
- 12. This warranty does not cover the damages as a result of disaster such as fire or acts of God, including flooding, earthquake, or electric storms and other Force Measure.

Notwithstanding the above, the foregoing warranty shall not apply to the below mentioned conditions Related to Geysers:

- 1. Element bust and component failure due to calcium deposition.
- 2. Claim related to Shock coming from Faucets due to improper earth line.
- 3. Any damage to the unit, if safety valve & Proper rating of MCB was not installed.
- 4. Poor Installation resulting from not following and implementing the standard instruction and guidelines issued with product.
- 5. Leakage due to Poor quality of Braided hose, angle valve, in out knob if not from Jaquar Brand.
- 6. In extreme cold condition drain out water from water heater through safety valve after use. Don't allow water to freeze in the tank.
- 7. If anode rod, the consumable, is not replaced with new anode rod.

Notwithstanding the above, the foregoing warranty shall not apply to the below mentioned conditions Related to Concealed Cisterns, Bathtubs, Whirlpool, and Steam Enclosures & Glass Shower Enclosures for the following:

- 1. Damage to the finish of fittings or accessories caused by the use of cleaning solvents/chemicals or improper cleaning methods.
- 2. Damage resulting from the use of chloramines, excessive concentration of chlorine in water.
- 3. Damage in shipping, handling or transportation. Please inspect the unit prior to installation to ensure the unit is free of any defect or damage.
- 4. The warranty does not cover glass breakage or the coating on the glass. By its nature, all glass has the potential to shatter; therefore, Jaquar use only toughened safety glass.

Notes	





